

September 1986

RADiO COMmunication

THE BUYER'S GUIDE TO AMATEUR RADIO

Hundreds of reviews of amateur radio equipment - from Alinco to Yaesu - all in this long-awaited new book from the RSGB.

Plus: laboratory test results and analyser plots to make comparisons easier.

Before you buy your equipment - read this exciting new book.

OUT THIS MONTH!

**ORDER YOUR COPY
NOW**


Price £6.88

(to members, inc P/P)

A personal choice by Angus McKenzie MBE G3OSS

Journal of the Radio Society of Great Britain





YAESU



THINK YAESU . . . THINK AMATEUR ELECTRONICS . . .

Top Band — 70cms*, Multimode — all in one! Our latest arrival . . . the FT 767 GX!

100w all mode, All band QSK Transceiver — the super new addition to the YAESU range.



State-of-the-art advances in transceiver design and latest computer aided technology have produced the newest addition to the YAESU family, the Incredible new FT 767 GX. The unit has plug-in VHF & UHF 10 watt modules for 2M, 6M and 70cms (*which come as optional extras) — so you can have all band coverage with one rig.

- Front panel keypad frequency entry
- Automatic SWR & Watt meter (digital)
- 10 multi-function memories
- Auto Tracking, Scanning
- Twin VFO's
- SSB/CW/FSK/AM/FM
- General Coverage Receiver
- Built-in Power Supply
- Built-in auto HF antenna tuner
- Four internal CPU's
- Plug-in modules for 2m, 6m and 70cms
- Improved built-in keyer

THIS MONTH'S NEW PRODUCTS FROM YAESU



The 'MKII' FT 290
— destined for even greater success!
'New look' front panel, optional 25w p.a. for mobile use and lots, lots more! Super new additions to an ever popular YAESU rig.

STOP PRESS!!



FT 727 R — Dual Band FM Handie VHF/UHF
2 metres and 70 cms
YAESU have done it again!

- CMOS microprocessor controlled
- 0.5/5w output
- 20 keys/40 channels
- Mini CAT
- Liquid crystal meter

FL 7000 HF



SOLID — STATE QSK LINEAR

More YAESU genius . . .
● Auto tuning and band changing
● 160 through 10m ● Built in P.S. ● the LINEAR with everything — well almost!

THE AE CONNECTION — SERVING THE NATION

• **NORTH**
Holdings, 45 Johnston St
Blackburn Tel 0254 59595

• **E MIDLANDS**
R A S Notts, 3 Farndon Green,
Wollaton Park, Nottingham Tel 0602 280267

• **YORKSHIRE**
A J Hooker 42 Nether Hall Rd,
Doncaster Tel 0302 25690

• **MIDLANDS**
Elliot Electronics,
26-28 Brumstone Gate, Leicester
Tel 0533 553293

• **E ANGLIA**
Eastern Comms, 31 Castlemarket St
Norwich Tel 0603 667189

• **SE MIDLANDS**
A J H, 151a Bilton Rd, Rugby
Warwickshire Tel 0788 76473

• **S WEST**
Uppington 12-14 Pennywell Rd
Bristol Tel 0272 557732

E&OE



Open 9am-5pm — 6 days per week



AMATEUR ELECTRONICS

504 ALUM ROCK ROAD, ALUM ROCK, BIRMINGHAM B8 3HX. TEL: 021-327 1497/6313

TX: 334312 PURLEC G

SEPTEMBER 1986

VOLUME 62 No 9

EDITOR

A W Hutchinson

Editorial assistant

(Post vacant)

Draughtsman

D E Cole

Editorial secretary

(Post vacant)

All contributions and correspondence concerning the content of *Radio Communication* should be addressed to:

The Editor, RSGB,
Lambda House
Cranborne Road
Potters Bar
Herts EN6 3JE
Tel 0707 59015

ADVERTISING

Advertisements, other than Members' Ads, should be sent to:

M J Hawkins, G3ZNI,
RSGB Advertisement Officer,
PO Box 599,
Cobham,
Surrey KT11 2OE
Tel 037 284 3955
Prestel 372843955

EDITORIAL BOARD

D A Evans, G3OUF
A W Hutchinson
D S Evans, G3RPE

Correspondence concerning the distribution of the journal, and all other Society matters should be addressed to:

RSGB Headquarters,
Lambda House,
Cranborne Road,
Potters Bar,
Herts EN6 3JE

Tel 0707 59015

Business hours: 1000 to 1600

Headline News

Tel 0707 59312 for a recording of the latest amateur radio news

RSGB Data Box (Prestel compatible)
Tel 0707 52242

RADIO COMMUNICATION

CONTENTS

- 621 Editorial—More Than Meets The Eye . . .
- 622 Amateur Radio News
- 623 RAE Courses, 1986-7, Morse Courses
Mobile Rallies Calendar
- 624 Special Event Stations
Other Events
Council Proceedings
- 626 Members' Mailbag
- 627 RSGB National HF Convention
- 628 A home-built frequency synthesizer for 45 to 75MHz (Part 2)—John Crawley, GM3L8X
- 636 Technical Topics—Pat Hawker, G3VA
- 640 Modifications to the FT707 conversion—M J Grierson, G3TSO
- 641 How about trying 50MHz?—Ray Cracknell, G2AHU
- 645 News & Views
VHF/UHF—Ken Willis, G8VR
- 648 HF—John Allaway, G3FKM
- 650 HF F-layer Propagation Predictions
- 651 SWL—Bob Treacher, BR532525
- 652 Microwaves—Mike Dixon, G3PER
- 653 Satellites—Bob Phillips, G4IQQ
- 654 Data Comms—Ian Wade, G3NRW
- 655 QRP—George Dobbs, G3RJV
- 656 Contest News
- 659 Contests Calendar
- 660 Club News


Technical articles on subjects of amateur interest are always welcome and should be sent to: The Editor, *Radio Communication*, Lambda House, Cranborne Road, Potters Bar, Herts EN6 3JE.

All articles received are reviewed for technical merit by the RSGB Technical & Publications Committee, or an acknowledged expert on the subject, before acceptance. Payment at high competitive rates will be made for all articles published.

A contribution will only be considered for publication on the understanding that the person submitting it is the original author and owner of the whole copyright, and that on acceptance for publication such copyright will become the property of the RSGB in consideration of the above-mentioned payment by the RSGB to the contributor.

The editor will be pleased to send intending authors a manuscript preparation guide and to give any other advice and assistance requested.

Radio Communication is published by the Radio Society of Great Britain as its official journal on the first Friday of each month and is sent free and post paid to all members of the Society



36,244 copies per
issue average
circulation in 1985

Closing date for contributions
unless otherwise notified:
five weeks before publication date

© RADIO SOCIETY OF
GREAT BRITAIN 1986

remember the TR9000 two metre multimode,
that revolutionized mobile operation,
the TR9130, that improved the unimprovable,

now, better than ever, the **NEW** TRIO
two metre multimode,
the **TR751E**.



There has been a TRIO two metre multi-mode mobile transceiver for the last six years. Beginning with the successful TR9000 and continuing with the TR9130, amateurs have always found the series to be reliable and above all easy to operate, especially whilst mobile. Advances in technology have enabled TRIO to further improve on the TR9130. Additional operating features have resulted in a much easier to use and smaller transceiver. However TRIO have not discarded the valuable experience gained over the last six years. The result is the TR751E, a new generation of multi-mode mobile transceiver.

The TR751E is the first multi-mode mobile transceiver that can be set to select the correct mode whilst scanning the band. By setting the rig to VFO and selecting AUTO mode before pressing SCAN button, the TR751E will move up or down the band changing both mode and step rate according to the band plan (5kHz/SSB, 12.5kHz/FM or 1kHz/SSB, 5kHz/FM depending on the selected frequency step).

The transceiver has two VFO's and 10 memory channels. Memory information is easily transferred to either VFO. Each memory holds information on frequency, mode and also the step rate to be set when transferring the memory information to VFO.

Memory channel one is also the ALERT frequency, memories 7 and 8 relate to DCL and memory 9 programs the user defined limits of frequency scan.

The TR751E can be set to scan between user programmed limits or around them depending on the frequency set when the scan is started. When AUTO mode is set the transceiver will select the correct mode as it scans. In addition to scanning each memory, the TR751E can be set to scan those memories programmed with the same mode. Pause on an occupied channel is time operated but can be changed to carrier hold by an internal modification.

Operating on 13.8 volts DC, power output from the transceiver is 25 watts (high) and approximately 5 watts (low). The low power setting applies to all modes. When compared with the TR9130, the TR751E is smaller and lighter, TR751E (TR9130) 180mm (175mm) wide, 60mm (68mm) high, 213mm (253mm) deep, 2.1Kgs (2.4 Kgs).

The TR751E is perfect for base station use. When operating on SSB, signals can easily be found using the frequency step set to 5kHz, fine tuning quickly achieved by switching to the 50Hz rate. Operation is also ideal on FM, the rig stepping in either 12.5 or 5 kHz steps. Full repeater facilities are also available including reverse repeater. Receive performance is excellent, our first sample amazed us, FM, 0.14µV for 12dB SINAD and SSB, 0.09µV for 10dB S+N/N.

As an option, the TR751E can be fitted with DCL. Compatible with the DCS system, DCL (Digital

Channel Link) enables your rig to automatically OSY to an open channel. The DCL system searches for an open channel (checks the next eleven 25kHz spaced frequencies above the one stored in memory 7), remembers it, returns to the original frequency and transmits control information to the other DCL equipped station that switches BOTH rigs to the clear channel.

For the blind operator the TRIO TR751E is perfect. As each mode is selected a tone gives the appropriate Morse letter (F for FM, U for USB, etc) and when fitted with the optional VSI board, a digitally encoded girl's voice will announce on request the operating frequency.

In addition, the TR751E has an illuminated analogue S/R/F meter, all mode squelch, MHz select keys, a noise blanker, semi break-in CW with side tone, RIT, memory channel up/down keys and a frequency lock. TRIO's attention to detail can be seen in the design of the included mobile mount, a clamp system with rubber pads protecting the rig as it is slid in and out and for security, the clamp can be easily locked in the closed position.

Better than the TR9130, there is so much more to say about the TR751E, so why not ring us and let's talk about it.

TR751E £525.00 inc VAT carr £7.00

MUI DCL unit £26.78 inc VAT carr £1.00

LOWE ELECTRONICS LTD.

Chesterfield Road, Matlock, Derbyshire DE4 5LE
Telephone 0629 2617, 2430, 4057, 4995.

send £1 for complete mail order catalogue.



station accessories

TL922 HF amateur band linear amplifier

The TL922 is a class AB2 grounded grid linear amplifier using two high performance EIMAC 3-500Z tubes. It covers 160 to 10 metres for SSB, CW and RTTY modes of operation. Engineering perfection, those who have seen a TL922 will know what I mean. It is one of the few items of amateur radio equipment which is truly hand built by a specialist engineer.




TL922 inc tubes . . . £1250.00 inc VAT, carriage £7.00.

SM220 station monitor

Based on a wide frequency range oscilloscope, the SM220 station monitor features in combination with a built-in two-tone generator, a wide variety of waveform observing capabilities. The SM220 aids efficient station operation as it monitors transmitted waveforms and it also serves as a sensitive wide frequency range oscilloscope for various adjustments and experiments. When fitted with the optional BSB panoramic display and connected to one of the following transceivers (TS940, TS830, TS180, TS820 series) signal conditions in the vicinity of the receive frequency can be seen over a 40 or 200KHz range.

SM220 . . . £362.75 inc VAT, carriage £7.00

BSB . . . £66.11 inc VAT, carriage £1.50



amateur band transceivers

TS830S HF amateur bands transceiver

Needing no description, the TRIO TS830S, which uses a pair of 6146B valves in the PA, is well known on the amateur bands (160 to 10 metres) for its superb signal quality. Modes of operation are USB, LSB and CW. Having variable bandwidth tuning, IF notch, IF shift and provision for various filters, its receive performance is excellent too.



TS830S . . . £898.00 inc val, carriage £7.00

TS530SP HF amateur bands transceiver

An HF amateur bands (160 to 10 metres) valve transceiver without frills but providing today's amateur with all the necessary facilities for reliable worldwide communication. Modes of operation are USB, LSB and CW.



TS530SP . . . £779.79 inc val, carriage £7.00

amateur band plus general coverage transceivers

TS940S HF transceiver with general coverage receiver.

Top of the range, the TS940S has every operating feature that the discerning HF operator needs. Amateur bands from 160 to 10 metres plus a general coverage receiver tuning from 150 kHz to 30 MHz. Modes of operation are USB, LSB, CS, AM, FSK and FM. Forty memory channels, each electively a separate VFO and easy keyboard frequency entry make operation and ownership of the TRIO TS940S a pleasure.



TS940S . . . £1795.00 inc val, carriage £7.00.

TS930S HF transceiver with general coverage receiver


Much has been said and written about the TS930S and it now has a place high in the affection of radio amateurs. Modes of operation are USB, LSB, CW, AM and FSK. Providing full coverage of the amateur bands from 160 to 10 metres and including a general coverage receiver tuning from 150 kHz to 30 MHz, the TRIO TS930S is the ideal rig for today's crowded bands.



TS930S . . . £1395.00 inc val, carriage £7.00

TS440S HF transceiver with general coverage receiver

A step forward in compact HF equipment, the TS440S covers the amateur bands from 160 to 10 metres and is also a general coverage receiver tuning from 100 kHz to 30 MHz. It has keyboard frequency entry, full and semi break-in on CW, one hundred memories and provision for fitting an internal ATU. Modes of operation are USB, LSB, AM, FM and AFSK.



TS440S . . . £950.00 inc val, carriage £7.00

TS430S HF transceiver with general coverage receiver

A compact HF transceiver suitable for mobile or portable operation, yet having all the facilities necessary for effective radio communication. The TS430S covers the amateur bands from 160 to 10 metres and is a general coverage receiver tuning from 100 kHz to 30 MHz. Modes of operation are USB, LSB, CW, AM with FM optional.



TS430S . . . £750.00 inc val, carriage £7.00

send for the
TRIO
general catalogue

All advertised prices subject to exchange rate variation

LOWE ELECTRONICS LTD.

Chesterfield Road, Matlock, Derbyshire DE4 5LE

Telephone 0629 2817, 2430, 4057, 4995.


RADIO COMMUNICATION September 1986



send £1 for complete mail order catalogue.

DAIWA

rotators



The new range of rotators from DAIWA, the MR series, are designed so that additional motors can be added around a central core, each motor increasing the rotators turn and backing capacity. The MR series will accept up to four motors being initially supplied with one. As the number and size of aerials increases, additional motors can be added, and both turning capacity and backing effort increased.



MR750E Multitorque rotator (round controller).....£214.13 inc VAT,
MR750PE as above but with preset controller.....£241.44 inc VAT,
MR300E Higher speed version with round controller..£214.13 inc VAT,
LMC lower mast clamp.....£15.55 inc VAT,
MR750U additional motor for MR750E/PE.....£71.74 inc VAT,
MR300U additional motor for MR300E.....£71.74 inc VAT,

Carriage on rotators £7.00, components £3.00

CN410M . . . 3.5 to 150 MHz, forward 15/150 W, reflected 5/50 W, SO239 connectors . . . £59.28 inc vat, carriage £1.50.

CN460M . . . 140 to 450 MHz, forward 15/150 W, reflected 5/50 W, SO239 connectors . . . £57.73 inc vat, carriage £1.50.

NS448 with remote head . . . 900 to 1300 MHz, forward 5/60 W, reflected 1.6/6.6 W, N type connections . . . £75.00 inc vat, carriage £2.50.

NS660P with switchable metal loading (average, normal PEP and hold PEP) and provision for optional remote head (U66V), 1.8 to 150 MHz, forward 15/150/1500 W, SO239 connectors . . . £99.50 inc vat, carriage £2.50.

U66V remote head, 140/525 MHz, max 300 W, N type connectors . . . £48.00 inc vat, carriage £1.50.


SC20 extension cable for U66V, approx 20 metres long . . . £25.85 inc VAT, carriage £1.50.

CN410M

NS660P



CN460M



NS448

HOKUSHIN

aerials.

FOR BASE STATION USE

HF5 80 to 10 metre vertical, no radials required when ground mounted . . . £75.01 inc vat, carriage £7.00.
HF5R Radial kit for use with HF5 when mounted on chimney or cable end . . . £47.43 inc vat, carriage £7.00.
GPV5 Two metre base station collinear, 6.5 dB gain, 3.1 metres high . . . £47.36 inc vat, carriage £7.00.
GPV23 as above but 3 section collinear, 7.8 dB gain, 4.45 metres high . . . £46.80 inc vat, carriage £7.00.
GPV7 Seventy centimetre triple 5/8 base station collinear, 6.8 dB gain . . . £39.13 inc vat, carriage £7.00.
GPV720 Dual band (144/430 MHz) base station aerial . . . £39.23 inc vat, carriage £7.00.

FOR MOBILE USE

2E Two metres 5/8 whip, 3.4 dB gain, foldover base . . . £12.50 inc vat, carriage £2.00.
2NE Two metres 7/8 whip, 4.5 dB gain, foldover base . . . £18.92 inc vat, carriage £2.00.
OSCAR430 Seventy centimetre triple 5/8 whip, 6.3 dB gain . . . £23.81 inc vat, carriage £2.00.
OSCAR720 Dual band (144/430 MHz) whip . . . £20.93 inc vat, carriage £2.00.
HS770 144/430 MHz diplexer for use with OSCAR720 . . . £19.77 inc vat, carriage £1.50.
GSS Gutter mount (requires RG4M cable assembly) . . . £5.55 inc vat, carriage £1.25.
RG4M Cable assembly for GSS base, complete with SO239 and PL259 plug . . . £5.55 inc vat, carriage £1.00.
12B Car wing mount with SO239 top and bottom . . . £5.11 inc vat, carriage £1.00.
HSTMB Car boot mount including cable and PL259 . . . £13.35 inc vat, carriage £1.50.

High quality sliding door cover to prevent paintwork damage . . . £22.90 inc vat, carriage £2.00.

data communications equipment.

CD600 . . . RTTY, CW, ASCII, TOR, AMTOR decoder, output for UHF television, monitor and printer, can also be used as Morse tutor . . . £188.19 inc vat, carriage £7.00.

CD670 . . . A higher specification RTTY, CW, ASCII, TOR, AMTOR decoder complete with liquid crystal dot matrix display, variable RTTY shift, normal/inverse mode switch, outputs for TV, monitor and printer and can also be used as Morse tutor . . . £286.73 inc vat, carriage £7.00.

CD660 . . . Similar to the CD670 but without the built-in display . . . £231.79 inc vat, carriage £7.00.



LOWE ELECTRONICS LTD.

Chesterfield Road, Matlock, Derbyshire DE4 5LE

Telephone 0629 2617, 2430, 4057, 4995.

send £1 for complete mail order catalogue.

RADIO COMMUNICATION September 1986



NEW from TRIO, a 45 watt fm mobile.....



The TRIO TM2550E is a high power 2 metre FM mobile transceiver.

Power output from the TM2550E is 45 watts. Current drain is approximately 9.5 amps in the high power position (45 watts) and approximately 3 amps in the low power position (5 watts). Low power can be adjusted up to 40 watts. Power requirement of the transceiver is 13.8 volts DC.

Frequency selection is easy using the backlit front panel keypad. The selected frequency is displayed on a backlit LCD together with

additional operating information, eg priority channel, reverse repeater, simplex or repeater shift etc.

The TM2550E has 23 memory channels into which frequencies are easily written. The TM2550E automatically selects simplex or repeater mode in accordance with the band plan. This function is easily overridden by using the "OS" key.

Scanning operations are divided into keyboard, memory and priority scan. Frequency hold on an occupied channel can be either "time" or "carrier" operated.

As an option, the TM2550E can be fitted with the DCS system. DCL (Digital Channel Link) enables your rig to automatically QSY to an open channel. The DCL system searches for an open channel (checks the next eleven 25kHz spaced frequencies above a user designated one), remembers it, returns to the original frequency and transmits control information to the other DCL equipped station that switches BOTH rigs to the clear channel.

TM2550..... £399.00 inc vat, carriage £7.00.
MUI DCL unit..... £26.78 inc vat, carriage £1.00.

HK704

HK708

HK702

TX3

EK150

DK210

MK1024

BY2

KEYS & keyers.

TX3. Morse practice oscillator.
£11.65 inc VAT, cart. £1.50
HK708. Straight key.
£18.09 inc VAT, cart. £2.50
HK702. Deluxe version on metal base.
£34.44 inc VAT, cart. £3.00
HK704. Squeeze paddle.
£17.10 inc VAT, cart. £1.50
EK150. Electronic keyer with built-in sidetone. Solid state or relay keying.
£114.85 inc VAT, cart. £3.00
MK1024. Electronic keyer with 1024 bit memory.
£198.00 inc VAT, cart. £3.00
DK210. DAIWA electronic keyer. Requires paddle.
£59.93 inc VAT, cart. £2.50

BST1

BENCHER Iambic Paddles.
BY1 Black base, £57.42. BY2 Chrome base, £76.97
BY3 Gold plated base, £141.75. VAT inc.
BENCHER Single Paddle.
BST1 Black base, £57.42. BST2 Chrome base,
£76.97. VAT inc.
Carriage co BY & BST series, £3.00

LOWE SHOPS

In Glasgow.

the shop manager is Sim, GM3SAN,
the address, 4/5 Queen Margaret Road, off Queen Margaret Drive,
Glasgow,
telephone 041-945 2626.

In the North East.

the shop manager is Hank, G3ASM,
the address, 56 North Road, Darlington,
telephone 0325 486121.

In Cambridge.

the shop manager is Tony, G4NBS,
the address, 162 High Street, Chesterton, Cambridge,
telephone 0223 311230.

In Cardiff.

the shop manager is Carl, GW0CAB,
the address, c/o South Wales Carpets, Clifton Street, Cardiff,
telephone 0222 464154.

In London.

the shop manager is Andy, G4DHQ,
the address, 223/225 Field End Road, Eastcote, Middlesex,
telephone 01-429 3256.

In Bournemouth.

the shop manager is Colin, G3XAS,
the address, 27 Gillam Road, Northbourne, Bournemouth,
telephone 0202 577760.

Although not a shop, there is on the South Coast a source of good advice and equipment, John, G3JYG. His address is Abbotsley, 14 Grovelands Road, Hailsham, East Sussex. An evening or weekend call will put you in touch with him. His telephone number is 0323 848077.

LOWE ELECTRONICS LTD.


Chesterfield Road, Matlock, Derbyshire DE4 5LE

Telephone 0629 2817, 2430, 4057, 4995.

RADIO COMMUNICATION September 1986



send £1 for complete mail order catalogue.



ICOM

IC-28E 2m. FM mini-mobile.

Rx Range 138-174 MHz.

This new 2 metre band transceiver is just 140mm (W) x 50mm (H) x 133mm (D) and will fit nearly anywhere in your vehicle or shack. Power output is 25 watts or 5 watts low power and is supplied complete with an internal loudspeaker.

The large front panel LCD readout is designed for wide angle viewing with an automatic dimmer circuit to control the back lighting of the display for day or night operation.

The front layout is very simple, all the controls are easy to select making mobile operation safe. The IC-28E contains 21 memory channels with duplex and memory skip functions. All memories and frequencies can be scanned by using the HM-15 microphone provided. Also available is the IC-28H with the same features but with a 45 watt output power.

Options include IC-PS45 13.8v 8A power supply, SP8 and SP10 external speakers, HS15 flexible mobile microphone and PTT switchbox.



IC-271 & 471 Multimode Base stations

ICOM can introduce you to a whole new world via the world communication satellite OSCAR. Did you know that you can Tx to OSCAR on the 430-440 MHz IC-471 and Rx on the 2m IC-271.


By making simple modifications, you can track the VFO's of the Rx and Tx either normally or reverse. This is unique to these ICOM rigs and therefore very useful for OSCAR 10 communications. Digital A.F.C. can also be provided for UOSAT etc. This will give automatic tracking of the receiver with digital

readout of the doppler shift. The easy modifications needed to give you this unique communications opportunity are published in the December '84 issue of OSCAR NEWS. Back issues of OSCAR NEWS can be obtained from AMSAT (UK), LONDON E12 5EQ.

This range includes the IC-271E-10W, IC-271E-25W, 271H-100W and the 70cm versions IC-471E-25W and 471H-75W r.f. output. The 271E has an optional switchable front-end pre-amp. The 271H can use the pre-amp AG-25, with the 471E and 471H using the AG35 mast-head pre-amp. Other options include internal switch-mode PSU's: the 271E and 471E use the PS25 and the 271H and 471H use the PS35.



Thanet ICOM Thanet ICOM Thanet ICOM Thanet ICOM Thanet ICOM Thanet ICOM Thanet ICOM Thanet ICOM



ICOM

The ICOM Control System

If you have a BBC Micro (Model B) or Commodore 64 or 128, the ICOM control system can control up to four (or more) ICOM radios in the range IC-751, 735, R71, R7000, 271, 471 and 1271 (and 745 with modification). The help menu shows the available functions.


F0	H = HELP	←→	Frequency Steps
F1	Frequency	↑ ↓	Up/Down (arrows)
F2	Select Mode	M	Memory Channel
F3	Freq/Memory Scan	↑ ↓	Memory Up/Down
F4	Mode Scan	/	VFO/Memory
F5	VFO → Memory	B	Bar Graph Select
F6	Memory Write	(H)	Occupancy On/Off
F7	Memory Clear	:	Scan Stop Off/On
F8	Set S/C Level	S	Change Set
F9	Memory File Read	DEL	Speech (if fitted)
	Memory File Write	Q	Quit



IC-735, The Compact HF Radio

The new ICOM IC-735 is ideal for mobile portable or base station operation. It has a general coverage receiver from 0.1MHz to 30MHz and transmits on all amateur bands from 160m to 10m. SSB, CW, AM and FM modes are included as standard. RTTY and Amtor are also possible. The IC-735 has a built-in receiver attenuator, pre-amp, noise blanker and RIT to enhance receiver performance. A 105dB dynamic range with pass band tuning and a sharp I.F. notch filter for superior reception. The twin VFO's and 12 memories can store mode and frequency. The HM12 scanning mic is supplied. Scanning functions include programme scan, memory scan and frequency scan. The IC-735 is one of the first H.F. transceivers to use a liquid crystal display which is easily visible under difficult conditions. Controls that require rare adjustment are placed behind the front panel hatch cover but are immediately accessible. Computer remote control is possible via the RS-232 jack. Output power can be adjusted from 10 to 100 watts with 100% duty cycle. A new line of accessories are available, including the AT150 electronic automatic antenna tuner and the PS55 AC power supply. The IC-735 is also compatible with most of ICOM's existing line of HF accessories. See the IC-735 at your authorised ICOM dealer or contact Thanet Electronics Limited.





ICOM

VHF/UHF FM Handportables

If you want a handheld with exceptional features, quality built to last and a wide variety of interchangeable accessories, take a look at the ICOM range of FM transceivers. All ICOM handhelds come with an IC-BP3 nicad battery pack, flexible antenna, AC wall charger, belt clip, wrist strap and personal earpiece as standard.

IC-2E/4E, 2 metre and 70cm thumbwheel handportable.

These popular handhelds from ICOM are still available. For those Amateurs who require a simple but effective FM transceiver the IC-2E and 4E take some beating. Frequency selection is by means of thumbwheel switches (with 5kHz up-switch) and duplex or simplex facility. Power output is 1.5 watts or 150 milliwatts (2.5 watts is possible with IC-BP5A battery pack).


IC-02E/04E 2 metre and 70cm keypad handportable.

These direct entry CPU controlled handhelds utilize a 16-button keypad allowing easy access to frequencies, memories and scanning. Ten memories store frequency and offset. Three scanning systems, priority, memory and programmable band scan, (the IC-02E now with an improved CPU retains duplex offset). These handhelds have an LCD readout indicating frequency, memory channel, signal strength, transmitter output and scanning functions. Power output is 3 watts or 0.5 watt in low power position for the IC-02E and 2.5 watts or 0.5 watt for the IC-04E. (5 watts is possible with the IC-BP7 battery pack or external 13.8V.DC.)

STOP PRESS. New handheld available. Just released is the **IC-12E** 23cm keypad handportable, this new transceiver has direct keypad entry for frequency, memories and scanning systems. Ten memories store operating frequency simplex or duplex. An internal power module provides 1 watt or 100 milliwatts of RF power. Five tuning speeds including 12.5kHz and 25kHz.


Also available for ICOM handhelds are a large range of optional extras including a variety of rechargeable nicad power packs, dry-cell battery pack, desk charger, headset and boom mic, speaker mic, leatherette cases and mobile mounting brackets.

For more information on these handportables and other ICOM Amateur equipment contact your local authorised ICOM dealer or Thanet Electronics Ltd.



British
TELECOM
Approved by the
Radio World Service
celnet

Thanet ICOM
Thanet ICOM
Thanet ICOM
Thanet ICOM
Thanet ICOM
Thanet ICOM
Thanet ICOM
Thanet ICOM
Thanet ICOM
Thanet ICOM



ICOM

IC-3200E Dual-band



If you are a newly licensed or just undecided about which band to first operate, then the ICOM IC-3200E is just the answer. This is a dual-band (144-146/430-440MHz) F.M. transceiver ideally suited for the mobile operator. The IC-3200E has a built in duplexer and can operate on one antenna for both VHF and UHF, and with 25 watts of output power on both bands (the low power can be adjusted from 1 to 10 watts) you can never be far from a contact whether simplex or 2m/70cm repeater.

The IC-3200E employs a function key for low priority operations to simplify the front panel and a new LCD display which is

easy to read in bright sunlight, 10 memory channels will show operating frequencies simplex or duplex, and four scanning systems memory, band, program and priority scan. Try this exciting set from ICOM the IC-3200E, when only the best will do.

Options include IC-PS45 AC power supply, HS15 mobile boom mic, SP10 external speaker, UT23 speech synthesizer and AH32 dual-band mobile antenna.

Telephone us free-of-charge on:

HELPLINE 0800-521145.

— Mon-Fri 09 00-13 00 and 1400-17 30 —

This is strictly a helpline for obtaining information about or ordering ICOM equipment. We regret this service cannot be used by dealers or for repair enquiries and parts orders. Thank you

You can get what you want just by picking up the telephone. Our mail order department offers you free same day despatch whenever possible, instant credit, interest free H.P., Barclaycard and Access facility, 24 hour answerphone service.



Listed here are just some of the authorised dealers who can demonstrate ICOM equipment all year round. This list covers most areas of the U.K. but if you have difficulty finding a dealer near you, contact Thanet Electronics and we will be able to help you.

Alyntronics, Newcastle, 091-761002.
Amateur Radio Exchange, London (Ealing), 01-992 5765.
Amcom, London (S. Harrow), 01-422 9585.
A.R.E. Comms, Earlestown, Merseyside, 09252-29881.
Arrow Electronics Ltd., Chelmsford, Essex, 0245-381673/26.
Beamrite, Cardiff, 0222-486884.
Booth Holdings (Bath) Ltd., Bristol, 02217-2402.
Bredhurst Electronics Ltd., W. Sussex, 0444-400786.
D.P. Hobbs, Norwich, 0603-615786.
Dressler (UK) Ltd., London (Leyton), 01-558 0854.
D.W. Electronics, Widnes, Cheshire, 051-420 2559.
Eastern Communications, Norwich, 0603 667189.

Hobbytronics, Knutsford, Cheshire, 0565-4040. Until 10pm daily.
Poole Logic, Poole, Dorset, 0202 683093.
Photo Acoustics Ltd., Buckinghamshire, 0908-610625.
Radcomm Electronics, Co. Cork, Ireland, 01035321-632725.
Radio Shack Ltd., London NW6, 01-624 7174.
R.A.S. Nottingham, 0602-280267.
Ray Withers Comms, Warley, West Midlands, 021-421 8201.
Scotcomms, Edinburgh, 031-657 2430.
South Midlands Comms. & branches, 0703 867333.
Tyrone Amateur Electronics, Co. Tyrone, N. Ireland, 0662-42043.
Reg Ward & Co. Ltd., S.W. England, 0297-34918.
Walters & Stanton Electronics, Hockley, Essex, 0702-206835.

Thanet Electronics
Sea Street, Herne Bay, Kent CT6 8LD
Tel: (0227) 363859
Dept. RC

Now from **AMCOMM - ARE** Carriage Free Nationwide Mail Order.

UHF MOBILE

YAESU FT 770RH 70cm 25w FM high visibility display	435.00
YAESU FT 790R 70cms all mode	469.00
YAESU FT 2700RH 70cm/2m 25w each band full duplex	449.00
YAESU FT 2700RH 70cm/2m 25w each band 10w/1w	529.00
ICOM IC490E all mode 70cms 10w/1w	479.00
ICOM 3200E 2m/70cm 25w each band	445.00
ICOM IC47E 25w FM very small 9 memories	



NEW

HF EQUIPMENT

YAESU FT 767 1.8Mhz-430Mhz. All mode gen cov rcvr	1999.00
YAESU FT ONE gen cov rcvr	1750.00
YAESU FT 980 gen cov rcvr inc AM/FM	839.00
YAESU FT 757GX gen cov rcvr inc AM/FM/Keyer	1299.00
YAESU FT 751A gen cov rcvr inc AM/FM/Keyer	925.00
ICOM IC751A gen cov rcvr	829.00
ICOM IC745 gen cov rcvr	
ICOM IC745 gen cov rcvr inc AM/FM	
ICOM 735 gen cov rcvr inc AM/FM	



HF LINEAR AMPLIFIERS

YAESU FL 2100Z 160m to 10m	862.00
YAESU FL 7000 solid state integral PSU and ATU	POA
TOKYO HL1K 1kw amplifier	829.00
TOKYO HL1KGX new 1K linear	POA
TOKYO HL2K new 2K linear	POA
TOKYO HL3K 3Kw new linear	POA
TOKYO HL3K 3Kw new linear	1625.00
ICOM IC2KL/LPS	POA

HANDHELD TRANSCEIVERS

FT 727 VHF UHF Hand held	185.00
YAESU FT 203R with FBA 5 battery case	215.00
YAESU FT 203R with FNB 3 nicad 2.7w	219.00
YAESU FT 203R with FNB 4 nicad 3.7w out	229.00
YAESU FT 203R with FBA 5 battery case 1.8w	255.00
YAESU FT 209R with FBA 5 battery case 2.7w	260.00
YAESU FT 209R with FNB 3 nicad 3.7w	235.00
YAESU FT 209R with FNB 4 nicad 3.7w	265.00
YAESU FT 209RH with FBA 5 battery case	269.00
YAESU FT 209RH with FNB 3 nicad 3.7w	189.00
YAESU FT 209TH with FNB 3 nicad 3.7w	289.00
YAESU FT 209RH with FNB 4 nicad 5w	275.00
YAESU FT 209RH with FNB 4 nicad 5w	289.00
ICOM IC2E synthesised 1.5w 2m	
ICOM IC2E keypad entry lcd display	
ICOM IC4E synthesised 1.5w 70cm	
ICOM IC4E keypad entry lcd display 70cms	
FT 703R and FT 709R available same output spec as FT 203/209	

CASH IN NOW, ON OUR HUGE BUYING POWER! ENORMOUS STOCKS
WHERE A GOOD DEAL MORE COSTS A GOOD DEAL LESS!
AMCOMM - ARE
 373 Uxbridge Road, London W3 9RN, Tel: 01-992 5765. Telex: 334312.
 Showroom and Shop opening hours 9.30-5.00pm — Closed Mondays
 We also stock hundreds and hundreds of bits and pieces!

RECEIVERS

YAESU FRG 8800 gen cov 150Khz-30Mhz large display	540.00
keyboard entry/free tuning	
ICOM IC R71 100 Hz to 30Mhz passband tuning/notch	729.00
filter, variable tuning rate	
YAESU FRV 8800 converter module 118-179 for FRG 8800	90.00
range extension	
AOR 2002 UHF/VHF 25Mhz-550Mhz and 800Mhz-1300Mhz	425.00
YAESU FRG 9600 UHF/VHF Scanning receiver all mode	429.00
100 mem. Now up to 950Mhz	
ICOM R7000 Scanning rcvr 25-2000Mhz 99 memories all mode	849.00
FDK ATC 720 airband rcvr handheld 720 channels	189.00
FDK RX 40 141-180Mhz handheld rcvr	159.00
JIL SX 400 UHF/VHF rcvr inc PSU	598.00

RTTY/CW

TONO 5000E CW RTTY ASCII and AMTOR c/w 5" high res monitor	POA
--	-----

VHF MOBILE TRANSCEIVERS

YAESU FT 290R mob/port 2m all mode c/w nicads, chgr, case	369.00
YAESU FT 290R as above with Mutek	399.00
YAESU FT 270R 25w FM	315.00
YAESU FT 270RH 45w FM with fan	359.00
YAESU FT 2700RH 2m/70cms 25w each band full duplex	449.00
YAESU FT 2700RH 25w all mode	469.00
ICOM IC290D 25w all mode	359.00
ICOM IC27E 25w FM 9 mem	399.00
ICOM IC27H 45w FM 9 mem	449.00
FDK M750XX 2m all mode 20w	279.00
FDK M725X 2m FM 25w	

VHF BASE STATIONS

YAESU FT 726R/2M all 726 options available	899.00
ICOM 271E multi mode 25w 32 mem	779.00
ICOM IC271E/H multi mode 100w	979.00

UHF BASE STATIONS

YAESU FT 726 70cms multimode — all 726 options	899.00
ICOM 471 E 25w multimode 70cms	889.00
ICOM 471 H high power multimode (75w) — 70cms	1099.00
ICOM 1271 E multimode 1240-1300Mhz	1099.00

AMCOMM - ARE
 373 Uxbridge Road, London W3 9RN, Tel: 01-992 5765. Telex: 334312.
 Showroom and Shop opening hours 9.30-5.00pm — Closed Mondays
 We also stock hundreds and hundreds of bits and pieces!



Now from **AMCOMM** - ~~ARE~~ Carriage Free Nationwide Mail Order...

VHF LINEAR AMPLIFIERS



TOKYO

HL160V 2m 10w in 160w out	239.00
HL82V 2m 10w in nom 85w, typ 100w out	139.00
HL110V 2m 10w in 110w out	239.00
HL35 2m Gaasfet preamp, 5.5w in 35w out	75.00
HL30V 2m 5.3w in 30w out	54.00
HL20U 70cms 5.3w in 20w out	120.00
HL30U 70cms Gaasfet preamp 2w in 30w out	215.00
HL60U 70cms Gaasfet preamp 1.15w in 60w out	399.00
HL120U 70cms Gaasfet preamp 12w in 100w out	—
HRA 2 2m mast preamp, Gaasfet	—
HRA 7 70cms mast preamp, Gaasfet	—

BNOS

LPM 144-1-100 2m c/w preamp 1w for 100w out	197.50
LPM 144-10-100 2m c/w preamp 10w for 100w out	175.00
LPM 144-3-100 2m c/w preamp 3w for 100w out	197.50
LPM 144-25-160 2m c/w preamp 25w for 160w out	250.00
LPM 144-3-180 2m c/w preamp 3w for 180w out	290.00
LPM 144-10-180 2m c/w preamp 10w for 180w out	290.00
LPM 144-3-50 2m c/w preamp 3w for 50w out	125.00
LP 144-10-50 2m c/w preamp 10w for 50w out	125.00
LP 144-3-50 2m c/w preamp 3w for 50w out	230.00
LPM 432-1-50 70cm c/w preamp 1w for 50w out	235.00
LPM 432-3-50 70cm c/w preamp 3w for 50w out	195.00
LPM 432-10-50 70cm c/w preamp 10w for 50w out	329.00
LPM 432-10-100 70cm c/w preamp 10w for 100w out	—

MICROWAVE MODULES range also available, call for details or literature on above.



ANTENNA COUPLERS

AMCOMM 9000 coax, random wire, tuned feeders 100w	89.00
CAPCO SPC 300C 1Kw antenna coupler	188.37
CAPCO SPC 3000C 3Kw antenna coupler	279.42
CAPCO SPC 300M 1Kw module only	103.09
CAPCO SPC 3000M 3Kw module only	132.18
CAPCO SPC 3000M 3Kw module with SWR/power meter	115.00
TOKYO HC 200 8 band 200w pep with SWR/power meter	199.00
TOKYO HC 400 9 band 350w pep with SWR/power meter	399.00
TOKYO HC 2000 9 band 2Kw pep	85.00
TOKYO AC 38 3.5-30Mhz 200w	345.00
WELZ AC 100 100w auto antenna coupler	475.00
ICOM AT 100 100w auto antenna coupler	318.00
ICOM AT 500 500w auto antenna coupler	49.85
YAESU FC 757GX auto antenna coupler	—
YAESU FRT 7700 receiver antenna tuner	—

HEIL ACCESSORIES

HEIL HC3 Mic element Yaesu/Trio	22.85
HEIL HC5 Mic element Icom SM5/6	25.40
HEIL HM5 Desk Mic (300Hz-3Khz) cardioid	59.00
HEIL MM5 handheld Mic with HC3	29.00
HEIL SS2 Speaker special comms spkr	59.00
HEIL EO300 Mic Equaliser	65.00
HEIL BM10 lightweight headset/boom mic	65.00

POWER SUPPLIES

YAESU FP 757HD 20A	199.00
YAESU FP 757 GX 20A	169.00
YAESU FP 700 20A	175.00
BNOS 12/6amp	69.00
BNOS 12/12amp	115.00
BNOS 12/25amp	169.00
BNOS 12/40amp	340.00
BNOS professional range also available on request	POA
ICOM ICPS 35 switch mode	182.00
ICOM PS15 20amp external	149.00
ICOM ICPS 55 20amp	185.00
ICOM IC2 KLPS to match IC2KL linear	349.00
ICOM ICPS 25 switch mode	106.00
SMC RS12 4amp 5 amp peak	14.95
DRAE 4 amp	40.50
DRAE 6 amp	63.00
DRAE 12 amp	86.50
DRAE 24 amp	125.00

HI-MOUND MORSE KEYS

HK 702 manual with marble base	37.00
HK 704 manual	24.50
HK 705 manual	19.00
HK 706 manual	19.35
HK 707 manual	18.25
HK 708 manual	18.00
HK 802 manual solid brass	87.50
HK 803 manual solid brass	84.00
MK 701 single lever paddle	28.50
MK 702 single lever paddle	29.95
MK 703 1win paddle squeeze heavy base	32.50
MK 705 1win paddle squeeze marble base	28.50
KENPRO KP 100 squeeze paddle/Cmos keyer	89.00
230v/13.8v	—
KENPRO KP 200 squeeze paddle/keyer multi memory	179.00
4096 bit	—

FIND OUT WHY WE'RE FAST GAINING A REPUTATION FOR FIRST CLASS VALUE & TOP QUALITY SERVICE...

Where service and courtesy comes naturally...
373 Uxbridge Road, London W3 9RN, Tel: 01- 992 5765

Telex: 334312.

AMCOMM - ~~ARE~~
ORDER FORM

Please supply:

by ☐ Cheque

☐ Barclaycard (Number
Name

Address

I enclose payment for: £

☐ Access (Number

Call Sign

Tel

RC9 86

WATERS & STANTON ELECTRONICS

TRIO

APPROVED DEALER FOR ESSEX & THE SOUTH

AVAILABLE AGAIN! OUR COMPLETE MAIL ORDER PRICE LIST. Send S.A.E.

WELZ FAMOUS RF PRODUCTS

NEW CT530 LOAO



50 ohms 100W
500W
(intermittent)

£82.00

NEW CT1010 LOAO



50 ohms 200W
1kW (intermittent)

£97.00

At last you can read — PEP — RMS — VSWR

SP220

1.8-200MHz
2/20/200 watts
Remote sensor

£59.95

SP225

1.8-160MHz
5/15/150 watts
Twin meters

£109.95



SP420

140-525MHz
4/20/200 watts
Remote sensor


£71.00

SP425

140-525MHz
5/15/150 watts
Twin meters

£109.95

NEW SP825 1.8-1300MHz



£163.00

The new SP825 covers all amateur bands from 1.8 to 1300MHz. Made by the famous Welz company it's the complete station VSWR/POWER meter. It measures power between 1 and 150 watts. A few in stock now.

WELZ DIAMOND DT30 DISCONE 25-1300MHz

The new DT30 from Diamond offers complete coverage from 25-1300MHz. No other antenna can offer this value for money! And an added bonus is that it can be used for transmit on all amateur bands between 50 and 1300MHz. (You cannot use 50MHz vertical polarization in the UK). Constructed of stainless steel and alloy, it comes complete with mast clamps and 50ft of coaxial cable.

NEW

FABULOUS SONY AIR-7

108-136MHz; 144-174MHz; 76-108MHz; + LW/MW/SW

The new Sony Air-7 is a superb new monitor with a performance and presentation that outperforms the competition. The PLL circuitry, LCD readout and 40 memories (10 on each band) make a most versatile package. Such features as priority channel, channel lockout, and delay are all included and the sensitivity puts most of the competition to shame! It also includes the broadcast bands both VHF and LW/MW and covers such things as NOB beacons as well as part of the marina band to 2194MHz. We are impressed and so will you be when you try it!



£249

SONY 2001D

150kHz-30MHz

76-108MHz

108-136MHz

32 memories

AM/SSB/FM BROADCAST



£329

New from Sony is the 2001D general coverage portable receiver. It gives superb performance on the short wave bands using PLL circuitry and has separate filters for SSB and AM. A novel system of synchronous exalted-carrier provides a dramatic reduction in interference when receiving AM broadcast stations. Features include LCD readout, clock, scanning, timer, RF gain control, comprehensive memories and a host of features that make it an incredible performer. It equals or better many base station receivers we sell and the SSB performance with switchable upper and lower sideband is a joy to use.

BOOKS YOU SHOULD HAVE!

UK LISTENERS CONFIDENTIAL FREQUENCY LIST
NEW THIRD EDITION £5.95 + 75p p&p

Now completely updated with over 50% more information and a smart new presentation. No self-respecting listener should be without a copy. It gives you the HF spectrum from 2 to 30MHz and gives comprehensive details of transmissions outside the amateur bands. Specially compiled for the UK and European listener. It sets out in a very easy way a complete list of hundreds of interesting transmissions that will keep you occupied for days on end! A fraction of the cost of other similar publications, it contains details of Marine, Air, Military, Embassy, Press and News agencies. Many listings have time schedules included with comprehensive RTTY details. It lists the HF frequencies used by civil and military aircraft, when and where to pick up the press bulletins, long distance marine traffic, plus broadcast etc and much more. Send today for your copy of this invaluable publication.

NEW

THE COMPLETE GUIDE TO VHF/UHF
FREQUENCIES 25 TO 2000 MHz

Replacing our previous scanners guide, this new book sets out to cover the complete spectrum between 25 and 2000MHz. It thus keeps pace with the extended coverage of some of the latest receivers. And what's more there are no gaps! If you have any interest at all in this part of the radio spectrum then you cannot afford to be without a copy of this new publication. Beautifully set out in large easy to read pages it starts off with a few hints and tips on receivers and then it goes straight into the heart of the matter; what services operate where! Full details of duplex frequencies are given and there are very comprehensive details of military and civil air bands plus a very comprehensive section giving you all the details you will ever need for marine band monitoring including full listings of all the shore stations. Other entries include sections on police allocations, ambulances, fire etc, and such fascinating entries as NASA and Russian Space frequencies, weather satellites, navigation beacons and much more. So don't waste money on those expensive American publications listing frequencies not applicable to the UK. Send today for this brand new book which will answer all the questions you have ever wanted to know about the mysteries of the VHF/UHF spectrum.

£4.95 + 60p p&p

WORLD RADIO TELETYPE HF FREQUENCY LIST £3.95 + 40p p&p


A new publication produced by popular request. If you are interested in RTTY or thinking of taking it up, this book will be a very handy frequency guide. It lists full details of the World's RTTY services including meteorological, press and marine. They are all entered in country order plus a separate listing under transmission times (GMT). Simplex and duplex frequencies are listed with details of languages and also a handy reference section on band plans and prefixes etc. Altogether a handy guide to have around the shack or just for interesting reading.

WELZ	FDK	TRIO
SP825 HF; 5m; 2m; 70cm; 23cm £163.00	M750XX 2m all-mode £449.00	TS940 HF lcvt. £1705.00
SP10X Budget HF/VHF £36.50	M725X 2m FM mobile £279.00	AT940 Int ATU £210.00
SP220 PEP HF/VHF £59.95	A1C720 Auto-band rx £169.00	TS HF 430S lcvt. £750.00
SP225 Dual meter £100.95	RX40 140-180MHz £159.00	PS460 PSU for above £139.00
SP420 PEP VHF/UHF £71.00	ADONIS	A1250 Auto ATU £314.00
SP425 Dual meter £109.95	AM303G Base mic. £46.00	A1230 HF ATU £170.55
AC38 ATU 10-80m £90.00	AM503 Base mic. £50.00	TS830S HF 240V lcvt. £090.00
CH20A Coax switch £26.50	API Amp for ICOM £12.95	TS530S HF 240V lcvt. £779.00
RS485 4 amp PSU £48.00	FX-1 Goose neck mobile £49.00	TL922 linear £1265.00
RS655 6 amp PSU £87.95	MISC.	MICS—All stocked
RS1150 11 amp PSU £135.00	Rubber mag mount £16.95	1S780 2m/70cm lcvt. £1061.00
RS3050 25 amp PSU £195.00	AT1000 SWL ATU £50.96	1R9130 2m all-mode £544.00
DIAMOND	HP4A High pass filter £6.95	TH21E 2m h'held £180.30
CP4 4 band vert. £131.00	HK708 Morse key £10.50	1H41E 70cm h'held £220.95
CP5 5 band vert. £169.00	BL40X 1:1 HF Balun £16.75	TR2600 2m h'held £209.00
EL40 40m whip £49.50	Fenile rings £0.60	1M201A 2m fm mobile £295.00
LL80 80m whip £66.00	ORAF VHF/UHF W'meter £27.95	TM401A 70cm fm mobile £350.00
M285 5/8th 2m £12.50	Dalong Morse Tutor £56.95	1M211E 2m fm lcvt. £398.00
M287 7/8th 2m £22.95	Malek Pre-amps £39.95	TS711E 2m base £770.00
GLS Guller mount £13.25	Revcone Discone (RX) £29.00	R600 Receiver £323.76
O130 Discone 25-1300MHz £69.95	CDE AR40 Rotator £115.00	R2000 Receiver £610.70
RII200B 3db 2m BNC £24.60	KR400 Rotator £140.00	VC10 VHF module £139.00
EL770 Dual band £24.50	KC038 Mast clamps £13.80	
	XS065 Beating £26.45	
	KR500 Elevator £139.95	
	AR250 Rotator VHF £69.00	

NEW

AZDEN PCS5000
2m FM 25w
140-150MHz
(Tx 144-146MHz)

SUPER LOW PRICE!



£279

At last an FM transceiver with an up to the minute specification with an old fashioned price! Highly compact measuring 60 x 140 x 182mm, its 25 watts and high performance front end give superb coverage under mobile or fixed operation. The back lighted LCD readout and key-pad makes for easy operation and the computer controlled frequency selection is a joy to use. Two banks of 10 memories are scanned, consecutively or separately with channel lockout on any or all memories. Priority channel can be used to check your favourite frequency whilst monitoring any other channel and the priority channel can be instantly recalled via a side button on the mic.



MAIL ORDER &
MAIN SHOWROOM:
BRANCH:

18-20 MAIN ROAD, HOCKLEY, ESSEX. Tel: Southend (0702) 206835 & 204965
12 NORTH STREET, HORNCHURCH, ESSEX. Tel: Hornchurch (04024) 44765
HOURS: MON-SAT 9.00 am-5.30 pm. E.C. WEO 1.00 pm





Brenda
G4VXL

A.R.E.

38 BRIDGE ST.,
EARLESTOWN,
NEWTON-LE-WILLOWS,
MERSEYSIDE.
TEL: 09252-29881



Bernie
G4AOG

Communications Ltd.

FIRST AGAIN WITH THE NEW MODELS

SPECIAL OFFERS INC VAT

NEW

YAESU FT767GX


HF General Coverage
Transceiver with
100W Output
VHF & UHF
and 6 metres 10W out

NEW



- AUTOMATIC ATU BUILT-IN
- AUTO TRACKING FOR REPEATER USE
- 10 MEMORIES
- C.A.T. SYSTEM
- BUILT-IN POWER SUPPLY FOR MAINS OPERATION
- £ Phone Bernie

MODEL	LIST PRICE £	OUR PRICE £
FT757	879	779
FRG8800	575	525
FT726R	899	849
FT290	369	339
FT2700	499	399
FT209R	265	235
FT209RH	279	259
FT203	225	195
FT703R	255	225
FRG9600	469	425
TS5305	779	699
IC745	989	850
IC751A	1399	1250
IC2KL	1648	1448
ICAT100	349	299
ICAH1	198	159
ICR7000	899	825
IC271	779	625
IC27111	979	799
IC471E	889	749
IC290D	519	495
IC28E	529	499



YAESU FL7000

YAESU FT727G DUAL BAND HANDHELD TRANSCIVER

144-146MHz
430-440MHz
Up to 5W on each
band
Built-in VOX
C.A.T. Interface



£ ASK BERNIE

The long-awaited Solid State HF Linear with Built-in Automatic A.T.U. is about to arrive from YAESU
500 Watts P.E.P. from a 100 Watt drive Built-in Antenna Switching

VERY SPECIAL OFFERS

YAESU FT270/FT270RH



OUR PRICE
£295
AND
£325

DESCRIPTION

Compact Design

The FT 270R/RH's extremely rugged construction includes a unique diecast aluminium ductflow heat sink, which serves as the main chassis for the transceiver. This innovative design technique results in a 45-watt transceiver smaller than competing designs of much lower power capability.

The FT-270R provides 25W RF output, while the RH version provides 45W in the high power mode. The "LOW" switch on the front panel allows reduced output power, 3W or 5W, respectively.

Phone 09252-29881 for all mail order—Access & Barclaycard accepted

Trade enquiries welcome
All prices include VAT and are correct as we go to press

Opening hours: Monday Saturday
10am-5pm

❖ FREE FINANCE ❖

HAMPSHIRE, YORKSHIRE, HUMBERSIDE, JERSEY,



FT290R II

NEW VERSION FT290R!
CLIP-ON PACK. 25W BOOSTER



FT727G

DUAL BAND HANDELO!
5 WATTS ON 144MHz & 432MHz




WE HAVE MOVED
(SEE BELOW)



FOR ALL THAT IS BEST IN RADIO.
NOW ALL UNDER ONE ROOF!

FT767GX

All Mode, 100W, All Band QSK
Transceiver featuring:- Built-in
Power Supply and Auto ATU (HF
only) plus up to three VHF/UHF
Plug-in Modules (6M, 2M or
70cm), 4 CPU's, Keyboard Fre-
quency Entry and 10 Multi-
function Memories.



FT767GX

Contact Head Office for further details



FL7000

Contact Head Office for further details



FL7000

All Mode, All Band Solid State
500W PEP QSK Linear Amplifier
featuring:- Fully Automatic ATU
(with manual override), Twin
Large Meters monitoring amplifier
parameters, full Overload Protec-
tion using seven separate moni-
toring circuits.

LEEDS
SMC (Leeds)
257 Otley Road,
Leeds 16, Yorkshire
Leeds 105321 782326
9-5.30 Mon-Sat

CHESTERFIELD
SMC (Jack Tweedy) Ltd
102 High Street,
New Whittington, Chesterfield
Chesterfield 02461 453340
9.30-5.30 Tue-Sat

BUCKLEY
SMC (T.M.P.)
Unit 27, Parfold Lane
Buckley, Chwyd
Buckley 02441 549563
10-5 Tue, Wed-Fri
10-4 Sat

STOKE
SMC (Stoke)
76 High Street,
Tolke Pitts, Stoke.
Kidsgrove 078161 72641
9-5.30 Mon-Sat

GRIMSBY
SMC (Grimsby)
247A Freeman Street,
Grimsby, Lincs
Grimsby 04721 69388
9.30-5.30 Mon-Sat

JERSEY
SMC (Jersey)
1 Belmont Gardens
St Helier, Jersey
Jersey 05341 77067
9-5.30 Mon-Sat
Closed Wednesday

N IRELAND
SMC (N Ireland)
10 Ward Avenue
Bangor, Co Down
Bangor 02471 464875

** WE HAVE MOVED H.Q. **

MAIL ORDER
SHOWROOM

* open 9-5.30 Mon-Fri
9-1.00 Saturday

S. M. HOUSE, SCHOOL CLOSE, CHANDLERS FORD INDUSTRIAL ESTATE, EASTLEIGH,



South Midlands

RADIO COMMUNICATION September 1986

* 2 YEAR GUARANTEE *

DERBYSHIRE, STAFFORDSHIRE, CLWYD, CO. DOWN

OPEN DAY — FOR AMATEURS

SUNDAY, 21st SEPTEMBER 10.00am - 5.00pm

10% off all new equipment in stock (excl towers)

WIN a YAESU FT290—Numerous other prizes

FREE! Radio spec check (1.8MHz to 440MHz only)

FREE! Beer and soft drinks—while stocks last

FREE! Car Boot Sale—Over 100 spaces—No tables

Can't make it on Sunday? Take your 10% at any branch on Saturday 20th


Talk-in on S22

Talk-in on S08

PROFESSIONAL GRADE RECEIVERS



- VHF/UHF Scanning Receiver
 - All Mode incl. SSB up to 460 MHz
 - 100 Memory Channels
- FRG9600 £465 PA4C £14.50



- General Coverage HF RX
 - 200 Memory Channels
 - VHF/UHF Converter (opt.)
- NRD 525



- General Coverage HF Receiver
 - Twelve Memory Channels
 - 118-174 MHz with opt. VHF conv.
- FRG8800 £575 FRV8800 £90

TOP FLIGHT TRANSCEIVERS



- Multimode Tribander Capability
 - True Full Duplex Capability
 - Choose 3 from HF, 6M, 2M, & 70cm
- FT726R(2) £899 430/726 £309



- Professional HF TCVR
 - LSB, USB, CW, FSK & AM
 - Dual VFO's, 10 Memories
- FT-ONE £1999



- HF Computer-aided Transceiver
 - LSB, USB, CW, W/N, AM, W/N, FSK, FM
 - Computer Control Capability
- FT980 £1759 SP980 £99

FREE FINANCE

*On many regular priced items SMC offers Free Finance (on invoice balances over £120) 20% down and the balance over 6 months or 50% down and the balance over a year. You pay no more than the cash price! Details of eligible items available on request.

SMC SERVICE

Free Interlink delivery on major equipment. Access Barclaycard over the phone. Biggest branch agent and dealer network. Interlink contract rate £7.30 inc. Biggest stockist of amateur equipment. Same day despatch whenever possible.

GUARANTEE

Importer warranty on Yaesu Musen products. Fully staffed and equipped Service Department. Daily contact with the Yaesu Musen factory. Tens of thousands of spares and test equipment. Twenty five years of professional experience. • 2 years warranty on regular priced Yaesu products.

STOCK CARRYING AGENT, JOHN DOYLE, TRANSWORLD COMMS, NEATH (0639) 52374 DAY (0639) 2942 EVE
JACK McVICAR, SCOTCOMMS, EDINBURGH 031 657 2430

HAMPSHIRE SO5 3BY. TEL: (042 15) 55111.

TLX 477351 SMCMM G
FAX (04215) 63507 SMC FX

Communications Ltd.

RADIO COMMUNICATION September 1986



RADIO SOCIETY OF GREAT BRITAIN

THE NATIONAL SOCIETY REPRESENTING ALL UK RADIO AMATEURS

Founded 1913

Incorporated 1926

Limited by guarantee

A member society of the International Amateur Radio Union

PATRON: HRH PRINCE PHILIP, DUKE OF EDINBURGH, KG

Membership is open to all those with an active interest in radio experimentation and communication as a hobby. Applications for membership should be made to the general manager, from whom full details of Society services may also be obtained.

Headquarters and registered office: **Lambda House, Cranborne Road, Pottery Bar, Herts EN6 3JE**

Telephone 0707 59015. Telex 25280 (RSGBHO G)

Secretary and general manager: D A Evans, G3OUF

COUNCIL OF THE SOCIETY

PRESIDENT: W J McCintock, MSc, G3VPK

EXECUTIVE VICE-PRESIDENT: K E V Willis, BSc, ARCS, CEng, MIEE, G8VR

IMMEDIATE PAST-PRESIDENT: J Heathershaw, G4CHH (Mrs)

HONORARY TREASURER: P F D Cornish, FCA, G3COR

ORDINARY MEMBERS OF COUNCIL

E J Allaway, MB, ChB, MRCS, LRCP, G3FKM

D S Evans, PhD, FIM, CEng, G3RPE

J D Heys, G3BDQ

A McKenzie, MBE, CEng, FIERE, FAES, G3OSS

B O'Brien, G2AMV

N F O'Brien, FAAI, FSCA, ACIS, MIMI, G3LP

F S G Rose, G2DRT

ZONAL MEMBERS OF COUNCIL

Zone A (Regions 1, 2 and 18)

D S Smith, G4DAX

Zone B (Regions 3, 4 and 5)

H S Pinchin, BSc, MBIM, G3VPE

Zone C (Regions 7, 8, 16 and 19)

J Greenwell, AMIEE, G3AEZ

Zone D (Regions 6, 9, 17 and 20)

J N Gannaway, G3YGF

Zone E (Regions 10 and 11)

E J Case, GW4HWR

Zone F (Region 15)

J T Barnes, G13USS

Zone G (Regions 12, 13 and 14)

F Hall, GM8BZX

REGIONAL REPRESENTATIVES

Region 1 B Oona, G3XSN, tel 051-722 3644

(Cheshire, Cumbria, G Manchesler, I o Man, Lancs, Merseyside)

Region 2 P R Sheppard, G4EJP, tel 0401 50397

(Humber, N of Humber, N S and W Yorks)

Region 3 G Ross, G8MWR, tel 0203 616941

(Hereford & Worcs, Salop, Shrops, W Midlands)

Region 4 M Shallow, G3S2J, tel 0332 556875

(Derbys, Humberside S of Humber, Lincs, Notts)

Region 5 J S Allen, G3OOT, tel 0582 21151

(Beds, Cambs, Northants)

Region 6 N P Taylor, G4HLX, tel 03677 503

(Borks, Bucks, Oxon)

Region 7 R Sykes, G3NFV, tel 0372 372587

(G London S of Thames, Surrey including part of London

N of Thames administered by Surrey)

Region 8 M Elliott, G4VEC, tel 0795 70132

(Kent, E Sussex, W Sussex)

Region 9 A H Hammett, G3VWK, tel 0762 882758

(Cornwall, Devon)

Region 10 O H Phillips, GW4KQ

(Dyfed, Gwent, Powys, Mid, S and W Glam)

Region 11 B H Green, GW2FLZ, tel 0492 49268

(Clwyd, Gwynedd)

Region 12 M R Hobson, GM8KPH, tel 0796 21 40

(Grampian, Highland, Island Authorities, Tayside)

Region 13 A J Scott, GM8BDX, tel 0361 83221

(Borders, Fife, Lothian)

Region 14 T G Wylie, GM4FOM, tel 0505 22749

(Central, Dumfries & Galloway, Strathclyde)

Region 15 R R Parsons, G13HXV, tel 0232 612322

(Northern Ireland)

Region 16 A Owen, G4HMF, tel 0473 51 319

(Essex, Norfolk, Suffolk)

Region 17 T M Emery, G3KWU, tel 0703 812435

(I o Wight, Channel Is, Dorset, Hants, Wilts)

Region 18 I Gibbs, G4GWB, tel 0670 790090

(Cleveland, Durham, Northumberland, Tyne & Wear)

Region 19 R J Broadbent, G3AAJ, tel 01-989 6741

(G London N of Thames, Herts)

Region 20 C R Hollister, G4SOO, tel 0272 508451

(Avon, Gloucester, Somerset)

HONORARY OFFICERS

Audio Visual Library co-ordinator: R G Auckland, G2PA

Awards managers: HF: P Miles, G3KDB; VHF: Jack Hum, G5UM

HF manager: E J Allaway, G3FKM

Microwave manager: D S Evans, G3RPE

Observation Service organizer: R J Osborne, G4FJN

Trophies manager: Mrs H Cleytonsmith, G4JKS

VHF manager: K A M Fisher, G3WSN

Correspondence to RRs and honorary officers should be

addressed directly to them (QTH), not to RSGB HQ

ANNUAL SUBSCRIPTION RATES

Once-off joining fee: £1.50

Corporate member: UK and overseas (Radio Communication by surface

mail): £18.50.

UK associate member under 18: £6.95. Family member: £7.40

UK students over 18 and under 25: £10.45 (Applications should give applicant's

age at last renewal date and include evidence of student status)

Affiliated club or society (registered group (UK): £18.50 (including Radio

Communication); £11.10 (excluding Radio Communication)

Senior citizen: £11.10

(Subscriptions include VAT where applicable)

Membership application forms available from RSGB HQ

EDITORIAL

MORE THAN MEETS THE EYE . . .

Hands up all those RSGB members who believe that all their Society provides is a monthly magazine and a QSL bureau . . . yes, we thought as much. To judge from some of the mail we receive here at headquarters, there are a lot of people out there who believe exactly that.

Perhaps we could be permitted to correct this common myth! In addition to *Radio Communication* and the QSL Bureau, the Society provides no less than 31 other main services to its members. The most fundamental one, of course, is the formidable amount of effort which goes into improving and extending the facilities available to the UK radio amateur by means of extensions to the licence. For example, during the past 12 months the Society has successfully negotiated for the following:

Third-party greetings message facilities between the UK and the USA, Canada, the Falkland Islands and Australia, which was a major breakthrough for users of special event call signs (October 1985);

A new amateur band at 50MHz, made possible by a decade of close co-operation with the UK licensing authority on this issue (February 1986);

More special-event call sign prefixes (February 1986);

Permanent on-air morse practice facilities for Class B licensees, granted after a special one-year experiment (May 1986);

A pass in the morse test to be valid for life (June 1986);

and there were some others as well.

Liaison with the DTI takes place on a daily basis, and some of it involves the resolution of the problems of individual members. Other elements of it look to the future; packet radio—where a major advance is expected soon—and the long-overdue revision of the UK licence are two major items on the list. Other matters we are currently discussing include emc/rfl matters, the future of Syledis, the re-issue of call signs and call sign series, emergency communications, repeater and beacon licensing, and CEPT and its functions relating to reciprocal licences.

It must be evident—or if it isn't we're not doing our job properly—that an enormous amount of both staff and volunteer effort goes into the relationship between the RSGB and the DTI. It has to; it is the UK licensing authority as far as radio is concerned and the RSGB is the representative national society. There must be a continual dialogue between the two bodies, on many levels and in respect of many topics, and we are proud of our track record.

If you think about it, that's almost the main reason why every licensed radio amateur in the UK should be an RSGB member. It might be worth pointing that out to your friend at the radio club who can't see any reason why he should join the Society.

David Evans, G3OUF

Amateur Radio News

"OPERATION EAST STOUR"


G6CJ's 60 years

On 31 May 1986, some 50 amateur radio friends gathered at the village hall of East Stour, Dorset, to celebrate the 60th anniversary of "Dud" Charman obtaining his famous callsign G6CJ. A splendid repast, organized by his sister "Sim" Attwater, and her colleagues of the local Women's Institute, rounded off an afternoon which will long be cherished by those who were privileged to attend.

G6CJ's association with the late Kenneth Alford, G2DX; Gerry Marcuse, G2NM; and many other radio pioneers was illustrated by a well-arranged exhibition of documents, apparatus, photographs and cards. In particular there was a most interesting collection of memorabilia connected with AC4YN, the first amateur station to operate in Tibet. What could have been more apposite than the fact that one of the honoured guests was none other than Sir Evan Nepean, G5YN, the original operator of that rare dx station which everyone wanted to work.

Among the old-timers present was Frank Hicks-Arnold, G6MB, the original GB2RS news reader, now well into his sprightly 'eighties; G6GR, G6NZ, G6JP and G2MI—all past Presidents of the RSGB; G3LP, present Council member; G2QY, G6NA, G3VW, ZL3GQ and many others.

The vintage equipment on show included components used by G2DX and G2NM, and the first dull emitter transmitting valve to work



At G6CJ's diamond jubilee: 240 years of amateur radio—(l to r) G3LP, ZL3GQ, G6CJ, G3BEY and G5RV. Photo: G3BEX/YL.

Australia. The famous "Aerial Circus" was well in evidence, and it was appropriate that also present was that other antenna wizard, G5RV, with his wife. Dud gave his visitors a very interesting short talk about his early days as a professional radio engineer.

Readers will be familiar with the recent devoted work put in by G6CJ in the revival of RAOTA and it was very pleasing to see so many old-timers present. During the tea interval, a short meeting of the RAOTA Committee was held.

A vhf station, G6CJ/A, was provided by the Blackmore Vale ARC to talk-in the visitors. It was certainly rather odd to hear the callsign of such a sturdy upholder of the cw tradition actually on phone!

A great deal of care and thought was put into the presentation of the exhibits and to the entertainment of their visitors. Both "Dud" and his sister are to be congratulated in having staged a very pleasant and memorable event.

G2MI

Region 10 representative

No nominations having been received from Region 10 members to fill the vacancy for a representative of that region, Council appointed Mr D A Phillips, GW4KQ, as Region 10 representative at its meeting on 26 June.

South Dorset RS silver jubilee

A celebration dinner will be held at the Seaside Hotel, 29 Preson Road, Weymouth, on 10 October 1986 to mark the South Dorset Radio Society's twenty-fifth anniversary. Tickets approximately £8.50. Details G1ANK, tel 0305 67596.

CO6ER OSLs and awards

C Pollard, G3PDX/N6UH, has received a batch of QSL cards and awards from Esteban, CQ6ER, for distribution. If the following addressees wish to receive them, would they please send a large (9 by 11 in) sase for awards or normal sase for QSL cards. QSL cards for G3LQC, G4SCD, G3CPN, G3AZY, G3JHF, G3LNS, G4OUJ, G3MXJ and G3ZGN. Awards for: G3NKS, G3BPX, G6TC, G3JHF, G3AZY, G3CPN, G4SCD and G3LQC.

If not claimed within one month they will be destroyed.

Eighth Army Reunion

The Eighth Army El Alamein Reunion will take place at the Empress Ballroom, Winter Gardens, Blackpool, on 24-26 October. G2DHV (GB8ARS) and G3JFE, who met in Naples in 1945, will be attending and will be equipped with handfields for contacts with other RSARS members. Details G2DHV.

ARMA (UK)

Lee Adams, G4RKV, is still interested in hearing from any amateur radio operator or short wave listener who is currently involved in any aspect in the martial arts. Please contact Lee, G4RKV, or Graham, G3NOH, both QTHR and mark the envelope ARMA (UK).

College quest for 100-year-old former student

The London Electronics College, which celebrates its 80th anniversary this year, intends to mark the event by setting out on an international quest to find its oldest former student. The College, formerly known as the British School of Telegraphy, was founded in 1906, trained early marine radio officers using the original Marconi wireless telegraph, some 300 of its students being at sea in 1912. Harold Bride, wireless operator on the SS *Titanic* at the time of the tragic iceberg disaster; and Thomas Cottam on the SS *Carpathia*, the first ship to acknowledge radio distress messages which saved so many lives, were both trained at the college.

Nowadays, the college specializes in professional electronics technician education, having ceased radio officer training in 1980. The nautical connection was maintained to the end, as the college was among the sponsors of the Trans-globe Polar Expedition led by Sir Ranulph T-W Fiennes under the patronage of HRH The Prince of Wales, during 1979-82. Lady Virginia Fiennes, the expedition's radio operator, trained

WELSH AMATEUR RADIO CONVENTION

Oakdale Community College, Blackwood, Gwent

10am-5pm, 5 October 1986

- Trade exhibits • Convention station • RSGB stand • Bring-and-buy stand
- Prize draw—£300 in cash prizes
- Refreshments

Official opening at 11am by Mr W McClintock, G3VPK, President of the RSGB

LECTURE PROGRAMME

HF and vhf features

Video presentation on shuttle mission 51F (W00RE/Challenger)

Admission: £1.50, at the door

Talk-in from 9am on S22

Take exit 27 off M4

Full Information from B Davies, GW3KYA, 16 Vancouver Drive, Penmaen, Blackwood, Gwent NP2 0UQ, tel 0495 225825.

at the college during one of the last marine courses.

Since its foundation the college reckons it must have trained some 5,000 students, many of whom will still be scattered over remote parts of the world, both on land and at sea. In honour of the college's 80th birthday, a general signal "QSO" is being sent out to all former students asking them to get in touch again. It's just possible that some of those original 1906 MARCONI wireless telegraph operators will respond to the call. Present-day staff and students would be delighted to welcome such visitors on a tour of inspection—just to see how much electronics has changed in the era of microcomputers and new technology.

Contact Mr M D Spalding, Senior Lecturer, London Electronics College, 20 Penryn Road, London SW3 9SU, tel 01-373 8721.

New morse journal

Since 1983, two Dutch radio amateurs, Rinus Hellemons, PA0BFN, and Dick Kraayveld, PA3ALM, have published a quarterly journal, *Morsum Magnificat*, for morse enthusiasts. Contributions have been written by amateur and professional morse telegraphers, young and old, from around the world, but as the journal appears in Dutch, its circulation has been very limited.

In 1985, an experimental, one-off, English version was published to "test the ground" for a wider audience. Now, Tony Smith, G4FAI, has joined the editorial team as English Language editor, and a new English version of *Morsum Magnificat* will shortly be available by post, worldwide. Its aim is to publish material about morse, past and present, not normally found to any extent in popular magazines today, and will include history, illustrations, anecdotes and adventures in both wire and wireless telegraphy.

At last, cw addicts can have their fill of morse matters, can make their own contributions, or have their say, sure of the attention of a specialized and receptive readership.

UK subscription for 1 year (four issues) is £6, postpaid, from G4FAI, 1 Tash Place, London N11 1PA, cheques payable to "Morsum Magnificat". For further information, including overseas rates, send an s.a.e. or tel 01-368 4588.

RAC Courses 1986-7

(See also *Rad Com* July 1986, p55)

Barnet. Hendon College of Further Education, The Burroughs, Hendon NW4 4DE. Enrolment 2-8pm, 10 September at the college. Tel 01-202 3811 for details.

Boreham Wood. De Havilland College, Elstree Way, Borehamwood, Herts. Tuesdays 7-9pm, commencing 16 September. Enrolment 2-8pm, 8 & 9 September. Details from the college.

Brighton. Brighton College of Technology, Pelham Street, Brighton BN1 4FA. Tel 0273 685971. Enrolment 4-8pm, 8 & 9 September. Details R A Bravery, G3SKI, senior lecturer at the college.

Brixton. Brixton College, Ferndale Road, London SW4, tel 01-737 2323. Wednesdays 6.30-9pm, commencing 24 September. Enrolment 15-18 September. Details from the college.

Crawley. Ifield Community College, Lady Margaret Road, Ifield, Crawley, W. Sussex. Mondays 7-9pm, commencing 15 September. Enrolment 7-9pm, 8 & 10 September. Details from course tutor, G3LNM, tel Crawley 24007.

Camforth. Camforth Comprehensive School, Lidgett Lane, Camforth, Leeds. Commences 8 September, enrol on same night. Details G3TEE, tel Leeds 554190.

Eastbourne. Hailsham Leisure Centre, Vicarage Lane, Hailsham, E Sussex. Commences 7.30pm 16 September. Run by Southdown ARS; details from G4XNL, tel 0323 638653.

SCOTAM '86

SCOTTISH AMATEUR RADIO CONVENTION

(Organized by the Glenrothes & District ARC)

Lomond Centre, Glenrothes, Fife

11am-5pm, Saturday 13 September 1986

(Early entry for disabled visitors)

LECTURES WILL INCLUDE

"50MHz Achievements and Expectations", by Ray Cracknell, G2AHU

"ATUs" by Peter Chadwick, G3RZP

"HF Contesting/DXing", organized by GM3YOR

Morse testing centre

All Usual facilities: bar, snacks, restaurant

Talk-in on S22 144MHz

Maps and full details from GM3YBQ, tel 0592 265789

Gosforth. Gosforth Adult Education Centre, Regent Centre, Gosforth, Northumberland. Tuesdays, commencing in September. Details from the centre or G8BGU.

Hallifax. Holmfild High School, Holdsworth Road, Holmfild, Halifax. Thursdays, 7pm, commencing 25 September. Details G3FDC, tel Halifax 244642.

Heckmondwike. Heckmondwike Grammar School, Heckmondwike. See local press for details or contact G3TEE, tel Leeds 554190.

Islington. Islington Institute, Rising Hill Street, London WC2. Mondays, 6.30-9.30pm, commencing 22 September. Enrolment from 6pm 15 September. For details tel 01-485 7065.

Kingston-upon-Thames. Kingston College of FE, Kingston Hall Road, Kingston Upon Thames. Mondays, 7-9pm, commencing September. Enrolment 8 & 9 September. Details Paul Farmer, tel 01-546 2151.

Melton Mowbray. Melton Mowbray College of FE, Asfordby Road, Melton Mowbray, tel 67431. Enrolment 1 & 2 September. Details from college or Ken Melton, tel 090581 3849.

Orpington. Ramsden Girls School, Tintagel Road, Orpington, Kent. Thursdays, 7.30-9.30pm, commencing 18 September. Enrolment by post to Bromley Adult Education Service, Aylesbury Road, Bromley. Details G8TKV, tel 0689 31123.

Romford. Barking College of Technology, Dagenham Road, Romford, Essex. Thursdays 6.30-9pm, commencing 18 September. Enrolment 6-8pm, 8, 10 & 11 September. Details Science & Mathematics Dept, tel 0708 66641.

Stockport. Avondale Evening Centre, Edgeley, Stockport. Tuesdays. Enrolment week commencing 15 September. Details from Avondale EC, or G4WAU, tel 061-427 4730 or c/o Amateur Radio Market, 8 Market St, New Mills, Stockport, tel 0663 47260 Saturdays only.

Watford. Cassis College, Watford, Herts. Wednesdays, commencing 24 September. Details GOAOT, tel 0923 38613 evngs.

Welwyn Garden City. De Havilland College, Applecroft Centre, Applecroft Road, Welwyn Garden City, Herts, tel 26318/31344. Thursdays 7-9pm, commencing 18 September. Enrolment 2-8pm, 8 & 9 September at the college. Details from the college.

Wetherby. Further Education Centre, Wetherby High School, Wetherby. Thursdays, commencing 11 September, enrol same night. Details G3TEE, tel Leeds 554190.

Morse courses

Kingston upon Thames. Kingston College of FE, Kingston Hall Road, Kingston upon Thames. Tuesdays, commencing in September. Enrolment 8 & 9 September. Details Paul Farmer, tel 01-546 2151.

Milton Keynes. Organized by the Milton Keynes & D ARS, "The Meeting Place", Hodge Lea Lane, North Milton Keynes. Two courses, novice and advanced, each running for 20 weeks. Cost £12. Mondays 7.30pm. Details GOAXF, tel MK 78804; G1GOF, tel Bedford 767904, or in person at "The

Meeting Place."

Islington. Organized by the Grillon RS, Islington Institute, Rising Hill Street, London WC2. Details tel 01-485 7065.

Romford. Barking College of Technology, Romford, Essex. Details Science & Mathematics Dept, tel 0708 68841.

Mobile Rollies Colendor

7 September

Lincoln Hamfest, Lincolnshire Showground. Further details to be published at a later date.

7 September

Vange ARS Rally, Nicholas School, Basildon. Open 10am-5pm. Talk-in on 144MHz. Details Mrs D Thompson, 10 Feeding Row, Basildon, Essex SS14 1TE, or G4OJN.

13 September

Wight Wireless Rally, Wireless Museum, Arreton Manor (A305) near Newport, IOW. Open 2-6pm. Talk-in on 144 and 432MHz fm, and GB3WN will be on hf bands. Details G3KPO, tel Ryde 67665.

13 September

Ballymena ARC 12th Annual Rally, Ballee High School. Opening address given by RSGB President, G3VPK. Talk-in S22. Details G14HCN, tel 0266 3044.

16 September

Rugby ATS amateur radio auction and barbecue, Cricket Pavilion, "E" Building entrance, BTJ Radio Station, A5 trunk road, Hillmorton, Rugby. Opens 7.30pm. Details G8TWH, tel 0788 77986.

21 September

Harlow Mobile Rally, Harlow Sports Centre, Hammarskjöld Road, Harlow, Essex. Open 10am. Talk-in on S22. Details G4KVR, tel 0279 22365, day, or G3UEG, tel 0279 27788 evenings.

21 September

National Amateur Radio Car Boot Sale, The Shutehouse Collection, Old Warden Aerodrome, nr Biggleswade. Open 10am-5pm. Talk-in on S22, GB4SC. Aircraft and motor museum. Free car park. Admission 50p. Details and advance bookings G6EES, tel 0582 607623 evenings.

21 September

Peterborough R&ES Mobile Rally, Werrina Sports Stadium, Bishops Road, Peterborough. Open 10.30am to 5pm. Free car parking. Food in the adjacent Tropicana Restaurant. Bar until 3pm. Details G4PNW.

5 October

Greal Lumley AR Rally, Community Centre, Greal Lumley, Chesler-Le-Sireet. Open 11am (10.30am for disabled). Free admission, easy parking. Talk-in on S22, GB3WU. Dealer enquiries and further details G4RCH, tel Leeds 536633 or G3SPX, tel Wakefield 828520.

5 October

Wakefield Mobile Rally, Outwood Grange School, Polovens Lane, Wakefield. Open 11am (10.30am for disabled). Free admission, easy parking. Talk-in on S22, GB3WU. Dealer enquiries and further details G4RCH, tel Leeds 536633 or G3SPX, tel Wakefield 828520.

12 October
Carmarthen ARS Rally, St Peter's Civic Hall, Nott Square, Carmarthen. Open 10.30am-5pm. Talk-in on S22. Free parking. Details GW3GUE, tel 026-783 460.

19 October
ELOHEX 86, The Hornsea ARC's amateur radio, computer and electronics exhibition, Floral Hall, Hornsea. 10am-5pm. Talk-in on S22 G4EKT. Details G4YTV, tel 0401-62498.

19 October
South Bristol ARC present the Second Bristol Radio Rally at Hartcliffe Youth Centre, Harecliffe Avenue, Hartcliffe, Bristol. Open 10am-5pm. Talk-in and special event station, GB2BRR. Details G1LQJ, tel 0272 667179.

26 October
Aycliffe & Shildon ARC "Ham-day", Elm Road, Working Mens Club, Shildon, Co Durham. Talk-in S22. Open 11am-5pm. Details G4OHZ, tel 0325 314638.

1 November
North Devon Radio Rally, Bradworthy Memorial Hall (near Holsworthy), 10.30am-5pm. Talk-in on 144MHz ssb. Details G8MXI.

9 November
Bridgend & DARS Rally, Bridgend Recreation & Leisure Centre, Angel St, Bridgend, Mid-Glam. Open 10am for disabled, 10.30am for public. Talk-in on S22. Details GW10UP, tel 0656 723508.

23 November
West Manchester RC Mobile Rally, Pembroke Halls, Walkden, Worsley, Gtr Manchester. Details G1100, tel 0204 24104 evenings.

7 December
Verulam Christmas Rally, The City Hall, St Albans. Open 11am-5pm. Talk-in on S22 and SU8. Details G4JKS, tel St Albans 59318.

14 December
Leeds & OARS Annual Christmas Rally, Pudsey Civic Centre, Dawsons Corner, Pudsey. Open 11am (10.30am for disabled). Talk-in on S22. Trade enquiries G4WYD, tel 0274 685039, details G1EBS, tel 0274 665355.

8 February, 1987
Bury RS Hamfest 1987, Mosses Youth and Community Centre (only minutes from the M66), Cecil St, Bury, Lancs. Details available from G1PKO, tel 061-764 5018.

5 April 1987
Pontefract & DARS Components Fair, Carleton Community Centre, Pontefract, midway between Pontefract and Oarrington just off the A1. Open 11am-4pm. Details G0AAO, tel 0977 43101.

Special Event Stations

1 May-28 October, GB4NGF, GB8NGF, GB2NGF
North Stalls ARS are operating three special events stations, for the National Garden Festival, Stoke-on-Trent. GB4 and GB8 will be on the Festival site, GB2 is located at the OTH of G4XEE. Open 11am-8pm. Transmission on all bands using cw, rtty and tv. Special QSL cards. Details G6MLI, tel 0782 332657.

1 April-31 December, GB2RIP
Celebrates 1,100 anniversary of the granting of the Charter by King Alfred the Great to the city of Ripon. Station on air most evenings on hf cw/ssb, 144MHz fm. Other modes/bands as equipment becomes available. QSL via RSGB, WAB-SE37, Maldenhead 1094FD. Details G0CLY.

September, GB9DB
To celebrate the 900th anniversary of the Domesday Book, which was conceived in Gloucester Cathedral, the Gloucester ARS will operate this station from Goscat, Oxstalls Campus, Oxstalls Lane, Gloucester, on various days during the month. Transmission, on hf and vhf, will commence at 1200gmt on 6 September to coincide with the Gloucester Local History Festival at the same site. Details G6AWT, tel 0452 504515.

1 September, GB2STC
Celebrates the centenary of the official opening of the Severn Tunnel, at Pilning Railway Station. Operational 10am-6pm on hf, 144 and 432MHz. Details G1DJW, tel 0934 514429.

13 September, GB2RAF/GB2AB
Royal Air Force Abingdon Battle of Britain At Home Day. GB2RAF on 3-5 ssb and 144MHz cw. GB2AB on 144MHz ssb and fm. Station operated by Oxfordshire RAFARS. Members wishing to participate contact G6ZH before 31 August.

13 September, GB2WMF
Celebrates Annual Winscombe Michaelmas Fair, Winscombe, Somerset. Operated by Weston-

super-Mare RS on hf, 432 and 144MHz. Open 10am-6pm. Details G1QJW, tel Weston 514429.

13, 14 September, GB0LD
Operational during the open days of Oldbury-on-Severn nuclear power station, on hf, 144 and 432MHz. Special QSL cards. Details G8AZT.

14 September, GB0NBC
Operated by the Tyneside ARS from the new BBC broadcasting centre at Fenham Barracks, Newcastle-upon-Tyne. Will demonstrate amateur radio to the public, using hf and 144MHz, from 11am to 5pm during the centre's open day. Special QSL cards. Details G4KOT, tel 091 234 1146.

14 September, GB2WHC
Operational on hf and 144MHz by Welwyn Hatfield ARC at the Welwyn Hatfield Water Carnival, Stanborough Lakes, Welwyn Garden City. Details G0AII, tel 0707 326138.

15-22 September, GB2GAF
Commemorates Battle of Britain Week. The station will be operated by the Gloucester ARS from the RAF Association Club, Gloucester. Activity on hf and vhf. Special QSL cards. Details G3MA, 40 Calton Rd, Gloucester GL1 5DY.

20, 21 September, GB2TV
From 1200gmt on the 20th until 2000gmt on 21 September, the Boreham & Eistree ARS will operate this station to celebrate the 50th anniversary of high-definition television transmission in the world. Bands 3-5-28MHz and 144MHz, ssb, cw and possibly rtty. Details G4XEW.

18-22 September, GB4XXX
Operational on all hf bands and 70MHz, plus ORP on 3-5MHz, during the third "X-net" expedition to North Wales. Details G4AUX, G4CAX and G4LPX.

20-28 September, GB800
The Maxwelltown ARK will put this station on the air from St Michael's Church Hall, Oumfries, to celebrate the octocentenary of Oumfries becoming a royal burgh. Operation on 3-5-28MHz, 144 and possibly 432MHz. Special QSL card. Details G4MNNC.

2-4 October
21, 22 November, GB2IY, GB8SIR
Smith Industries RS will operate this station from Bishops Cleeve, Cheltenham. From 10am to 4pm on 2, 3 October, and from 1 to 6pm on 4 October. The Saturday is the company's open day for Industry Year. Transmissions mainly on 3-5, 14 and 144MHz. Details G4YIX.

3, 4 October, GB2EHZ
On a "communications day" being held by East Herts College, this station will be operational on hf and vhf for 24h commencing noon 3 October. Details G0BTX, tel 01-804 6992, or the college tel Hoddesdon 466451 ext 55.

11-18 October, GB8AAW
G Ridgeway, G8UYO, will operate this station and intends to gain sponsorships per contact prior to going on the air. Operation on 144MHz ssb, fm and rtty, also 432MHz ssb. All day and evenings 11, 12 and 18th, evenings only 11-17th.

17-19 October, GB4OYC
Station ORV 1800gmt 16 October to 2400gmt 19 October to start the Yeovil ARC's 41st year. Operation from the club HQ on 3-5 to 432MHz, cw and ssb. Details G4JBH, tel 0935 23873.

18, 19 October, GB2XSG
South Dorset RS together with Crossways Scout Group will operate this station from the Crossways Village Hall, Crossways, Dorchester, Dorset. Transmissions on hf and vhf using ssb and phone. Special QSL cards. Details G4VBY, tel 0305 853408.

25, 26 October, GB2EMR
On the occasion of the International Endurocross Motor Cycle Races, from Beach Lawns, Weston-super-Mare. Operated 10am-5pm each day by members of the Weston-super-Mare RS. Transmissions on hf, 144 and 432MHz. Details G1QJW, tel 0934 514429.

3-9 November, GB4PW
In remembrance of Poppy Week. Station operational from The Royal British Legion HO, 49 Pall Mall, London SW1. Open 10am-8pm on 3-5, 14, 144MHz, cw, ssb and fm. Operators required from Services & Royal British Legion Members, class A or B. Contact G4PSH, tel 01-446 0266, giving name, call sign and days you wish to attend. SWLs welcome to assist in keeping log and QSL cards up to date.

Other Events

13 September
SCOTAM '86, Lomond Centre, Glenrothes. Details GMYBO.

21 September
Third National Amateur Radio Car Boot Sale, organized by the Dunstable Downs RC, Old Warden Aerodrome, Nr Biggleswade, Beds. Talk-in by GB4SC. Admission 50p. Open 10am to 5pm. Details G6EES, tel 607623.

28 September
RSGB HF Convention, Belfry Hotel and Conference Centre, just outside Oxford on the M40.

5 October
Welsh Amateur Radio Convention, Oakdale Community College, Blackwood, Gwent. Details GWSKYA, tel 0495 225825.

11 October
RSGB Midlands VHF Convention, Madeley Court Centre, Telford, Shropshire. Details G3UBX.

24, 25 October
Leicester Amateur Radio Exhibition, Granby Halls, Leicester. Details G4POZ, tel (day) Leicester 553293, (evng) Leicester 871086.

6 December
RSGB AGM, Institution of Electrical Engineers, Savoy Place, London WC2R 0BL.

15 March 1987
NARSA 25th Amateur Radio & Electronics Exhibition, Belle Vue, Manchester. Enquiries to G6CGF, tel 051-830 5790.

OBITUARIES

Consequent on the move from Chelmsford to Potters Bar and the loss of editorial staff, it has not been possible to include obituaries in this issue.

COUNCIL PROCEEDINGS

A brief report on the Council meeting held on 6 March 1986

Present: Messrs W J McGlinch (President, in the chair), J T Barnes, P F O Cornish, Dr J N Gannaway, Messrs F D Hall, J Greenwell, Mrs J Heathershaw, Messrs J D Heys, A McKenzie, B O'Brien, N F O'Brien, F S G Rose, D S Smith, K E V Willis, (members of council), D A Evans (secretary/general manager), A W Hutchinson (editor), Mrs R Evans (minutes secretary).

Apologies for absence were received from Dr Allaway and Dr Evans, who were attending an IARU meeting in Vienna; Mr Case, who was in hospital; and Mr Plachin, who was absent for business reasons.

Hon Treasurer's report

Mr Cornish reported that the Society had made a small surplus for the six months to 31 December 1985 and he briefly reviewed the various components of the accounts.

Book sales were the subject of some discussion, and Mr Cornish stated that this was obviously a most important item in the accounts.

Mr O'Brien asked the hon treasurer what was

happening in relation to beacons and repeaters. Mr Cornish replied that the amount paid had increased this year due mainly to a double bill from the OTI for both this year and the previous year.

Mr Cornish then discussed Radio Communication costs, which during the period had worked out at slightly below budget.

The President wound up the discussion by saying that he was pleased to note the half-year surplus and echoed the views of all those present by saying that publication sales would clearly be important during the second six months of the year.

In the context of the hon treasurer's report, a resolution from the Finance & Staff Committee concerning subscription increases was raised for discussion. Mr Cornish introduced the resolution by looking at the effects of the proposed increase for a full year.

A full discussion on the proposed increase in subscriptions and the joining fee then took place, and at its conclusion the recommendation to increase the annual corporate membership sub-

scription to £18.50 from 1 July 1986, and to institute a once-off joining fee was proposed, seconded and carried unanimously.

Recommendations from committees Finance & Staff Committee

"That the Society should not endorse the correspondence course proposed by the NEC on the grounds that it could belittle courses provided by other colleges or affiliated societies."

After some discussion, the recommendation was proposed, seconded and carried unanimously.

VHF Contests Committee

"That the Hansen Trophy be awarded to Martin Parry, RS2543, as winner of the 1985 VHF/UHF Listener's Championship."

This was proposed, seconded and carried unanimously.

Secretary's report

Mr Evans drew Council's attention to the *Council Letters* which had been circulated recently concerning the problems with the Radio Interference Service/Radio Investigation Service, and spoke at great length on all the implications and the actions which were being taken by the Society.

The secretary then dealt with the question of immunity standards for domestic entertainment equipment. In the UK, the BSI have produced a standard known as BS905, which was essentially brought into being to solve the problem since its frequency limits are from 26 to 30MHz.

There is also an international organization known as Cenelec, which is also establishing an immunity standard for domestic electronic equipment. Research has indicated that if Cenelec agree a standard based on 1.8V/m through the frequency range 150kHz to 150MHz, then it is highly probable that the EEC will adopt this standard. It will initially apply to mains powered televisions and radios, but it is given to understand that it may well later apply to other types of domestic equipment. If this standard is adopted by the EEC then every member country must operate to this standard.

Apart from all the technical and legal aspects of emc, it appeared to the secretary that much hinged on the attitude of the Government to radio amateurs.

Mr Evans said that the legal aspects should also be considered, and the Society had already involved its solicitors and had consulted a barrister on these matters.

The secretary then spoke about packet radio, which was attracting much interest at present, and he felt that the role of the Society must be to take a lead in this new area.

Mr Evans said that he had discussed the 1986 *Call Book* with the chairman of the Technical & Publications Committee and with the Finance & Staff Committee, and it had been concluded that the time was now right to include 30 to 40 pages of additional information in the next edition and to produce it every six months.

Mr Heys asked about the "particulars withheld" problem. The secretary said that although there was no obvious way of finding a solution to this problem, he was hopeful that inroads could be made to it in the future.

In the absence of the chairman of the Technical & Publications Committee, the general manager noted the heavy workloads in the publications section and said that while there was always far more work than could be handled by existing staff, work was always handled on the basis of priority.

Some discussion took place on the technical content of *Radio Communication*, and the general manager thought that perhaps more was being asked of the volunteer members of the Technical & Publications Committee than was reasonable to expect. He wished to see the committee concentrate its efforts on being the body which was responsible for all technical standards within the Society, both for books and *Radio Communication*. He considered *Radio Communication* to be one of the Society's great strengths, but wished to see it more in line with today's membership. Mr Willis thought that it was now more technical than it was 20 years ago. Mr Evans went on to say that there were more than 10 possible books which could be commenced later this year, but that at present it was essential to consider only books which were commercial as opposed to esoteric. He discussed the *Equipment Review*

book, the *Microwave and EMC* manuals and others in this context. In the case of the *EMC Manual*, clearly this might not be a best seller, but a book which the Society was obliged to publish for the good of its members.

IARU matters

Mr Hughes, G3GVV, chairman of the IARU Committee, joined the meeting to give a report and brought Council's attention to several issues. These covered frequency planning, the monitoring system, repeaters on 29MHz and aid to developing countries. A full discussion on all the topics took place, and various proposals regarding Society policy were made.

Membership and representation Council noted:

(i) That reduced subscriptions had been granted to a further 25 members, Mr B O'Brien commented that he thought the number of reduced subscriptions were decreasing slowly.

(ii) That subscriptions had been waived in respects of a further 10 members.

(iii) That affiliation had been granted to:

Hatfield Polytechnic RS;
Ibstock ARS;
Meopham Parish RC;
Miffield ARC, Birmingham;
Northern Radio Club (Amateur), Bolton;
NSRA, Sweden;

A brief report on the Council meeting held on 26 April 1986

Present: Mr W J McCintock (President, in the chair), Dr E J Allaway, Messrs J T Barnes, E J Case, Dr D S Evans, Dr J N Gannaway, Messrs J Greenwell, F D Hall, Mrs J Heathershaw, Messrs J D Heys, A McKenzie, B O'Brien, N F O'Brien, H S Pinchin, F S G Rose, D S Smith, K E V Willis (members of Council), D A Evans (secretary/general manager), A W Hutchinson (editor), H M Norman (minutes secretary).

Apologies for absence were received from Mr Cornish, who Council was sorry to hear was ill.

Secretary's report

The secretary reviewed progress on the emc front, specifically in relation to the DTI. Both the RSGB and the DTI had agreed that neither side should act in any way that surprised the other, as had been the case in a number of recent events.

It was intended to invite three members of the DTI to headquarters to give them an overview of amateur radio. If this was successful, the possibility of a two-day seminar for other DTI staff would be considered.

On morse testing, Mr Evans reported that to date approximately 500 applications for morse tests had been received, with some 350 test places available at nine forthcoming rallies.

A firm called CSP International had been asked by the DTI to study the ways in which all UK users of the radio spectrum could be surveyed in terms of the cost-effectiveness of the usage of their allocations and the charges that could be made for them. It would therefore be necessary to produce a critical review of the amateur radio aspects, emphasizing the wide range of spin-offs.

The timescale was probably a few months. Mr Evans voiced his deep concern over this matter and felt that it would prove necessary to seek high level assistance in preparing the amateur radio case.

29MHz fm repeaters

Mr Smith raised the matter of conflicting views over the IARU decision relating to 29MHz fm repeaters, which did not seem to have been resolved.

Much discussion ensued. Dr Allaway pointed out that when Mr Hughes gave his report to the last meeting of Council, an IARU Region 1 managers' meeting was taking place in Vienna at which the RSGB had requested clarification on this matter. A vote had been taken on a proposal to conduct a one-year experiment; the result had been nine for the proposal, six against and three abstentions. As a two-thirds majority had not been achieved, the chairman of the meeting had ruled that each national society was free to carry out its own experiment if it so wished. This was, in effect, temporary approval until the 1987 Region 1 conference.

Council would await recommendations from the HF Committee. It was understood that the Repeater Management Group was also consider-

Queen Mary's CCF Signals Section, Basingstoke; Southeast Wales Repeater Group, Cardiff; Widnes & Runcorn ARC;

Yell Amateur RC, Shetland.

(iv) That Mr B W Wood, G4RDS, had been appointed area representative for Southend and district.

Council approved an application for life membership from Mr G Morgan, GW4KYN.

Morse testing

The general manager noted that the agreement with the DTI called for Council to be responsible for appointing volunteer morse examiners.

It was agreed that a steering committee consisting of the chief morse examiner, the general manager, and Council members J Heys, N O'Brien and K E V Willis would be set up as agreed with the DTI, and that it would be responsible to Council for the RSGB Morse Test Service.

Of over 400 people who had volunteered to assist the Society with morse testing, two applicants were practising senior BT morse examiners. The general manager proposed that one of these, N Le Gresley, G4SEV, be asked to become the Society's chief examiner, and said that he had submitted copies of G4SEV's qualifications to the DTI and they had agreed to support this appointment.

This proposal was approved unanimously by Council.

ing proposals for a one-year experiment, which would be submitted to the Licensing Advisory Committee.

Hon treasurer's report

In the absence of the hon treasurer, Mr B O'Brien reported that the accounts for the nine-month period to the end of March were not yet available.

Some discussion took place on the financial aspects of the major conventions. It was emphasized that care should be taken in the choice of dates for next year's NEC and VHF conventions, in order to adequately separate the two events.

Committee recommendations

EMC Committee

"That Mr Neil Brinkworth, G3UFB, be the RSGB representative on the BSI Committee dealing with rf radiation from computers and associated equipment (Committee GEL 111 considering BS 6527)".

This was approved unanimously.

Membership and representation

Council noted that:

(i) Reduced subscriptions had been granted to a further 34 members.

(ii) Waived subscriptions had been granted to a further four members.

(iii) Affiliation had been granted to:

Barr Beacon ARC, West Midlands;

Berwickshire Hinds AR Contest Group;

Dartmoor Radio Club, Plymouth;

Grafton Radio Society, North London;

Marconi Radio Society, Middlesex;

North Norfolk Radio Repeater Group;

Sealeford & DARC;

Vale of Evesham Radio Amateurs' Club;

West Middlesex Radio Club, Brentford;

Wrekin ARS, Salop.

(iv) That Mr G R Watts, G8BCH, had been appointed area representative for Weymouth.

Morse tests

The secretary explained that since the appointment of Mr Le Gresley, G4SEV, as chief examiner, BTI had advised their employees not to participate in the RSGB Morse Test Service as it would contravene their contracts of employment. As this affected Mr Le Gresley, it had been necessary to seek a replacement for this position. At a meeting between Mr Le Gresley and Mr Evans, the name of Mr Ianson, GW3GDO, had been suggested. He had subsequently been approached and agreed to accept the role of chief examiner until 30 June 1987. Mr Ianson had been the senior BT morse examiner for Wales prior to his retirement.

Unanimous approval was given to this appointment.

There was some concern that the Society had not yet received a formal contract in respect of the morse testing programme from the DTI.

Members' Mailbag

THE EDITOR,
RADIO COMMUNICATION,
LAMBDA HOUSE,
CRANBORNE ROAD,
POTTERS BAR, ENGLAND

The views expressed in published correspondence are not necessarily those of the RSGB, and readers are urged to verify independently any factual statements on which they may wish to rely as it cannot be guaranteed that such statements are correct.

WITHHOLDING PARTICULARS

Sir—I too find much to be desired in the phrase "particulars withheld". In fact, I find very little more annoying than to discover, after a long patient wait, when testing out a rig, for various reasons, to hear a call sign and then to find "particulars withheld".

The remedy is to refuse to list call signs unless the address is given.

I shall thank the RSGB on the day this is done.

J W Dainly, G4PDN

Sir—Ref B Russell's contribution to "MM" on withholding particulars.

He has hit the nail on the head, but has not hit it hard enough.

Certainly my house is "recognisable"; that is one thing. It's telling every Tom, Dick and Harry know I'm away from it that worries me!

Consequently I have requested my particulars be withheld when the listing is made available to the general public next year.

"A Non Ymouze"

Sir—I read with interest the letter from B Russell headed "Withholding Particulars" and, at the request of a member of the Exmouth ARC, I raised the subject at our last meeting. After some discussion it was the wish of the club that I should write to you to say that a vote on the suggestion of a minimum entry of call sign, town and county resulted in 27 in favour, 4 against and 3 abstentions. The main theme of the argument being that although a licensed amateur could contact such a station when heard to find the QTH, an swl would never know it that station did not collect cards from the bureau.

It was mentioned by one member that if a station wanted particulars withheld there was no real point in his call sign being entered into any call book, and it also left that particular call sign open to piracy.

R F Maynard, G4YRM
chairman, EARC

Sir—As an amateur who for the last few years has had his address removed from the RSGB Call Book, I think I should explain to B Russell the reasons why.

When my address was in the call book it was getting an average five unwelcome visitors a week on my doorstep. Typical comments being: "We are down on holiday, so I looked through the call book and found that you lived in Cromer; hope you don't mind me calling." Sometimes I had to get quite rude to rid myself of these unwanted visitors. Since my address has been deleted, no unwelcome visitors have called!

My antenna system is quite large, and I cannot recall any visitor saying he had called because he had seen my arrays on the horizon.

It is assumed these days that all amateurs wish to exchange QSL cards. I, among many others, don't have the time or interest to spend hours writing out cards. I know that my signal is audible in Mogadishu, Nairobi or Shanklin by the stations who answer my calls from these locations. I tell them that I do not send QSL cards, so they do not need my address.

David Blake, G3MWW

Sir—I see that someone has finally raised the subject of the "no publicity" box on the licence application form, suggesting that the Call Book should at least mention a regional QTH for "particulars withheld" stations. I realize that there are those with good reason for keeping

their pursuit to themselves, but there must be operators who now wish their details to appear in the book.

Would it not be possible to provide a mechanism by which a partial or full address could be published with the co-operation of the station? As B Russell suggests, a simple—compulsory, perhaps—"Station located in Dorset" would be a start, but why not go the whole hog and actually ASK the amateurs concerned whether they would like their details published?

At the very least, a notice in Radio Communication stating that anybody who now wishes their details to appear should write to the RSGB might do some good. Perhaps some stations with no address might like to comment?

Giles Read, G1MFG

These letters represent a cross-section of recent opinion on this subject. The Society tends to feel that a name plus the town in which the station is located would be a reasonable minimum as far as the Call Book is concerned. We would also like to know whether those who are currently "particulars withheld" would consider modifying their request, for the sole purpose of enhancing the utility of the Call Book.

HARMONIC RADIATION OF 14MHz SIGNALS

Sir—May I make a plea to amateur radio operators worldwide through this page, to please conform to their licence conditions and check on the level of harmonic content of their transmitters and antenna systems.

In this particular case I refer to those users of the 14MHz band, especially during contest work and where fairly high power and high gain antenna systems are in use.

After a lengthy period of vhf operation only, I decided to try my hand again at hf. Due to domestic limitations I was obliged to stick to 28MHz and a simple groundplane antenna. As many will confirm, 28MHz cw operation can be great fun, especially when the band really "opens up". However, in my case, and perhaps for many others, I was immediately beset with an annoying frustration.

It is amazing just how many stations one can hear on the 28MHz band during just moderate "openings" that eventually turn out to be the second harmonic of a station calling on the 14MHz band.

I have lost count of the number of stations that I have replied to after their "CQ", received no reply and with some suspicion returned to 14MHz only to find them on that band still calling in earnest! My rig is an old KW2000 which has been "re-vamped" and is now fairly sensitive on 28MHz; together with an alu and the single-band groundplane, there is a fair amount of selectivity before the front-end, so I can discount "mixing" problems.

Some years ago it was suggested to me, and I believe I have seen it in print, that it is not necessary to add to your "CQ" call the band you are calling on; ie "CQ1womelres" etc. I am now having second thoughts on the matter, as it will certainly help me in many ways! Perhaps in this day and age of broadband pa systems and multi-band antennas we should revert to that system.

The problem stated above has meant, in my case, that I am obliged to have a second receiver tuned to 14MHz while I am responding to a CQ call heard on 28MHz.

Has any reader experienced the same situation, and if so could they perhaps suggest an answer?

A T Morrison, G3VZP

REDUCING RF BREAKTHROUGH

Sir—Reference the article "Reducing RF Breakthrough using Ferrite Rings" in the RSGB News Bulletin section of your April issue.

If most amateur radio operators and experimenters in Great Britain are as financially poor as hams in the USA, I am sure they will be

interested in the following tip: deflection yokes from old tv sets are great substitutes for ferrite rings. Most tv service shops throw away one or more of these old yokes every week.

Ask for yokes from 21 or 23in sets. Just remove all the wire—which can be used for many purposes, including "invisible antennas"—and follow the same winding directions given in the article.

Harold J Estok, W6JIP

We don't know whether the same is true in the UK, but Mr Estok's comment is worth noting—scrap yokes are a good source of small-diameter wire. Don't forget that ferrite rings are still available from RSGB headquarters.

RFI—BT REPLIES

Sir—As chairman of British Telecom's EMC Working Party, I was dismayed to read Mr Blanchard's letter (Rad Com, June) alleging unwanted radiation by British Telecom transmitters and exchanges. I have consulted the chief engineer of British Telecom Radiopaging and the designers of our electronic switching systems, and would like to reassure all radio amateurs that British Telecom takes a responsible attitude towards its use of the radio spectrum.

If anyone suspects malfunction of our transmitters, could I ask that they contact BT locally as soon as possible. This will enable us to check out the situation much faster—we can only deal with complaints that we are aware of.

Regarding radiation from telephone exchanges, of course we do consider this at the design or procurement stage. In the absence of a Statutory Instrument on spurious emissions at the present time, we are working to make all our equipment comply with BS6527. This aims to reduce such emissions to an acceptable level.

I know the suggestion that British Telecom has no amateurs on the staff was made only in jest, but I am pleased to say we have thriving radio clubs at headquarters, at our research labs and across the country. We even have a keen amateur in our press office, as RSGB HQ knows!

We look forward to the continuing co-operation of radio amateurs and swls.

Brian Jones
chairman, EMC Working Party

'Specification for Limits and Measurements of spurious signals generated by data processing and electronic office equipment.

THANK YOU, RSGB

Sir—It is with great pleasure that I write to tell you that, with RSGB's help, I have been successful in gaining planning permission for a 40ft telescopic mast at my home. The booklet giving guidelines was very helpful indeed, and I feel that the letter of support played a significant part in the favourable decision.

I look forward to many years of amateur radio operating and continued membership of the RSGB.

Wishing the Society success in its endeavours on our behalf.

B J Coles, G0EHW

HELP WITH A HELLSCHREIBER

Sir—I am interested in the Hellschreiber system and would like to be able to operate using this mode, as much for the fun of it as anything else. I have heard that a program or programs exist that will allow Hellschreiber to run on a BBC B micro, but to date have not been able to track them or their owners down.

If anybody has such a program, or any information on the Hellschreiber system, I would be very pleased to hear from them.

Berry Harvey, G8RIW,
56 Oakwood Drive,
Wybers Wood,
Grimsby,
Lincs DN37 9RN

RSGB NATIONAL HF CONVENTION

Belfry Hotel, Milton Common, Oxford

SUNDAY 28 SEPTEMBER 1986

Doors open 10am Admission £2

ONE DAY CONVENTION WITH LECTURE PROGRAMME

- ★ QSL checking for awards (not OXCC or IOTA)
- ★ QSL Bureau posting box (cards must be pre-sorted)
- ★ 1·BMHz get-together
- ★ Car boot sale (£5 per pitch)
- ★ Worked All Britain stand
- ★ Official t2wpm cw tests
- ★ RNARS QRQ cw tests
- ★ QSL "arrivals" board
- ★ CW pile-up competition (individual, and team competition for teams of three from an RSGB affiliated club)
- ★ RSGB bookstall
- ★ Presentation of trophies
- ★ HF demonstration station (GB2HF and GB2CAR) by Chiltern ARC
- ★ Talk-in on S22 and 29,550kHz fm by Mid-Thames Raynet (GB2MTR)
- ★ RSGB committee displays (EMC, Propagation Studies, HF and HF Contests)
- ★ DX quiz ★ G-QRP Club ★ Testing booth ★ BYLARA ★ ISWL stand ★ Bars
- ★ Also, supervised constructional area; build a simple direct-conversion receiver. Why not bring the "harmonics" to make a start on their first rigs?

PROVISIONAL LECTURE PROGRAMME

- | | |
|-----------|---|
| 1030-1130 | "HF Antennas for Small Gardens", Don Field, G3XTT |
| 1145-1245 | "Question & Answer Forum" with RSGB officials |
| 1330-1415 | Presentation of trophies |
| 1430-1530 | "HF Receivers", Peter Chadwick, G3RZP |
| 1545-1645 | "DX Forum", with slides etc of expedition activity including G3OKQ/VR6JR, Pitcairn Island |

1730 DX Buffet, hosted by Chiltern DX Club


Those wishing to stay for the buffet should contact Roger Brown, G3LQP, beforehand. The cost will be £5.50 per head.

If there is sufficient demand, FCC qualifying tests (for USA licences) will be held on Saturday 27 September at the Belfry Hotel. Those interested should contact Greg Lambert, G0/KK1J, 27 Redcliffe Rd, London SW10 9NP, Tel 01-352 2746.

Non-amateur members of the family may wish to visit Oxford (10 miles) or Blenheim Palace (20 miles).

Light lunches and snacks will be available at the hotel for a modest charge. Dinner, bed and breakfast is available for Saturday night at £27.50. Bed and breakfast £17.50 per person.

HOW TO GET THERE



A HOME-BUILT FREQUENCY SYNTHESIZER FOR 45 TO 75MHz

John Crawley, GM3LBX*

(PART 2)

Section F. Loop 1 mixer and bandpass filter (Fig 12)

The buffered input to pin 3 of IC601 is from the selected vco in loop 1 (section A Fig 6) and will be between 45–75MHz. The amplitude at pin 3 should be approximately 50mV peak-to-peak. The input to pin 7 is from the 42MHz filter via the buffer TR602 and TR603. The amplitude need only be about equal to that on pin 3.

The bandpass filter L601–604 is designed to pass 2.5MHz up to 33MHz, and to reject frequencies above and below this band—particularly the 45–75MHz band, and the 42MHz component from loop 2.

The inductances L602 and 603 are Toko 10K formers wound with eight turns 32swg copper wire and mounted in screening cans. They have adjustable cores and a pot-core. L601 and 604 are Toko 3335R.

The filter should be adjusted by injecting a variable frequency into the empty socket of pin 5 of IC601 and monitoring the output. Adjust cores for a sharp cut-off above 35MHz.

Section G. Second loop vco etc (Fig 13)

The circuit for IC702 is similar to that in section E, except that it needs no crystal and that the reference frequency is divided down to 400Hz by using the highest available divisor, 8,192; this is programmed by leaving pins 5, 6 and 7 high.


The section is sited on the right centre of the pcb. L701 is a Toko Style MC120 No 100075. It has a screened inductance of 0.17µH. This vco (T603) should be tested after assembly to see that it runs in the region of 95MHz.

When checking the MC145151 here, and in the other place where it is used, there are two useful guides to what is going on inside it. Pin 10 is connected internally to the output of the main divider so that when all is well, this should be showing the reference frequency (400Hz in this case) if a counter is placed on the pin. Pin 28 is a lock detector output. It is high when the loop is locked and pulses low when out of lock. Some constructors may wish to use this pin to drive a l.e.d indicator to show when the loop is locked.

Section H. Loop two mixer and 6.4 filter (Fig 14)

TR801 buffers the input to pin 3 of the SL1640. The frequency at "n" and pin 3 should be between 95.3876 and 95.6432MHz when the loop is locked. TR802 is a tuned buffer to double the 44.545MHz from section C. The tuned circuit is L803 (12 turns of 28swg wire on a 1MΩ resistor 0.25W and a 2.8–12pF ceramic trimmer). The bandpass filter has two inductances of 15 turns, 32swg insulated copper wire on Toko 10K formers. Ready-wound devices such as 10K SW1 KANK3333 would do the job. The filter should be tuned to 6.4MHz sited in the middle of the right-hand edge of the pcb. Layout as in Fig 7.

Fig 12. Section F. Mixer and bandpass filter



*Cove, Campbelltown Road, Tarbert, Argyll PA29 6SX.




Fig 13. Section G. Second loop phase discriminator and tpf




Fig 14. Section H. The mixer and 6.4MHz filter in Loop 2





Fig 15. Section J. Frequency control, part 1. Part 2 on facing page



Section J. The up/down counter (Fig 15)

The main function of this section is to control the state of the programming inputs to the MC145151 in the two loops. IC901-7 are all 74C193. These are CMOS up/down binary counters which have their parallel outputs on pins 3, 2, 6 and 7. The count on these is implemented with each falling edge on pin 5 (the up-count pulses) and decremented with each pulse falling edge on pin 4 (the down-count pulses). Pins 12 and 13 are the "carry" and "borrow". Parallel data inputs are at pins 15, 1, 10 and 9.

The main tuning is done by the introduction of up or down pulses to pins 4 or 5 on IC907. The tuning pulses are derived from a "shaft encoder". (I used an Alps device from Cirkit—an LA226 (stock No 48-00226) and a decoder circuit, which routes the up and down pulses separately to the correct pins). These pulses are then routed to the selected part of the counter-chain by the press switches SW1-4. R901, 902 and 903 keep the inputs of unused parts of the counter high when they are switched out. If this is not done, they will oscillate. IC908 (74CO2) limits the count for loop 2 to the range between 15744 and 16383, and passes on a carry or borrow


pulse as appropriate to the rest of the counter chain which controls the count in loop 1. On IC901 and 902, the parallel data inputs are wired to preset the counter to a point near the low-end of the frequency spectrum of the synthesizer. Other builders may wish to set the count at other parts of the band. The BC238 (TR901) generates a negative-going pulse at switch-on which performs the preset operation.

A further part of this section (IC909, 910, 911) deals with the selection of the appropriate vco in loop 1 and also the selection of the correct front-end filter in the receiver. There are seven board pins for connecting the control lines to the front-end filters. From the front of the pcb they are: (a) up to 1MHz; (b) 1 up to 2MHz; (c) 2-4MHz; (d) 4-8MHz; (e) 8-16MHz; (f) combines the outputs of the sixth and seventh pins via diodes for 16-30MHz.

Since there are a large number of wire links and diode links in this section, reference should be made to the detailed overlay: Fig 7.

IC909 is a CMOS4012, a double four-input NAND gate. IC910 and 911 are CMOS4555 decoders. Table 1 gives the truth table for these.

Fig 17. Section L. Power supply and regulators (with spare power for receiver etc). These provide spare power at 12V and 6V for the receiver board



Section K. Pulse decoder (Fig 16)

This section is on a small separate pcb (Fig 20) which can be mounted directly over the rotary encoder. The circuit and layout are self-explanatory. IC1002 and 1003 shape the pulses and the flip-flop IC1001 routes them to the up or the down line x and y. I added the resistor R1007 to protect the 4013, which appeared to be suffering from surges of spiky voltage. Anyway, the last one has lived on, so all seems well.

The rotary encoder gives 50 pulses per revolution of the shaft. It has three terminals, the outer ones go to w and v and the centre one to ground. Choose the direction of rotation for up and down as best suits your ideas on such things. Fig 21 shows the component placing.

Section L. Power supply (Fig 17)

Three regulated 8V supplies, one at 5V regulated, and a 12V regulated supply are required for the synthesizer. In addition, a 6V regulated supply is provided for the receiver board; and the 12V line is hefty enough to run a two or three watt audio output stage on the receiver. The mains transformer used is a Drake P1215, a 12VA job. It runs warm when the receiver is working and some builders may prefer a larger unit. If the synthesizer is to have sole use of this power, then the P1215 is certainly ideal. Heat sinking for the regulators and for the 2N3055 is provided by the enclosure side. Figs 22 and 23 show the pcb layout and component placing. The board can be soldered directly onto the transformer secondary lugs. The other end is supported on a 0.75in pillar.

Enclosure

I mounted the synthesizer in the top-half of a steel box, 350mm by 230mm. The lower-half houses the rest of the receiver. The synthesizer compartment, which is 60mm deep, also houses the power supply and the rotary encoder and decoder. Fig 5 shows the scheme. The pcbs are on 0.75in pillars, the larger board needs five. Coaxial lead-throughs are required for the connections to the receiver of the injection frequencies.

Inter-board wiring

These are: (a) mains power to transformer via fuse and switch (not shown); (b) 8V lines to section J, E and G; (c) 12V to the pin in the top right-hand corner of the board, just above section C. The latter must run right round the board wherever 12V is required, and various wire links are needed as shown on the overlay. The two leads carrying the up and down pulses from the decoder board are most easily soldered to the front pair of pins on the "lock" switch.

Each board needs an earth-line to ground the board to the enclosure. The 5V line goes to the left-hand side of the board to feed the display, and another 5V line goes to the decoder board. In the first instance it is best to make all these leads long enough to enable the builder to lift the whole of the large pcb out of the enclosure for the exciting job of de-bugging.

Alignment

This needs to be tackled slowly and calmly! Get section J and the tuning pulse system working perfectly first. Check with a logic tester if you have one, but a voltmeter will do. Check output of pulses at the decoder, "up" pulses only on one line, and "down" pulses only on the other. Next check




Fig 16. Section K. Pulse decoder




Fig 18. A possible arrangement for the 100kHz-30MHz general coverage receiver using i.f.s of 45MHz and 455kHz

The count on the whole string of 74C193s, checking the output pins 3, 2, 6, 7 in that order, and check the continuity of the lines to the equivalent pins on the MC145151. Remember that a common fault is bridged tracks on the pcb where the copper tracks are very close. The whole board should be examined in a good light with a magnifying glass.

Make sure that the count control is working (IC908). Start with the output pins on IC905, 906, and 907 in J, all high (except pins 6 and 7 on IC905 which should never show up high) and tune the count slowly down, by turning the knob in the right direction. When pin 7 on IC906 drops for the second time, the count has reached its limit and IC905, 906, and 907 should set back to high again. Check the up-count from the bottom limit; when all pins of IC905 have reached "high" (except pins 6 and 7 of IC905) the next "up" pulse should re-set to 15744 again, ie to 11110110000000. The first four 1s of this number are there all the time on the MC145151 (pins 22, 23, 24 and 25 have no connection to them) so the highs on IC905, 906, and 907, should be on pin 3 of IC905 and pin 7 of IC906.

The next check is to see that the digital switching, IC909, 910, 911, is working correctly—only one vco should be "on" at a time! Check the inputs and outputs of IC910 and 911. If all is not well, the truth table for the 4555 (Fig 19) will help.

Perhaps the most critical part of the setting-up is the tuning of the filters in sections B and F. The most convenient way to do this is to take out the SL1640 mixer immediately before the filter, and, using a suitable signal generator, inject 200mV or so into the empty mixer socket at pin 5. Watch the output of the filter after amplification by the following amplifier, and swing the signal generator slowly across the part of the spectrum we are concerned with. Take the 42MHz filter in section B first. The main concern here is to let through as much energy at 42.16MHz while keeping out the 44.545MHz component. This is quite a tall order and persons of wealth may prefer to order a special crystal filter! However, with care and attention the filter shown will work very well.

If you have trouble getting a narrow enough passband, try reducing the coupling by making C212, 213, and 214 even smaller. Tune the filter so that the upper frequency of the passband is at 42MHz, and the fall-off of response towards 45MHz as steep as possible.

The filter in section F is broadband. The coils are hand-wound, and you may want to alter the number of turns and experiment with different values of capacitance. The aim is to get a steep fall in response above 35MHz and a fall also below 2.5MHz, though this latter does not seem to be nearly so critical, and, in fact, needs no adjusting.

The lowpass filter before the display, situated on the left-hand end of the board, may give trouble. If the display is not steady, and all other indications are that the rest of the synthesizer is working properly, try the arrangement shown in the appendix.

Now turn to loop 2, sections G and H, and check for volts and oscillation. See that there is 44.545MHz from section C. Tune the doubler in section H, then, with a voltmeter on pin 6, IC701 section G, watch the voltage while you move the core in L701 (G). When the loop is locked, the voltage will rise and fall with equivalent movements of the core: move the core until the voltage is about 6V. If no lock is achieved, check the circuit and the tuning of L801 and L802 in section H. These can be peaked at 6.4MHz. When the loop is working properly, the voltage at R701 in section G should rise slowly as you tune, and then drop suddenly as the first part of the counter resets.

You should also look at the R701 point to see that the lowpass filter is working properly. To do this, substitute a scope at its most sensitive setting for the voltmeter; there should be no trace of the 400Hz reference frequency.

Next, turn to loop 1 and repeat the same procedure. Set the cores of each of the four vcOs starting from the low-end. In each case, set the core so that the tuning voltage is centred at about 6V.

Checking for sideband suppression

Since I do not possess a spectrum analyser or a receiver which will cover 45 to 75MHz, the final adjusting of the synthesizer was done using a receiver at 10MHz, and a double-balanced mixer with an injection from a Marconi signal-generator running at a frequency 10MHz higher than the frequency of the synthesizer. See Fig 19.

Using the lowpass filter in section E as shown, the 6.4kHz sidebands should be over 40dB below the output at the required frequency.

The bandpass filter in section B can be adjusted for the best "note".




Fig 19. Using a receiver to check synthesizer output

Table 1. Truth table for the 4555 decoders

Pinout	Truth Table
1 Enable	16 +8V
2 A	15 Enable
3 B	14 A
4 Q1	13 B
5 Q2	12 Q1
6 Q3	11 Q2
7 Q4	10 Q3
8 Ground	9 Q4

Each 4555 has two decoders, each with two inputs and four outputs plus an "enable".

Components list

SECTION A	
R101	33k
R102, 104	100k
R103	10k
R105	100Ω
R107	6·8k
R108	22k
R109	470Ω
R110	2·2k
R111, 116	1k
R112	22k
R113, 114	100Ω
R115	10kΩ
R117	220Ω
C101, 102, 115	3·9pF
C103	2·2pF
C104, 106, 113	0·01μF
C105, 114	0·047μF
C107	6·8pF
C109	39pF
C110	10pF
C111	100pF
C112	See text
C116, 117	0·01μF
C118	10μF elec.
L101	See text
D101, 102	BB109
D103	BA244
TR101	BC238
TR102	BC308
TR103, 104, 105	BF241
RFC101, 103, 104	470μH
RFC102	10μH
RFC105	1·2μH

All RFCs are Toko 7BS series

SECTION B	
R201	380Ω
R202	100k
R203	680Ω
R204	100Ω
R205	220Ω
C201	6·8pF
C202	2·2pF
C203, 204, 205, 207, 209	0·01μF
C206, 210	0·047μF
C208	10μF electrolytic
C211	10pF
C212, 213, 214	See text
C215	22pF
C216	3·9pF
C217, 218	4·7pF
L201, 202, 203, 204	Toko K3344
TR201	BF241
IC201	SL1640
RFC201, 202	470μH, Toko 7BS

SECTION C	
R301, 305	22k
R302, 304	5·6k
R303	1k
R306	4·7k
R307	220Ω
R308	10k
C301, 304, 307, 308	0·01μF
C302, 306	22pF
C303, 310	10pF
C305, 309	0·047μF
X301	Crystal 44·545MHz with 20pF in series
L301, 302	K3335 (1·2μH)
RFC301, 302	100μH, Toko 7BS
TR301, 302	BF241

SECTION D	
R401, 407, 408	100k
R402, 405, 409, 413	100Ω

R403, 406, 410, 411, 416	220Ω
R404	380Ω
R412	68k
R414	680Ω
R415	150Ω
C401, 418	2·7pF
C402, 403, 404, 405, 406, 408, 409, 410, 412, 420, 423, 430, 431, 433, 434, 436	0·01μF
C407	10μF
C411, 421, 427, 428, 429, 432, 435, 437, 438, 439	0·047μF
C413, 414	3·9pF
C415	4·7pF
C416, 428	2·2pF
C417, 419, 422	0·001μF
C424	10μF electrolytic
C425	12pF
RFC401, 402, 403, 404, 406, 408	470μH
RFC405	1mH
RFC407	10μH
L401, 402, 403, 404, 405	3·3μH Toko 7BS
TR401, 402, 403, 404, 405	BF241
IC401	SL1640
IC402	HD10551
LCD	FC177 Cirkit 39-17700

SECTION E	
R501, 519	100Ω
R502, 506, 514	1k
R503	560Ω
R504, 511, 512, 518	3·3k
R505, 507	33k
R513	2·2k
R515, 516, 517	220Ω
R510	10Ω
C501, 510, 511, 516, 517, 518, 519, 520	0·01μF
C502, 512, 521, 522, 523	0·047μF
C503, 508, 509	0·1μF
C504, 505	1μF
C506, 507, 513, 514	0·001μF
C515	6·8pF
X501	Crystal 3·2768MHz, HC18U Cirkit 45-03000
TR501, 502, 503	BF241
IC501	741 op-amp
IC502	MC145151
RFC501, 503, 505, 506	470μH
RFC502	100μH
RFC504	3·3μH

SECTION F	
R601, 607	220Ω
R602	22k
R603	10k
R604, 608, 612	100Ω
R609	2·2k
R610	1k
R611	470Ω
R613	5·6k
C601, 603, 604, 605, 607, 609, 610, 612, 614	0·01μF
C602, 606, 613	0·047μF
C608	10μF electrolytic
C611, 616, 617, 618, 621	10pF
C615, 622	6·8pF
C619	100pF
C620	4·7pF
C623	2·2pF

C624	3·9pF
L601, 602, 603, 604	See text
RFC601, 602, 603	470μH
RFC606, 607	47μH
RFC605	3·3μH
TR601, 602, 603	BF241
IC601	SL1640

SECTION G	
R701, 716	100k
R702, 703, 712, 716, 720	1k
R704, 705, 708, 707	5·6k
R708	680Ω
R709	10Ω
R710, 711	220Ω
R713, 721, 723	100Ω
R714, 712, 722	2·2k
R717	22k
R718, 726	10k
R719, 724	560Ω
R725	3·8k
C701, 702, 703, 710, 712, 713, 715, 716, 717, 721, 725, 726, 733	0·01μF
C704	1μF tantalum
C705, 706	4·7μF tantalum
C707, 711, 714, 727	0·047μF
C708, 709	0·1μF
C718, 723, 730	6·8pF
C719, 720	33pF
C722	10μF electrolytic
C724, 728, 729	0·001μF electrolytic
C731	0·003μF
C732	2·2pF
L701	0·17μH Toko MC120 100075
TR701, 702, 703, 704	BF241
IC701	741 op-amp
IC702	MC145151
IC703	MC12016p
D701, 702	ITT120
RFC701, 702, 703, 704	470μH
RFC705	100μH
RFC706	47μH

SECTION H	
R801, 808	22k
R802, 810	10k
R803, 805, 807, 811	100Ω
R804, 806, 809	220Ω
C801, 815	100pF
C802, 804, 805, 806, 807, 809, 810, 813	0·01μF
C808	10μF electrolytic
C811, 821, 822	0·047μF
C812	0·001μF
C814	10pF
C816	6·8pF
C817, 820	33pF
C818	47pF
C819	27pF
C823	2·8-12pF min ceramic
RFC801, 802, 803	470μH
RFC804	22μH
TR801, 802	BF241
IC801	SL1640

L801, L802	{ 15 turns of 32swg wire on 10k former with pot-core
L803	{ 12 turns 28swg enam copper on 0·25W 1MΩ resistor

SECTION J	
R901, 902, 903	33k
R904, 905, 906, 907, 908, 909	2·2k
R910	10k
R911	68k
C901	0·1μF
C902	1μF electrolytic
C903-12	0·01μF for decoupling the ics and for pin 12 on IC8

IC901, 902, 903, 904, 905, 906, 907	74C193
IC908	74C02
IC909	CMOS4012
IC910, 911	CMOS4555
D1-22	BA244
RFC901	1mH Toko 7BS
TR901	BC238

SECTION K	
R1001, 1002, 1003, 1004	6·8k
R1005, 1006	33k
R1007	27Ω
C1001, 1002, 1003, 1004, 1005	0·01μF
IC1001	CMOS4013
IC1002, 1003	CMOS4011

SECTION L	
R1101	1·8k
R1102, 1105	470Ω
R1103	1·2k
R1104	330Ω
R1106	4·7k
R1107	10k
C1101	2×2,200μF electrolytic
C1102	1μF
C1103	33μF
C1104, 1106, 1107, 1108, 1109, 1110	10μF electrolytic
C1105	0·047μF
C1112, 1113, 1114, 1115, 1116, 1117	0·01μF
C1108, 1119, 1120, 1121	0·1μF
T1101	Transformer Drake 12VA P1215
D1101	Zener diode, 4·7V Cirkit 12-00478
D1102, 1103, 1104, 1105	4 rectifier diodes, 1N4001 or similar
TR1101, 1102, 1103	BC546
TR1104	2N3055
S1101	Mains switch
FS1101	3A fuse
IC1101, 1102, 1103	Regulators 7808
IC1104	Regulator 7805
IC1105	Regulator 7806

Holders for all ics
Board pins for connections
Incremental encoder Alps LA226
Cirkit 48-00226
Connecting wire and miniature coaxial
All RFCs are standard value Toko 7BS or 7BA series




Fig 20. Pulse decoder pcb layout




Fig 21. Pulse decoder component layout

Putting the synthesizer to use

Each builder will have his own ideas about the ideal receiver circuit. I used chiefly the Plessey SL series ICs. Fig 18 shows the block diagram of the complete receiver. The 45MHz filter is a cheap two-pole crystal device, 45M15A, supplied by Cirkit. The two balanced mixers are SL6440. The synthesizer could very well drive a compact QRP all-band transceiver.

EDITOR'S NOTE

Because of its large dimensions, it has not been possible to reproduce the main pcb layout, the component layout for which (Fig 7) was published in Part I. Photocopies of the master negative can be obtained on request from the editor at RSGB HQ.

Errata. In Part 1, page S62, under the heading "The circuit described by sections", Section A, lines 5, 7 and 10 for C122 read C112; line 8 for C102 read C112.




Fig 22. Power supply component layout





Fig 23. Power supply pcb layout

Components

All the components are readily available. Resistors are all carbon film 0.25W per cent. Capacitors: 0.1 are Mylar; 0.001, 0.01, 0.047 are low-voltage disc ceramic, smaller values are mostly ceramic chip. Electrolytics are 16V working radial leads, except those indicated on the components list. Builders interested in purchasing a set of pcbs for the project, should contact me.

APPENDIX



Technical Topics

by Pat Hawker, G3VA

AMATEUR RADIO in the UK is almost totally dependent upon the continued goodwill of the Radio Regulatory Division of the Department of Trade & Industry. In 1983, the RRD (previously called the Radio Regulatory Department) was transferred from the Home Office to the DTI after having moved in the late 'sixties from the Post Office to the short-lived Ministry of Posts & Telecommunications and thence to the Home Office.

It is often argued that the more things change the more they stay the same—but it could be dangerous to assume that this truism applies to RRD, since their attachment to DTI appears to have sparked off a series of far-reaching changes and investigations aimed at treating the radio spectrum less as a public service responsibility and much more as a marketable commodity. The idea of using "market forces" and "deregulation" as a means of producing more efficient exploitation of the spectrum could have very important repercussions on our activities.

Marketing the spectrum?

The extent to which such concepts will or could be applied to amateur radio regulation is by no means clear—though we are already seeing some quite daunting situations arising from the imposition last year of the £21 charge for the investigation by the RIS of viewers' and listeners' interference complaints—including the prospect of having "variations" imposed on our power limits, bands etc. Possibly even more fundamental to our activities is the determination of the DTI, spurred on by the present government, to "exploit" more fully the commercial possibilities of providing access to the radio spectrum.

At an IERE Conference on Land Mobile Radio last December, A J Nieduszynski, a senior official in the RRD, gave a keynote speech that included the following:

"Like coal, or gas, or oil, the radio spectrum is a limited resource. Unlike them, however, it cannot be used up or depleted in the same way because it can be re-used, day after day and year after year. Any moment that it stands unused because of regulatory constraints when somebody could be using it is an opportunity wasted—an opportunity cost or loss that makes the community that much poorer.

"Increasingly, therefore, we have come to appreciate that we regulators have a duty to ensure that that cost is minimized and that we put as few obstacles as we can in the way of the spectrum being used at any given moment to the fullest extent that can be justified economically . . . a piece of spectrum carries a potential price tag."

This is a crystal-clear expression of the British Government's wish to exploit more fully the radio spectrum by means of the market economy, using such techniques as "selling" or "renting" bits of the spectrum virtually to the highest bidder. Inevitably this is not an operation in which amateurs can afford to participate in competition with professional services. It means that the RRD is likely to become ever more anxious to seek out *under-used* frequencies and to transfer them to services willing to pay handsomely for using them. The RRD is already on record as suggesting that "The amateur radio licence fee is one of the least expensive, even within the category of licence taken out by hobbyist users of radio. In terms of the spectrum to which access is provided, the amateur fee is very good value for money." Could it be that they are already thinking in terms of a substantial rise in licence fees and/or reducing the amount of spectrum devoted to this non-profit-making activity? Remember that international regulations can be overruled nationally provided that this does not result in interference to authorized users in other countries.

This is yet another reason why it is surely essential to ensure that we make *full and responsible* use of *all* the frequencies to which we presently have access. It really is a case of *use or lose*—and using them for the internationally-defined purposes of "A radiocommunication service for the purpose of self-training, intercommunication and technical investigations". These are clearly "public service", "educational" and "scientific" rather than commercial arguments—but they remain the primary justification for our continued existence!

It is by no means reassuring—as happened to me recently—to be reminded by an American visitor (who had brought his handheld transceiver with him) of the continuing disgrace of the Crystal Palace 144MHz London repeater.

Valve and "kiss" aficionados


My mailbag continues to tell me that I am far from being the only operator still using thermionic devices and/or recalling the advantages of simplicity and easy repairability they bestow on home-built equipment. The other week my old HQ129X receiver produced thumps instead of cheeps; it took no diagnostic feat to decide immediately that the bfo was not oscillating, to guess that the emission of a near-40-year-old valve must at last have faded, to plug-in a replacement 6SJ7 and be back in business in a matter of minutes. I wish I could say the same for a non-functioning transistor broadcast radio that has been defeating my desultory attempts to trace and rectify the fault!

Alan Errock, G3HCO, built a 7MHz 6L6 crystal oscillator which gave 7W output, then a 6V6-6L6 crystal oscillator power amplifier that gave a more useful 20W output. But after studying some pre-war QSTs he reverted to a single 6L6 as a cathode-coupled co that pushes out 15 to 20W and with which he has no difficulty working round Europe. His sense of achievement at getting 20W from a co was somewhat dimmed by finding in those old QSTs an RCA advertisement that showed a circuit diagram for a single-valve oscillator providing no less than 150W output! The valve, needless to say, was not a 6L6 but an 813 with its 50W heater.

John Clarke, TK5FF/G8KA, living in Corsica, had some difficulty in locating a source of older-style crystals suitable for use in power oscillators, but draws attention to an advert that appears on the back pages of QST wherein CW Crystals, 570 No Buffalo St, Marshfield, MO 65706, USA, offers FT243 crystals ground to frequency of choice at what G8KA considers "a not unreasonable price". But to obtain further information it may be advisable to enclose \$1 to ensure a reply.

For sheer nostalgia, however, the prize must go to Richard ("Badger") Farley, GW3SSJ, who has recreated early hf equipment in the form of an LS5A transmitter originally described by Frank Haynes, G2DY/G2DZ, in *Wireless World* in 1927, and has rebuilt, using components of the right period, a very decrepid *Wireless World* Empire Two (O-v-1) designed for "colonials" by H F Smith, including modifications suggested in 1928 for extending coverage from 80 to 190m.

GW3SSJ finds—as do several other readers—that regenerative O-v-1 and 1-v-1 straight receivers can still be used to work consistently through the evening QRM on 3.5MHz, though such receivers tend to be difficult to "net" accurately. The modern form of the O-v-1 is the direct-conversion receiver, but one misses the old sense of satisfaction you got from adjusting a really smooth "reaction" control for maximum sensitivity!



Richard Farley, GW3SSJ, with his re-constructed "1920s" equipment. The "Empire Two" receiver on the right uses 2V battery valves, lt, gb and ht batteries etc, with engine-tuned front metal panel. The single-valve transmitter was built about 25 years ago using an LS5A as specified in 1927 but now usually uses a 415PT valve dating from 1928 (4V directly-heated pentode) that runs at about 7W input. As a self-excited oscillator on 7MHz GW3SSJ got T7C reports but as a usable co gets good T9 reports from around Europe. The LS5A (but not the 415PT) gives enough light to operate by!

IERE "Radio Receiver" Conference

At the beginning of July, the IERE, in association with a number of professional institutions and the RSGB, held its fourth international conference on "Radio Receivers and Associated Systems" at the University College of North Wales at Bangor—a college that harbours and has bred many radio amateurs. Of the 130-plus delegates, an unusually large proportion were or had been licensed amateurs. Although most were wearing their "professional" hats, Ray Flavell, G3LTP ("Space and time continuity as an aid to North Sea transmission path studies") and I. Sharrock, G3BNL ("Phase locking of Gunn diodes at 24GHz") presented papers solidly based on their amateur radio experiences, while my own paper "Dynamic range—fact or fiction?" brought together a number of topics aired in recent months in *77*, coupled with the warning that current military radio systems, in attempting to design the human operator out of the system, faced the danger of introducing a software crisis into area networks and an ever-lengthening time between the formulation of an initial "requirement" and the production of operational systems. In other words stressing the need to retain a rapid "kiss" response to previously unforeseen requirements. I took, as an example, the way in which SCU, SOE and the Anglo-Polish teams were suddenly faced in 1940 with the need not only to distribute "Ultra" information to overseas commands on a secure (SLU) network but also to provide "suitcase" and pocket equipment for covert operations. Within a matter of months, a whole new concept of portable hf radio stations capable of providing, even with poor antennas, (reasonably) reliable communication over distances of hundreds of miles was developed, bringing "miniaturization" into radio systems, yet based on standard consumer and amateur radio components and designs.

But what of current professional work on receivers, antennas etc? How much of what was disclosed in the 40 or so papers could have a direct bearing on amateur radio practice?

In an overcrowded spectrum there remains a keen interest in what can be done to minimize the effects of interference. A BBC paper described tests on a random sample of vhf fm broadcast receivers (often used with a uhf/shf converter for amateur portable operation). This underlined (as did some German tests a few years ago) that many receivers have adjacent channel selectivity well below the international planning requirements, particularly those for stereo-reproduction free of birdies and whistles. It is also clear that in this respect poor selectivity is found both in low-cost and high-cost models, with medium-price models tending often to be the best. Unfortunately the BBC tests did not extend to investigating why some receivers are so poor, though they do indicate that there can be a problem with dual 470kHz/10.7MHz i.f. amplifiers, due to a peak in the response curve corresponding to the lower i.f. Since vhf/fm broadcast receivers are often used by radio amateurs as tunable i.f. systems, this matter is of considerable interest.

Radio engineers have traditionally sought frequencies offering good propagation characteristics. However, for both military and civilian applications there is growing interest in the high-absorption gigahertz bands such as 60GHz. The military are interested because attenuation is so high that signals cannot (at least in normal conditions) be intercepted from any distance. Civilian applications such as short-range personal or mobile communications would allow very frequent re-use of the same frequencies.

Back-window vhf transmitting antennas

From an amateur radio viewpoint, one of the most practical papers was that by Dr J D Last, GW3MZY, and B Easter of UCNW and the associated "Industrial Development Bangor Ltd" on "Broadcast reception and mobile radio communication using vehicle rear-window heater aerials". Their system is currently being used by several vehicle manufacturers as broadcast (lf/mf/vhf) receiving antennas (see *Electronics & Wireless World* February 1985, pp64-67); Figs 1 and 2. Recent work has shown, however, that the technique can also be used for two-way vhf mobile radio, and it has been tested by the Essex Police. It has also been used successfully on 145MHz. Although window-heater antennas are not intended to outperform quarter-wave roof-mounted whips, they overcome the expense of fitting, the need for holes in the bodywork, the vulnerability to car-washes and vandals, aerodynamic drag etc. They can provide entirely satisfactory broadcast receiving antennas, provided they are not too close to the "rubber" (carbon-loaded plastic) flexible glass-retaining mouldings used on many vehicles.

It has been found that the characteristics of a typical window demister heater used as a transmitting antenna can be affected by the choice of the terminal configuration by which the heater supply and rf power are connected. Compared to broadcast reception, better impedance matching is needed at the operating frequency. It is also usually necessary to achieve nominally vertical polarization. For the police radio experiments (82 to 83MHz transmit, 97 to 100MHz receive) the natural choice is to connect the




Fig 1. Basic back-window heater antenna isolated from the vehicle chassis by an isolating chokes which is bifilar-wound to eliminate dc magnetization of the core. Problems arose on some vehicles due to the capacitance coupling to the "rubber" (often carbon-loaded plastic) flexible glass-retaining mouldings, but this is being overcome by increasing the physical separation




Fig 2. Arrangement for a combined lf/mf and vhf/lm antenna

two heater terminals in parallel (at rf) and to couple an unbalanced feed between this joint and the nearby metalwork. The structure is series resonant within the required frequency range, with a Q-factor of about 30. In this case, because of the separation between transmit and receive frequencies, a single matching network is not possible and relay switching of two matching networks was needed (this would not be the case for 145MHz). A vswr of better than 1.2:1 was achieved on transmission, but it was first necessary to remove the standard tailgate wiper arm which proved to have an unfortunate resonance, replacing a part of the arm assembly with a non-conductive component. The local field from an 18W transmitter at 83MHz did not present a safety hazard to passengers in the rear seat.

The authors conclude that the performance of a heater antenna, for pure vertical polarization, is (as might be expected) inferior to that of a centrally-mounted whip antenna. However, its superior performance for horizontal polarization strongly suggests that in many situations, especially where propagation is strongly perturbed and the polarization is altered, the overall performance will often be comparable, particularly in urban areas. Performance at 145MHz is substantially similar to that achieved on the police frequencies.

Digital signal processing

Many of the papers were concerned with single-chip paging receivers and digital signal processing (dsp) both at i.f. and with zero-i.f. direct conversion.

As someone who helped to re-introduce the "homodyne" concept to UK amateurs in the 'sixties and 'seventies, I found it interesting to note the large number of presentations concerned with this alternative to the basic superhet. There are two main reasons for this: (1) the dc receiver facilitates and makes practicable the virtually complete integration of a "receiver on a chip" and is thus very attractive for radio-paging and cordless telephone applications; and (2) the dc approach brings signals down to baseband frequencies for subsequent digital signal processing within the present limitations of general purpose ic devices and analogue-to-digital converters. However, as a number of speakers emphasized, the Costas-loop direct-conversion receiver presents practical problems in achieving precise balance and 90° (quadrature) signals, and the future of dsp seems likely to depend on e/d converters that can cope with an i.f. of, say, 1-6MHz and yet provide a resolution with sufficient dynamic range. It is also interesting to find that the snags as well as the advantages of direct-conversion are being re-discovered the hard way.

I was left with the impression that, as amateurs, we need to approach digital processing warily, particularly low-cost compromise designs. Of the professional designs now being developed, most seem to be aimed at a performance "as good as" the classical analogue designs based on crystal filters.

However, a paper "Design considerations for an hf digital radio receiver" by T H Pearce and S D Rogers of the Marconi Research Centre, outlined work on a receiver that should achieve a 120dB instantaneous dynamic range and provide a performance that would represent a real step forward. It was clear that this will require an extremely low-noise frequency synthesizer and a front-end mixer of exceptional performance. Few of the professional designers seem to believe such performance can be achieved in practice with existing components. The mixer requirement could conceivably be met by Ed Oxner's Si8901 mixer with resonant-gate drive (TT March 1986) but you would be hard-put to develop a low-cost synthesizer with the required low noise and jitter to provide a practical drive for a mixer that could use a 120dB dynamic range.

A number of other developments of interest were also reported at Bangor but must wait another month. A novelty was a receiver technique that is intended to recover a wanted signal from under a stronger interference signal by providing up to about 55dB of suppression on the unwanted signal. It sounds too good to be true but I'll include an outline of what is proposed next month.

Receivers and transceivers

A paper by D Holman, of Plessey Electronics Systems Research, on "Design techniques for low-cost transceivers" described some cost-cutting techniques used in the Plessey Model PTR5300, a 10/1W multimode battery-operated military "automatic hf transceiver" based on the premise that a soldier regards a manpack set as "a piece of unwanted junk that prevents me from doing my job (fighting) as well as I might" and that the true cost of equipment includes purchase, training, operation and maintenance. Personally I cannot help feeling that it might be better to spend a little more on training (or at least interesting) soldiers in the techniques of radio communication and a little less on making everything automatic and hence more complex. But it would, I suppose, be highly infashionable not to incorporate microcomputer control!

However, there are some interesting concepts in the PTR5300, including the use of bilateral amplifiers, elimination of the usual output filter bank by re-configuring the atu into a variable lowpass filter when the 50Ω socket is in use (in the whip mode, the atu has sufficiently high Q to provide reasonable out-of-band rejection): Fig 4. An lcd alpha-numerical display tells the operator that he has set his unit to the correct channel/mode etc or reprimands him for his mistakes. Fig 5 shows the configuration of the bi-directional amplifiers used in this model, a control voltage switching from "forward" to "reverse" direction.




Fig 3. Block diagram of the Plessey PTR5300 10 or 1W hf manpack set using bi-directional techniques




Fig 4. The use of an atu that can be re-configured to provide a tunable lowpass filter to eliminate the need for a bank of lowpass filters




Fig 5. By applying a suitable switching "control" line, a bi-directional amplifier can provide gain in either the forward or reverse direction

The "msj" antenna

Most of the antenna technology used by radio amateurs is derived from professional research and development, some of it stretching back to the early days of hf radio. It is unusual to find a design presented as suitable for professional local broadcasting or communications that stems directly from a design originally developed for use on the amateur bands.

However, in *IEEE Transactions on Broadcasting* (Vol BC-32, No 1, March 1986) E Demacopoulos and P Zimourtopoulos, of the University of Thraee, and J N Sahalos, of the University of Thessaloniki, Greece, present a detailed description and analysis of a vertically-polarized "msj" antenna as developed for use at a local 101.8MHz experimental vhf/fm broadcast station. The "msj" turns out to stand for "modified slim jim" and the design is based with only minor modifications on the 144MHz "slim jim" (J-type integrated matching stub) antenna first described by F C Judd, G2BCX in *Practical Wireless* April 1978, pp899-901. It is pointed out that this antenna well meets the needs of broadcasters in offering omnidirectional radiation concentrated in the horizontal plane, wide usable bandwidth and impedance stability.

The dimensions and geometry of the original Slim Jim (Fig 6) were first analysed theoretically using the so-called "method of moments". This showed that the antenna has an impedance of 50Ω at 155MHz and not in

the 144MHz band, but this is not considered a serious problem since it is possible to slightly redesign the antenna by scaling the dimensions. The main problem that emerged was that maximum radiation is at 22° above the horizontal, whereas it is usually desirable for a broadcast antenna to radiate most energy at 0° or even at a slight downward tilt. They retained the basic shape of the antenna but varied the place of the feedpoint, the leg distance and the place and the length of the gap.

The paper presents theoretical and experimental results of a number of variations of these dimensions, aiming at achieving maximum horizontal radiation while keeping the input impedance close to 50Ω.

Their final choice was based on that suitable for an antenna sited near a hill in the city. The actual dimensions for 101.8MHz are as follows: height 2.21m; leg distance 0.06m; height of gap (beginning) 1.10m; height of gap (ending) 1.25m; height of the feedpoints 0.37m; radius of wire 0.004m.

From an amateur viewpoint, the slight upward tilt would not be a disadvantage for some applications, but, for example, for a repeater station on a hill, the modified radiation pattern of the "msj" would be an advantage. The authors conclude: "We believe that with larger leg distance the radiation pattern will become directional in the horizontal plane." This will give some new ideas about the use of the msj as an element in directive arrays.




Fig 6. Dimensions of the original "Slim Jim" 145MHz antenna described by Fred Judd, G2BCX, in *Practical Wireless* in 1976 and now proposed in a slightly modified form as a Bend 2 broadcast antenna

More on the T2FD

The Revd John Marshall, G3RKH, draws attention to an article "More on the T2FD" which appeared in *CQ* (February 1953) reprinted in *CQ Antenna Roundup 1963*. This included a 600Ω, open-wire version of the T2FD (77 July 1986) and some useful general design principles:

- (1) Length of each leg should be $(50,000/f \times 3.28)$ ft where f is the lowest frequency of operation in kilohertz.
- (2) Spacing is $(3000/f \times 3.28)$ ft.
- (3) Angle of slope is about 30°.
- (4) Terminating resistor should be non-inductive and rated at 35 per cent of de input power (Note that this would have been for a.m. operation, and a lower value would suffice for other modes—G3VA).
- (5) The resistor value is quite critical: 390Ω for 300Ω feeder; 500Ω for 450Ω feeder; 650Ω for 600Ω feeder.
- (6) If other than a non-inductive resistor is used, an atu will be necessary.

I must admit to a continued mistrust of an antenna system in which up to about 50 per cent of the rf power fed to it ends up (on some bands) in that non-inductive resistor. With open-wire feeder and a good atu, I strongly suspect that you could radiate equally effectively without there being any resistor in place, though this could result in what would amount to a voltage-fed arrangement on some bands. It must also be admitted that radiating half of your power effectively on a convenient multiband system that can be implemented at low cost is quite likely to result in a well-satisfied operator!

Roach pole plus sailboard mast vertical

A D Macfadyen, G3ZHZ, has been making good use of a multiband Windom (perhaps more correctly a variation of the VS1AA). This uses 300Ω ribbon feeder at roughly one-third the distance from one end (in practice a 140ft top, fed 44ft 5in from the end): Fig 7. This antenna, fed at the shack end through a 1:4 step-up balun, provides an swr of roughly 2:1 on most bands, with G3ZHZ using a transmatch to reduce the swr to near unity swr at the transmitter output. This works well on all pre-WARC bands from 1.8 to 28MHz.

Later, after reading the various notes in *77* on the use of roach poles, he obtained one of these plus, from the local sailboard stockist, a free broken sailboard mast, 4.5m long. He found this could be easily repaired, at least for his purpose, with resin and glass-fibre tape. Among the masts from which he could choose were some made of carbon fibre. Again, recalling earlier *77* notes, these were rejected. All the masts had carbon fibre




Fig 7. G3ZHZ's horizontal multi-band Windom with 300Ω transmission line




Fig 8. Vertical quarter-sized version of the 300Ω wire Windom used as a vertical dipole antenna by using a roach pole mounted atop of a repaired sailboard mast to provide an effective 33ft-high support. Resonate to 14.1MHz using gdo at shack end of feeder

reinforcement in the form of four thin strips running longitudinally along the mast. However, no problems have arisen in practice from these thin strips. The top of the sailboard mast fits neatly into the butt end of the roach pole, giving a strong self-supporting "whip" some 33ft long. G3ZHZ mounted this on tabernacles to facilitate easy raising and lowering.

After some experimentation he developed a quarter-sized version of his multiband Windom. Final dimensions, following work with a gdo and swr meter, were as shown in Fig 8. The antenna element comprises switchgear cable to BS6231, type BU, 1/1.78mm (2.5mm²). This is approximately 15swg copper wire pvc sheathed and is available from electrical wholesalers. Fed via the 4:1 balun, the swr is about 1:1 over most of 14MHz and about 2.5:1 on 28MHz.


G3ZHZ reports that this antenna works excellently on 14 and 28MHz. With careful adjustment of the atu, good results can be achieved on 7MHz. 21MHz is not currently in use at G3ZHZ, but there is no reason to believe that performance on that band would not be more than adequate. Unlike most verticals, no radials or elaborate ground connection are used even on 7MHz. During May/June 1986 a series of 14MHz cw skeds with ZF1JC (Cayman Islands) showed an advantage on receive of some 3 to 4 S-points over the horizontal windom. On 7MHz, once tuned up, signals are much the same on the vertical and horizontal antennas, suggesting that for those with tiny gardens or small flat roofs there is still hope of harvesting dx while growing vegetables rather than radials!

Electrets on the SACWRG connector

77 February 1984 included details of the DIN-connector arrangement proposed by Dr P J Best, G8CQH, and adopted as a "standard" by the Solihull & Chelmsley Wood Raynet Group (SACWRG). This comprised three elements: (a) a "rig adaptor"; (b) a "line"; and (c) a selection of accessories or peripherals fitted with DIN connectors. The object of the exercise is to permit the use of microphones and speakers etc with different equipment and so help to overcome the operational and administrative problems that arise when groups of people depend on equipment owned by individual amateurs.

Dr Best now points out that to accommodate modern, miniature, lightweight accessories (eg headsets) which have electret microphones, whether of home construction or commercial manufacture, just two simple additions are needed. The first requires an alternative "rig-adaptor" to be constructed to add a voltage to the mic-high conductor via a 680Ω resistor which becomes the drain-load for the fet in the electret device. The second requires the electret accessory to be equipped with a DIN plug to replace the original connector if that caused the mic-lo and speaker-return conductors to be presented as a common connection. The required polarising voltage may be sourced at the transceiver's microphone socket from any pin which has between (about) +3V and +9V present. The voltage is not critical, and the current drawn is sufficiently small that pins allocated to scanning functions can be considered as suitable sources. If the source is above about 5V, further decoupled resistance should be considered, as shown (at about 2kΩ/excess volt). The added voltage must be blocked from the preamplifier stages (1μF or greater) to prevent conflict with the transceiver's internal arrangements for biasing and for superimposing tone-burst signals. This externally-added voltage has no effect upon passive microphone accessories when they are used instead, but gives the electret microphone a suitable impedance to match the specific transceiver; normally about 600Ω, due to the drain load which is shunted by the high-impedance fet amplifier in the electret device. The few extra components needed for this adaptor may be housed in an in-line module (eg RS Components 456-201) with a seven-pin DIN socket set into one end-plate, and the body of the appropriate microphone plug soldered into the other. The finished item will have strong mechanical integrity and will protrude neatly from the transceiver like certain oscilloscope probe adapters. If preferred, an in-line version can be prepared.

Readers will deduce that this adaptor is sufficiently general to supplant any specific adaptors which manufacturers might otherwise claim to be an



essential item to use their electret-based accessories. Further, transceivers which have series mic-ptt circuits only need a minimum form of adapter simply to translate their signals onto the SACWRG DIN-socket format. The necessary polarizing voltage is already present as a consequence of the ptt action. Any which require extra shunt resistance can have such a resistor strapped behind the DIN socket of their adapter.

Clearly, any of these adapters is highly specific to the transceiver for which it has been prepared and should not be swapped to other transceivers in any attempt to effect hurried repairs. □

Fig 9. Modified form of the DIN-connector arrangement including provision for electret microphones as now proposed by the Solihull & Chelmsley Wood Raynet Group

MODIFICATIONS TO THE FT707 CONVERSION

M J GRIERSON, G3TSO*

SINCE WRITING the article "Conversion of the FT707 for top band" (*Rad Com* June 1986) the following additional modifications have been made.

RF stage 'on/off' modification

It became apparent that the overall gain of the transceiver was excessive. By adding two diodes and a biasing network it is possible to switch off the rf stage by simply removing the 13.5V receive supply and connecting it to the new diode "by-pass" circuit. A suitable switch already situated on the front panel is the fix switch, which serves no useful purpose.

The diodes D1 and D2 should ideally be similar to those used in the FT707 for front-end switching. D1 should be a low capacitance Schottky diode 1SS97 or equivalent. D2 is a germanium gold-bonded type 1S1007 or OA47. Both these diodes are of low capacitance and have a low forward voltage characteristic. While almost any diode may work, front-end performance may suffer and, more important, feedback could be introduced on either receive or transmit if the correct types are not used. Diodes D1 and D2 together with the bias components can be wired directly to the underside of the rf board.

Existing component values are shown for PB2201, on PB2903 (early

models) TP3 and TP4 do not exist, neither do C47, C58. D19 is a 1S1007 labelled D22, while D22 is labelled D25, otherwise circuits are similar.

To remove the 13.5V receive supply from the rf stage, move the brown wire from rf stage to JO1 pin 4. Another part of the circuit is also fed from the 13.5V receive rail and is connected directly to the rf stage; this is another brown wire which should be re-routed directly to JO1 pin 4.

The operation of the on/off circuit can be checked by connecting the 13.5V receive line to either the rf stage or the by-pass circuit. On transmit neither circuit is activated.

To use the fix switch, the front panel must be removed and the rf/af gain control lifted out of the panel. Pins 11 to 15 can be identified on PB2102 by the colour of the wire. Remove the red/white wire from pin 11, the white/yellow wire from pin 12, the blue wire from pin 13 and the grey wire from pin 14. Connect them all together. Trace the grey wire to the vfo l.e.d and insert a 560Ω resistor in series.

Disconnect R4902 from pin 11 and join to pin 5 adjacent to R4901 (560Ω). Connect pin 11 to new diode by-pass circuit. Connect pin 12 to JO1 pin 4 rf board. Connect pin 13 to the rf stage rf board. A three-pin flying plug and socket is useful for these three connections.

When the fix switch is depressed, the rf stage is switched off and the fix l.e.d illuminates to advise you.

While the S-meter will indicate lower readings, the ability to copy a station on the lower frequency bands is not improved by the use of the rf stage; it simply adds more noise and on 7MHz overloads the mixer. As a rule, better performance can be obtained on 1.8, 3.5 and 7MHz with the rf stage off.




Fig 1. RF stage modifications
D1 1SS97 or Schottky diode
D2 1S1007 or OA47
R1, 2 1kΩ
R3 560Ω
C1, 2 10nF disc ceramic
C3 1nF disc ceramic
L1, 2 1mH

Power output control

The conversion of the FT707 results in a transceiver capable of producing at least 100W rf output. This may concern some amateurs as the maximum legal power is in the order of 30W p.e.p.

The power output on 1.8MHz can easily be controlled by using the existing alc circuitry in the FT707. Provision is made for power reduction on the 28MHz band to comply with lower power limits in certain countries. In the UK this facility is not used and so can be used for 1.8MHz instead.

Pin 6 of J1003 on the rf board is wired directly to the 10A-D positions on S3a, the bandswitch. Remove this wire and reconnect to the new 1.8MHz position. Select 1.8MHz, connect a dummy load and power meter to the FT707, and set power output at maximum while in the cw position. The power output can now be set by adjusting RV2006 on the i.f. board to the maximum legal power for 1.8MHz. There is now no fear of exceeding the power limit on ssb as the alc will automatically restrict the power. □

*9 Conegar Road, Quenington, Cirencester, Glos GL7 5BY.

HOW ABOUT TRYING 50MHz?

Ray Cracknell, G2AHU*

MUCH PUBLICITY has been given to the release of 50–50.5MHz to all Class A licence holders, and many are asking if it is worthwhile getting on the band and what it can offer that is not provided by either the 144 or 432MHz bands. Meanwhile many Class B licence holders wish to know if the effort to work cross-band is justified.

The excitement stems from two factors: firstly, the way permission to use the band was granted in the past, then taken away and is now being tentatively returned; and secondly, the nature of the band at the upper limits of ionospheric propagation where it seems the unexpected may always happen and in fact sometimes does and where with simple apparatus and without the aid of expensive modern technology it is still possible to explore the unknown.

The 56MHz band in the 'thirties offered all the thrills of pioneering. Transmitting from the top of Mount Snowdon and later from aeroplanes made headline news stories and when, in the second half of the decade, G6DH and several others started working dx into Europe, it seemed an incredible feat. In those days equipment was expensive, valves were inefficient, and 56MHz was "uhf" both in name and to everyone's way of thinking. Further, as if the present is an echo of the past, special permission had to be obtained from the licensing authority to use 56MHz (and even 28MHz) and a good reason (generally to conduct propagation experiments at "uhf") had to be stated. The power allowed in those days was just 10W, with only a highly-favoured few being granted 25W licences.

The war brought many changes, and with a return to peacetime conditions in 1945/6, the amateur service was allocated the 50MHz band and more liberal regulations were applied. In 1947, sunspot numbers rose to unprecedented heights and after the first transatlantic contact between W1HDQ and G6DH, all parts of North America were worked by many European countries. PA0UN and others worked Cape Town; contacts were made between North America, South America and the Pacific Islands; and M5SKW (now G5KW), operating from the Suez Canal Zone, pre-empted transequatorial propagation working by VQ2PL near the Victoria Falls.

Understandably, the excellent conditions which prevailed were all thought to be linked to the sunspot maximum, and after it interest rapidly waned. The 'fifties brought a great surge in the demand for vhf tv channels and resulted, in Europe, in the loss of the 50MHz band. Nevertheless interest never died completely. The Americas, Japan, the Pacific Islands, Australia and Southern Africa kept the 50MHz allocation; while in Britain a few enthusiasts maintained their interest, some being given 52.4MHz permits during the International Geophysical Year, while others worked crossband through it and the two succeeding sunspot maxima.

By the advent of the 'eighties, a general migration of tv from the lower vhf channels to uhf was soon under way, and after the Merriman Report which recommended closing down the old 405-line transmissions in Bands 1 and 3, the efforts of the RSGB to regain a foothold on 50MHz were rewarded. Since some European services still continued to use channels covering the 50MHz band, the licensing authority proceeded very cautiously and, at first, only a very carefully chosen few in non-sensitive areas were given permits. In terms of their permits they were allowed to conduct experiments in propagation between 11.30pm and 8.30am, and

Table 1. Equipment used by permit holders as at December 1984

Effective radiated power		Receiver front-end	
24dBw or more	16%	Commercial nl below 3dB	44%
18-23dBw	34%	40673 or equivalent	19%
12-17dBw	25%	3SK88	9%
6-11dBw	19%	3SK95	9%
Less than 6dBw	6%	BF981	6%
		Others	17%
Antennas employed		Height of antenna	
5-over-5 Yagi	3%	50ft or over	20%
5-element Yagi	38%	40-49ft	10%
4-element Yagi	13%	30-39ft	33%
3-element Yagi	13%	20-29ft	27%
2-element Yagi	3%		
Mini beams	6%		
Dipole	25%		

were obliged to feed back reports to the RSGB. The restrictions were observed most conscientiously, the reports came in, were analysed and a summary was forwarded by the RSGB to the licensing authority.

On 1 February 1983, the first permit holders commenced operating on 50-52MHz, and an analysis of the power and equipment they used is given in Table 1. After 18 months a further 60 permits were issued, activity and enthusiasm mounted, Norway licensed a chosen few, several stations dotted about Europe appeared working crossband and the Sporadic-E season continued to bring a crop of mid-Summer American contacts. After final closure of the Band 1 tv transmissions in Britain, all the existing permits were cancelled. The band was reduced to 500kHz, power output was reduced and for the first time defined as effective radiated power (erp), but operation was permitted without time restrictions and the band was made available to all Class A licence holders on 1 February 1986.

RESULTS ACHIEVED DURING THE EXPERIMENTAL PERIOD

It can be seen from Table 1 that about two-thirds of the old permit holders have had to reduce their erp to conform to the new regulations. Nevertheless, at least a third used less power than allowed, and several experiments with low power gave a good indication of what the effects of reducing erp would be. Table 2 shows the time which permit holders devoted to various aspects of 50MHz work, and Table 3 gives the ranges over which extended groundwave QSOs took place during a six-month period.

Table 2. Time occupied on 50MHz work

Activity	Average	Limits
Operating	62 hours	6-208 hours
Monitoring	56 hours	0-660 hours
Experimenting	20 hours	0-150 hours
Developing equipment	31 hours	0-150 hours

Table 3. Extended groundwave range

Distance	No of contacts
Less than 100km	1,064
101-150km	652
151-200km	433
More than 201km	479

(one GM reported 175)

Extended groundwave

True groundwave propagation at 50MHz is, of course, very restricted, although we know that in practice—apart from where there is complete screening—a signal can be heard continuously over far greater distances. At first the groundwave is extended by scattering from the ground and other obstacles such as power lines and even over hills by a process known as

G2AHU is a corresponding member of the VHF and Propagation Studies committees, with responsibility for writing the Reports on the results achieved during the experimental period of limited operating on 50MHz. He has been the author of several articles in *RSGB Bulletin*, *QST* and *Radio Communication* on propagation studies, and vhf transequatorial propagation is his special interest. The VHF Committee is keen that the work undertaken during the experimental period should not end with the general release of the 50MHz band but should continue on a voluntary basis.

*18 Green Lane Crescent, Yarpole, Leominster, Herefordshire HR6 0BQ.




Fig 3. Observations of sporadic-E on 28 and 50MHz, May 1985–February 1986

area into which the opening occurred and gives important clues to the supporting mechanism. The evidence now seems almost conclusive that the first encounter is with sporadic-E ionizations at both ends of the circuit, but what happens between these first areas of refraction is by no means certain. The strength of the signals and their regular occurrence is something to be carefully observed, but at present these factors seem to indicate that conventional 3- or 4-hop propagation is improbable. The question will be hotly debated, but the solution to the problem offers a wonderful challenge for amateur ingenuity.

As well as two-way contacts with Norway, of which there were very many in 1985, crossband contacts were made with Portugal, Spain, Gibraltar, Sweden, Denmark, Norway, France, Yugoslavia and Greenland. The most interesting result of all this activity is that the long-held fallacy that sporadic-E was dependent on high sunspot activity was finally laid to rest. The opposite is in fact true, since temperate zone Es is disrupted by magnetic disturbances which are fewer in years when the sun is quiet.

Sporadic-E ionization occurs in patches typically 100km or more across and about 1km thick. Academic opinion now favours the wind shear theory, which suggests that they are due to strong contra-flowing winds at an altitude of 95–110km. The long persistence of Es, which in mid-summer appeared to last almost around the clock and often provided good early morning 50MHz contacts with Norway, Sweden, Spain and Portugal, was originally the drawback to the wind shear theory, but the persistence of Es is now explained by the transference of charges from the lighter and more mobile oxygen and nitrogen atoms, which would lose their charge rapidly through recombination, to much heavier and less mobile iron atoms deposited in the same levels by meteoric dust.

Meteor scatter

Meteor scatter (ms) propagation works very well at 50MHz. Bursts are considerably longer and stronger than on 144MHz, and QSOs are workable by the backscatter as well as the forward scatter mode during showers and via sporadic meteors. Openings as long as 2min often occur during major showers but sporadic meteors are shorter. When the LAs were first allowed on the band, activity on their 50–300MHz ms channel was intense and many QSOs with British stations were worked with ease. Signals between Scotland and southern England are excellent and duplex crossband ms QSOs with European stations can be great fun as well as being informative, as can comparisons with ms at 70 and 144MHz. G3NOX, working from Saffron Walden in Essex, has successfully transmitted colour sstv pictures by ms to GM3WOJ and to LA6QBA. There remains great scope for further development of similar techniques, and for other experiments such as high-speed data transmission. During the experimental period only cw and ssb could be employed, but under the new regulations fm could also be used for ms work.

Perhaps the most important feature of ms is its dependability. It is not disrupted by ionospheric storms or any other unpredictable events. Sporadic meteors are more numerous in the early mornings, when our rotational velocity tends to scoop up more of the many millions of the tiny shooting stars that daily bombard our upper atmosphere. Unlike showers they are randomly distributed. Showers travel in fixed orbits, like comets from which many originated, and appear to come from a point source in the heavens which must be above our horizon before we can see them visually or by radio. The possibilities of ms were well summed up by

GM3WOJ, who wrote in his report: "... it is easy to work three QSOs in 15min. In tests with G3IJE I never have to wait more than a few minutes before copying ... sporadic meteor signals from GB3NHQ peak S6 even during periods of low meteor activity."

Auroral propagation

Auroral propagation (Ae) is operative at the very time ionospheric propagation is disrupted. Nevertheless, although we are in a period of very low sunspot numbers, many openings were observed and contacts between Scotland, Norway and the more northerly stations in England and Northern Ireland took place; on 8 and 9 February 1986, just one week after something like 150 new Class A licensees had appeared on the band, one of the best aurora for very many years was visible throughout Britain and the Channel Islands and hundreds of fine QSOs were worked. In the build-up of F-Layer propagation immediately prior to the onset of the magnetic storm, 28MHz opened up for dx, and on 50MHz there were reports of GB3SIX being heard in the USA. Reflections back from the aurora were strong, and good quality signals were received. Many enthusiasts were looking for contacts with Canada via auroral Es, but as far as is known at present these did not occur.

The 50MHz band is perhaps the best on which to observe Ae propagation. Most openings favour the more northerly situations but, as shown on 8 and 9 February, openings are not confined to them. Signals are often strong, as an excellent tape recording (by G3NNO in Harrogate) of reflections back from GB3SIX which beams at America from Anglesey, lasting until 0242gmt on 21 April 1985, demonstrates very clearly. Several permit-holders became very interested in Ae, and it is hoped that some of the newcomers will share their enthusiasm.

FUTURE PROSPECTS

F-layer propagation

The 50MHz band is in that very interesting section of the frequency spectrum which, in years of high solar activity, offers the possibility of worldwide communications by means of F-layer propagation, while still maintaining those modes which have already been discussed. We are, of course, at present in a trough and do not expect to hear F-layer propagation—except under most extraordinary conditions such as occurred on 8 February 1986 and already discussed—until sunspot numbers rise again, when we can expect such events to become more numerous. Unless we return unexpectedly to conditions similar to those in the 17th century when (according to the records) there were no peaks of sunspot activity, the conditions we may expect from, perhaps, 1990 to 1992 are best predicted from results obtained during the last solar maximum (cycle 21). We are again indebted to Major Ken Ellis, G5KW, for the records he kept of three expeditions to the Isles of Scilly from October to January 1979–81. These




Fig 4. The G5KW study of his 50/28MHz crossband contacts from the Scilly Isles to America during the winters of the sunspot maximum of solar cycle 21

results have been analysed and appear as a set of histograms in Fig 4. The first shows the total number of contacts made on each visit (including January of the following year) and, below it, the totals per month summated over the three visits. In the other four histograms, these totals are then subdivided into geographical zones, namely Canada, eastern USA, western USA and central America.

Newcomers are often puzzled by the seeming paradox of the highest usable frequencies appearing in winter. Earlier explanations were that in the northern hemisphere, the earth was nearer to the sun in winter. This is true, but it is the structure of the ionosphere under the intense ultra-violet and X-ray radiation during the long summer days that causes the F region to subdivide into the F1 and F2 layers during daylight hours and the E and D regions to become heavily ionized and blanket the upper regions. For practical reasons the survey does not cover February and March, when a further rise might be expected and make a mid-winter dip apparent. A second paradox is that results were lower in 1980 when one might have expected to see the maximum. The reasons for this are that sunspot maximum, as well as producing the highest usable frequencies, also produces the peak in ionospheric disturbances, and that the last cycle showed maxima in 1979 and 1981, with reduced smoothed sunspot numbers in 1980.

Good conditions on north-south paths across the Equator occur nearer the equinoxes, and are at their best in October and April when openings to Africa, South America and Western Australia can be expected. Asia and the Pacific Islands can be more difficult, as might be expected from the differences between east and west USA shown in Fig 4, although Cyprus and the eastern Mediterranean may help as far as Asia is concerned. G5KW, G3COJ and G4BPY managed crossband WAC on 50MHz during the last sunspot maximum.

Although these prospects sound very exciting, it is only fair to warn that all is not as easy as it may sound. Openings have to be looked for, skeds have to be made and equipment kept in a high state of preparedness. Many openings will not reveal any manned 50MHz station, apart from North America, but beacons help to reveal possibilities. Actual QSOs are often only the result of getting to know the dx operators via contacts on 28MHz (28,885kHz being the usual contact frequency) and organizing tests at the most promising times.

Licensing restrictions

If you decide to give 50MHz a try, with a Class B licence you must limit your activities to receiving or to operating crossband QSOs. With a Class A licence there are several choices, but transmitter power and antenna gain have to be considered together in order not to exceed an erp of 14dBW carrier or 20dBW p.e.p. ssb. This erp can be obtained with 25W cw/fm or 100W p.e.p. ssb into a dipole, but if a beam is used, the power fed into the antenna must be reduced by an amount equal to the antenna gain. For example, if you use a three element Yagi or a cubical quad with a gain of 5.5dB over a dipole, and it is fed with coaxial cable with a loss of 1.5dB, transmitter power output must be reduced to 10W cw/fm or 40W p.e.p. ssb.

The maximum permitted height of the antenna above ground is 20m (66ft) and it must be horizontally polarized. The height of the antenna is the principal factor determining the extended groundwave range, but more factors need to be considered than at, for example, 144MHz. At a height of three wavelengths (60ft) a dipole or beam over a perfect earth is likely to exhibit a deep null at a vertical angle of about 10°, an angle at which ms, Es and F-layer propagation might possibly occur. However, unless one is transmitting over the sea or a salt marsh, a perfect earth is very unlikely and the null will not be so deep or sharply defined. Further, determination of the effective earth is very difficult, and plotting the vertical polar diagram is by no means an easy matter. Operating over the rooftops in a built-up city area, nobody can do more than guess at the effective earth, and the best advice that can be offered is to erect the antenna as high as possible above the surrounding buildings and noise sources. Otherwise, from a reasonably clear site, provided it is above nearby roofs, a height of 1.5 wavelengths (9m or 30ft) avoids any probable nulls in the vertical angle and gives enough high-angle radiation to work shorter haul ms, and to cover the possibility that long-range dx by F-layer or Es may come in at higher angles than the geometry of the circuit might suggest. The reason for this possibility is that much long-range propagation at 50MHz is dependent upon irregularities, tilts and gradients which project the signal into the ionosphere at a flatter angle than that at which it arrives.

At first it may seem that in defining erp the regulations discourage the use of beams. It is cheaper to build a transmitter of 40W and erect a dipole than it is to build one of 10W and erect a tower or pole with a rotator and beam. However, any communication circuit must take into account receiver antenna gain as being equally important as transmitter antenna gain. Further, where noise and interference are significant factors, the receiver

antenna gain is of greater importance. The new regulations have reduced erp by an effective 6dB, and if a further 6dB is discarded at the receiver end, results comparable with those achieved in the experimental period will not be possible. A further consideration is the all-important one of avoiding interference with continental tv. A beam enables tv sidebands to be eliminated by directing it away from the source, but it is even more imperative to appreciate that when tv signals appear across the band it is utter folly to transmit into the teeth of the QRM.

Other considerations

It is interesting to learn that when the newcomers appeared on the 50MHz band on 1 February 1986, many were using 10W solidstate cw transmitters. This is a commendable way to start, and such a building project, combined with that of a dual-gate mosfet converter, is a very rewarding and economical way of trying out the band. No doubt, in time, operating convenience may mean a change to a transverter used in conjunction with a 144 or 28MHz transceiver. It is as well to remember that for a long time to come, crossband facilities will also be desirable and, if the station transceiver is tied up, a separate converter and receiver will be required. It is perhaps important to appreciate that in the design of a successful 50MHz station, flexibility is an important consideration, and such tasks as connecting and disconnecting converters or transverters will frequently lead to neglecting the band after giving it an initial try-out. Even if all the equipment is new commercial gear, designing the station for maximum operating convenience remains of paramount importance.

The case for erecting a beam has already been made. This advice is also applicable to listeners and to Class B crossband operators. I can only emphasise after very many years of dx working on 50MHz—and I am sure others will endorse my opinion—that the advantages of a beam at vhf are never totally accounted for in terms of decibel gain. If a signal is 30dB or more above the noise threshold, of course, the gain of a beam is immaterial, but at vhf it is frequently the signal right down in the noise that we are interested in, and then the gain of the beam and the reduction in noise makes all the difference between a readable signal and one that is not even heard.

It makes good sense, therefore, to design for a 10W carrier power transmitter (or 40W p.e.p) and to erect a simple beam. Among permit-holders, a commercial five-element beam was the most popular antenna, but home-built more widely-spaced three- and four-element Yagis showed no significant differences in results. I was surprised to find an absence of cubical quads, which work equally well and can be cheap to construct, and if one lives in northern England in a service area of the old 48-53MHz Band 1 transmitters, there should be no shortage of Yagis that can be stripped, thoroughly cleaned and matched for 50MHz work.

Another aspect of 50MHz is that it is most convenient for home-construction. Whether solidstate or tubes are used for a pa, large coils and capacitors are not required and all reasonably modern gear works efficiently. In beam construction, booms and elements are of easily-managed lengths, so that beam erection is not a major engineering feat and building a mosfet converter calls for little specialist knowledge or skill. Local tv and bel are not likely to be a problem unless one is grossly careless or the local field strength from the BBC/IBA is very low. There are, of course, obvious precautions—such as a lowpass filter in the feedline, operating the pa in a linear mode and reasonable screening for the transmitter—that should always be taken.

Future of the RSGB 50MHz research project

It is very clear that during the experimental period, not only was the discipline displayed on the band exemplary, but the experimental side was tackled conscientiously as well. Really useful information came out in the reports which I was asked to produce from the information submitted. Although with the new regulations there is no longer an obligation either to conduct experiments on propagation or to submit reports, it must be evident that being able to prove that we are using the band responsibly and endeavouring to pursue aims of increasing our communication skills at vhf, will remain significant factors in retaining use of the band and extending our facilities. We have, therefore, been asked by the RSGB VHF Committee to continue the project on a voluntary basis. A core of permit-holders has already agreed to continue to participate, and we should like a number of newcomers—listeners as well as transmitting members—also to join in. Participation will involve supplying details of your station, operating or listening times, general information on what you hear and work on the band, as well as enlarging upon aspects that are of particular interest to you, and in representative opinions and suggestions. Reports would be requested six-monthly, and in return you should receive a copy of the summary. Those wishing to participate should advise the VHF Committee or me personally. □

NEWS & VIEWS

VHF/UHF

Ken Willis, G8VR*

Sporadic-E

This summer has seen a dramatic change in the role of sporadic-E due to the fact that, for the first time, 50MHz operation has been possible right around the clock instead of after tv hours, and this has indicated just how often sporadic-E is present up to and above these frequencies. Another factor has been the surprising number of European stations who have gone to the trouble of building receiving converters for 50MHz (and 70MHz), so by working crossband to 28,885kHz, which is normally open to Es if 50MHz is also, there has never been a dearth of dx to be worked. Typical among the "far-enders" are F/G4JCC (St Tropez), who has always seemed to be on 28MHz when things were looking good on 50MHz; and Peter, DL7YS, in West Berlin, who has made over 100 crossband 50/28 contacts with the UK. There are, of course, many others too numerous to mention.

There is much to report, so even if I am as cryptic as possible, much must still be left unpublished. After a poor start, when the expected 144MHz openings in June failed to materialise, much has happened to make 1986 already a bumper year for Es as this is being written in mid-July. Let's first take the 144MHz band.

The pattern up to July had been mainly one of short openings, limited in their coverage, but providing some good dx for those lucky enough to catch them. Then on 2 July around 1500gmt, things started to happen in the north, where Nick, G4KUX, with his 4 x 16 element antennas started to hear the PA and DL stations working the dx, calling USSR stations. At 1604gmt, Nick worked UA6LJV (KN97IE) with reports of 59 both ways over a distance of 2,950km. Nick went on to work RB5VD, RB5CCO (KN59), UB4VWV (KN68), and heard UB5BN (KO50). Other local stations who participated in this opening were G4SXU and GIGUY. Nick says that GM8BDX also worked UA6LJV, and this may well have been over a distance of more than 3,000km, and probably a new Es record for GM. G4KUX made a note of the squares being called or worked by PA and DL operators, and concluded that the event was "a monster".

During the same opening, Paul, G4SXU, reports being called by UA9OF (ZK29d), the Russian being confused and excited by the "strange G callsign" on 144MHz. Paul has since located the station as being in Shadrinsk in the "top corner of Zone 17". The distances involved suggest some rather special propagation, and add further proof to the fact that we need to know a lot more about what happens "up there". There is no indication that the contacts were made other than with beams pointing towards the stations being worked, and they sounded to all intents like normal sporadic-E.

From around 1800gmt on 8 July there was a major Es event which was widespread, but better to the north of the British Isles. Again G4KUX provides some indication of its intensity when he says that he stayed on the same frequency for 60 contacts embracing HG, YO, YU, OE, SP, UB5 etc. At the end of his event the propagation swung to Scandinavia. In the south, OH and SM were worked from AL square, while the northern stations were working into the USSR and East Europe, a sort of crossover effect if one looks at the possible location of the reflecting media. During this event Steve, G0EAK (Harrogate), worked a station in 3V8 (Tunis) in square FW33a, and there are suggestions too remarkable to do more than speculate upon, suggesting reception of signals from OD5, 5A and SU! That this was a major event is beyond doubt. GM4WHD had 26 contacts with YU, OE, OK, HB and D, and heard comments similar to those made by G4KUX that it was one of the biggest-ever openings. From County Antrim G11JUS reported working one new country and five new squares in 44 contacts with HG (12), SP (13), OK (17), DL and Y24. One of the stations he worked was SO6AUU (JO8IL). This was operated by none other than Kris Partridge,

G8AUU, who was on one of his regular summer visits to Wroclaw. Kris sent in a log showing contacts with 11 British Isles stations (G, GW, GM) while he heard six more, plus EI. His first experience of Es from a European location was of great interest, as one can imagine. He thinks the occurrence of Es is far greater in Europe proper than here in the UK. From the Channel Islands, GJ1TJP (St Martin) caught the 8 July event and worked RA3LE (KO64AR) over 2,385km, and later it swung to SM when SM4GVF and SM5EVZ were worked. There was another minor event at breakfast-time on 12 July when EA1MO (IN71PP) and EA7PZ (TM67) were worked by several stations in the southeast.

On 50MHz the band has been open on many days to EA, OH, SM, OZ, DL, CT etc, with many good contacts being made by stations using only a few watts and simple antennas. The crossband frequency, 28,885kHz, is surely an essential monitoring spot for 50MHz enthusiasts, quite apart from it being an indicator of Es generally by its sheer activity levels. Space permits only a brief mention of some of the more important achievements on this band. Where specific UK stations are mentioned, others will no doubt have made similar contacts, but the intention is to show what paths were open. On 25 June, G3UHH worked EA1MO two-way on 50MHz. Next day he had a similar two-way with W6JKV/CU2 and crossband with EA, F, CT, YO, LA, SM and OZ. OH2ZAA has worked over 100 G stations crossband 50/28. G4WAD had two-way contacts with CT4KQ, LA6QBA/P (JP61), LA6HL/TF (IP24) and LA8AK (JO38).

However, everyone on 50MHz was waiting for the hoped-for opening to the USA and Canada. There was a small one on 9 July, but a bigger one on 12 July. During the day FY7THF was copied at 1227gmt, and ZB2VHF was S9+ earlier, but at 2020gmt W2CAP/1 made contacts with G4BAO, followed later by G4GLT, and K1JRW is reported to have been worked. As we go to print, information is still somewhat sketchy, but the message is clear, this is a very interesting band and much can yet happen now that activity levels are ensuring that it is being monitored most of the time.

Martyn, G3UKV, cites working 29 squares in nine countries two-way, plus seven other squares crossband on 50MHz up to 26 May, and compares this with an all-time total of 38 squares and nine countries on 70MHz in 13 years operating!

Tropo

At last, summer weather arrived and brought with it some excellent tropo conditions during June. On 20/22 June, Shetland Islands stations were enormous signals in the southern part of the country, and LA, OZ and SM were there for the picking, even for low-power poor-location stations. Conditions were good again on 28 June, though this time they did not last so long.

Many operators wrote in to say that they had made their best-ever contacts during these openings, proving yet again that power is not always required for good dx working. Joy Stirling, GM1NTQ (Glenrothes), runs only 25W to a five-element antenna, which she stuck out of the window on a broomstick to great effect since she worked 34 Dutch, 10 German and one Belgian stations during the 20/22 opening, and heard OX. Some of her contacts were made on fm, and she made the point that she worked numerous PD0 stations (who are Netherlands Class D stations) who begged her to remind other Gs to listen for them. They are permitted to use 25W fm input, horizontally polarized, crystal-controlled on S10, 11, 13, 14, 15 and 16, phone only.

It is understood that several stations worked OX9JD during one or both of these events, while others worked into OK and SP. It will be interesting when space permits to debate how many countries one can normally expect to work on 144MHz these days, since high activity plus modern equipment have broadened horizons incredibly compared with only 10 years ago; while compared with 25 years ago, present-day performance reeks of science fiction, and many remarkable contacts are taken for granted today.

Unfortunately we still get little or no input for contacts on 432MHz during these openings, though it is known that very fine dx is regularly worked on this band. Similarly we get almost no news of fm dx contacts such as those made by Joy, GM1NTQ. If the conditions are favourable for ssb, they'll also support other modes, so let's hear from fm-only stations who have interesting contacts to report.

Beacons

Al Lotz, W6RQ, sent a copy of a letter he had received from CE3BCF (Santiago, Chile) which referred to "a computerized beacon on 50,000,700Hz", that is, just inside the bottom end of the 50MHz band. No other details are available at the present time, and Al says he has not previously seen this one on any of the beacon lists.

Although not notified at first-hand, it is understood that the 50MHz beacon GB3RMK suffered some sort of burn-up and is being repaired by


*6 Lerryn Gardens, Broadstairs, Kent CT10 3BH.

GM3WOJ. Previous to this it was reported as being a weak signal; the reason for the fault is apparently not known with any certainty.

Graham Kimbell, G3TCT (Leatherhead), has listed the occasions when beacon FY7THF in French Guiana was copied in the UK by G4GLT, G3WBQ or himself, between 30 May and 7 June this year. Some 18 separate reports are listed, plus one from SM6PU, the signal being up to S7 on two occasions and seldom lower than S3. Graham says that he cannot yet suggest the form of propagation except that it hardly qualifies for the term "sporadic", and he looks forward to a complete analysis of the situation when all the data is available. He thought that the signal differed from the USA openings last year. They are characterized by a fairly constant peak amplitude with fades typically of about a 4-10s period, whereas the USA signals were accompanied by rapid and irregular fading.

On 28MHz, Steve, F/G4JCC, from his portable QTH near St Tropez, was heard to say that GW3LDH had taken the UK-built 50MHz beacon to Malta, and so by the time this appears in print it may be operational and have been copied in the UK.

OZ7IS says that the two Greenland beacons on 50.045 and 144.902MHz, both signing OX3VHF, are in good health from a new location GP6OQQ, and reports are requested to Bo G Christensen, Teleteststation, Box 187, DK-3920, Julianehaab. OZ7IS says that the 144MHz beacon frequency is "OK in IARU Region 1, but it is located in Region 2!"



DJ9HO proposal for a European beacon plan based on 25 channels per locator square plus two "spare" channels

Arend Janssen, DG1BP, has sent details of a proposal from DJ9HO, the newly-appointed West-German vhf/nhf manager, for a new beacon-band concept for Europe. The plan is for 125kHz spacing with 27 channels (5kHz steps). Each QRA locator square would be assigned 25 beacon frequencies as shown in the illustration. Each square would have the same channel assignment, leaving channels 0 and 26 available for special purposes. Arend goes on to say that DJ9HO wishes to change the beacon band to 144.450-144.580MHz, and gives some very questionable reasons why this would not cause any problems to ssb operators (including meteor scatter). Arend suspects that the true reason for wanting the change, which is hardly likely to receive IARU support, is to provide more fm channels for West-German operators. DARC set a deadline date for comments and papers for discussion at the April 1987 IARU meeting as 30 June 1986, and Arend says that if they published the new beacon-band proposal in the June issue of their journal, this would give no time for any objections to be raised, "the same procedure as the world-wide locator and the last beacon proposal", says Arend.

The Midlands VHF Convention 1986

This convention, which has now become one of the major vhf events of the year, is scheduled to take place on 11 October, commencing at 11am. As last year, it will be held at Madeley Court Centre, Telford, Shropshire, and in addition to a small trade show, bring and buy stall and bookstall, there will be an afternoon programme of lectures covering cellular radio, 10GHz amateur tv, and meteor scatter techniques, plus an opening address by vhf manager G3WSN, and a vhf forum which will answer questions from the floor. An evening buffet with bar until 10pm requires booking in advance (£5), the entrance to the convention being £1.20. It is hoped to provide equipment-measuring facilities up to 18GHz—write to G3UBX, QTHR, the convention secretary, if you have any special measurement

requirements which you would like to bring to the meeting, or in connection with any other enquiries. Make an effort to attend so that this event can continue to flourish, providing as it does a venue somewhat further north of Watford than most!

Repeater news

The fact that little news has come in on the repeater front suggests that most systems are working well, or that the arrival at last of some summer weather has resulted in "repeater people" being engaged in other pursuits. However, two newsletters arrived recently. Leicestershire RG *Leis No 2* 1986 contains much of a social nature since the group's tenth birthday party is featured, with several excellent photographs including some of the group members performing the famous Wilson, Keppel and Betty dance, suitably costumed, which earned an encore from a delighted audience. Maybe we could get them to enliven the Society's agm by providing a cabaret during the tea-break. The publication also includes a write-up of the group's agm (by Jack Hum, G5UM) at which a new chairperson, Manreen Winters, G4RZH, was elected, together with a new committee.

Aylesbury Vale RG in its *Newsletter* for July 1986 reports on GB3VA, GB3AV, GB3BV and GB3VB (the last two being still in the "paperwork" stage) and on its own agm, held on a night when a blizzard reduced the attendance to 40, which some groups would regard as a very full house. It is good to note that the chairman of this group is a very well-known vhf operator whose accomplishments I envied years ago, none other than G6NB. The group's full membership stood at 120-plus at the date of the agm. The newsletter contains some interesting "howlers" heard over the system which, when space permits, will be reproduced here since they are of general interest.

Some readers have said that they do not know who represents their repeater interests with the licensing authority and the RSGB, so here is a list of Repeater Management Group members and their specialist roles.

Mike Dennison, G3XDV, chairman.
Mick Senior, G4EFO, vice-chairman, technical officer and proposals co-ordinator.
Colin Datzel, GM8LBC, co-ordinator for Scotland, Northern Ireland and Borders.
Ken Fisher, G6LMR, co-ordinator for Northern England.
Chris Reed, G8MFP, co-ordinator for Midlands, and BARTG liaison officer.
Graham Shirville, G3VZV, co-ordinator for South East, BATC liaison officer and av technical adviser.
Gooli, Dover, G4AFJ, minutes secretary, hf repeater co-ordinator.
Chris Young, G4CCC, co-ordinator for southwest, VHF liaison officer, editor *Repeater Report* and publicity officer.
Marlin Stubbs, G8IMB, Data repeater co-ordinator.
Dave Smith, G4DAX, Council liaison.
Ex-officio members are G3ZNU, chairman, VHF Committee; G3WSN, VHF manager; G3FPR, chairman, Microwave Committee.
Elected or co-opted corresponding members (repeater regional reps) are GM3UKG, G3LEQ, G1GNS, G0COA, G8FWY, G3TSM, G2SP, G8GTZ, G3UQH, G0BEQ, G3GHS, G6AWT, G8UCY, G8HVV, G4HSY and G8JNZ.

More on multiband antennas

Ian White, G3SEK, has some interesting comments on his own solution to an antenna problem. Now that he is active on and greatly enjoying 50MHz, he needed an antenna which would allow him also to operate on 28MHz for crossband purposes. He also likes to use some other hf bands (especially the 14MHz vhf/emc net) so his need was for an antenna system which would cover these bands. As an aside, he remarks that "we should not kid ourselves that we can explore the real potential of 50MHz with simple dipoles. With one hand tied by the erp limit, let's not hamper ourselves further... a simple beam is vastly better than a dipole."

Ian had an HQ1 two-element beam covering 14-21-28-50MHz, which lost its diamond reflector in a gale. He took the multiband driven element, which now acts as a rotary dipole for 14-21-28MHz, and incorporated it into a four-element 50MHz beam based on a design by DL6WU. The result is a beam of clean pattern with feed impedance close to 50Ω, the entire array being reasonably well-matched on all four bands "without any fancy impedance transformers".

He says that the multiband driven element is not too difficult to reproduce as a homebrew development project, especially if one were to confine it to 28/50MHz. The dimensions of the rest of his 50MHz beam are:
Reflector length: 2,940mm, spaced 1,120mm behind driven element.
First director: 2,710mm, spaced 475mm ahead of driven element.
Second director: 2,665mm, spaced 1,550mm ahead of driven element.
All parasitic elements are in heavy-wall tubing mounted above the boom on insulators. For through-boom mounting, he advises extending each element by 0.6 × boom diameter. Results compare very favourably with computer-predicted figures, a forward gain of 7dBd and a f/b ratio of 15dB.

There have been other reports of successful operation using unmodified

HQ1 arrays, though of course what G3SEK has done is to improve his 50MHz performance greatly at the expense of hf-band gain and radiation-angle. If you propose taking a hacksaw to your own HQ1 I suggest you drop in a line first to make sure you have everything under control!

From the postbag

Paul Godolphin, G4XTA, would like to know if anyone has received a QSL card from CT1BZT. He worked him while mobile on the A6 from near Shap in Cumbria (1,017 miles) which he thinks may be an all-time mobile dx record. He has tried all the conventional methods of extracting a card from Vladimiro without result, so he is keen to know if anyone else has had success.

Georg Landbo has sent details of the OZ Locator Award, issued by EDR, and available to all licensed amateurs. Contacts with OZ stations since 1 January 1985 count towards the award, the minimum being 10 locator squares in Denmark worked, either on phone or cw, with categories for phone, cw, cme, ms, satellite and crossband. There are 13 locator squares covering Denmark. Send sae plus 10p stamps for photocopy to G8VR for further information.

An interesting letter from Harold Wilson, EI2W, who was a regular contributor to this feature (and its predecessors) in years gone by, said that he had an urge to get back into active amateur radio because of the upsurge of interest in 50MHz. He sent a list of EI "firsts" on 50, 70, 144 and 432MHz, 27 of which he holds himself. On 50MHz during sunspot maximum periods he worked 3,020 QSOs with 45 states of the USA, and Canadian call areas VE1, 2, 3, 4. His home QTH is IO63ND.

David Doids, GM4WLT, said there was some response from his request in this column for "Tuesday night is 4 metre night". He plans to activate XP square on 70MHz this summer and is considering trying a "ZL special" antenna on this band, stretched across the street from his flat.

Paul, G4SXU (Harrogate), has had his callsign pirated on 144MHz from a station signing GD4SXU. Paul says he has never operated from GD and has no plans to do so, hence anyone using this call will be a phoney. What made it worse was that Paul was QRV on one part of the band when his "look-alike" was knocking them off on another, causing a certain amount of confusion among the locals.

David, GM4WLL, unearthed a paragraph from *Rad Com* December 1970, in which the writer complained that operators were "reactionary" about QRA locators, also that "searching the band" brought good results, especially from the Continent, this instead of calling CQ on the appropriate channel without checking to see who might be around. As Dave says, "Some things never change". On the same topic G11JUS wrote to say thanks from the GIs for suggesting that operators turn their antennas that way more often, "Much appreciated by GI vhf/uhf operators".

Some interesting propagation information relating to 50MHz submitted by Graham, G3TCT, must be held over until next month. Meanwhile do not miss his scholarly article in *Rad Com* July 1986.

News from Malta

VHF/UHF March 1986 contained information from Walter Gatt, 9H1DU, that the Maltese Amateur Radio League (MARL) was the organization on the island recognized by IARU, and that 9H1DU is the awards manager for the country.

The situation in Malta as regards the representative group or society has always been somewhat obscure, but Henry Souhel, 9H1CD, has now written with some words of explanation. There are, apparently, some 200 licensed amateurs in the islands which comprise Malta, and Henry sent me a list of all currently-licensed amateurs there, so if you need any 9H1 addresses for QSL purposes, send me a sae and I will gladly let you have the QTH you require. Henry says there are no less than four amateur radio organizations in Malta, each having its own awards manager. These are the MARL, the 9H VHF-UHF-SHF Group, the Gozo ARS, and the Amateur Radio, Electronics & Computer Club (AREC). I have told Henry in a letter that UK amateurs are most interested in making 9H1 contacts on vhf, and in claiming any awards which the country offers, but by and large we are not concerned with local issues provided we have a clear understanding of who should be approached in these matters. I must confess to being still somewhat confused since Henry says that all four groups have actively supported the annual 9H1 Falcon contest, one which some UK amateurs have entered in the past, so presumably entries could be sent to any of the four groups concerned. Whatever the local problems may be, we in the UK will always thrill when the 144MHz band gets that certain "feel" and the 9H1s start to come through via sporadic-E. There have been all too few occasions this year, so far, it would be great if 9H1 were ever to be authorized for 50MHz operation, since we could expect many more openings each year on this band than we normally get on 144MHz.

Micro-users' corner

Malcolm Fry, G6VHI, has up-dated his micro program for fax, mentioned in VHF/UHF April 1986, to make it "more user-friendly for disc-system users". He still hopes to publish a full article on the subject eventually, but meanwhile anyone wanting the details of the up-date should send an sae plus 20p in stamps for photocopying either to me or to Malcolm, QTHR.

In July VHF/UHF, G4JHM requested information on a meteor-scatter micro program, preferably for a Spectrum. I have said before that this column is like a human computer, pose a problem and someone out there comes up with the answer. In this case the response came from Don Ayris, G4GZA, who has such a program which he uses himself (as does veteran ms operator Johnny Stace, G3CCH), so anyone else wanting one please contact Don, QTHR. Don is also an amateur astronomer of some ability with a 10in reflector plus associated electronics in his home observatory. He sent me a photograph of Comet Halley which he took using this equipment and which testifies to his ability in this field. Don would be pleased to hear from others interested in astronomy—he is a member of the British Astronomical Association, and is presently engaged in the deep sky section, "about to engage in the Nova Patrol—real dx!"

Note from G8VR: Is there anyone out there who will write me some programs for an Acorn Electron? I seem to be the only guy in the UK who bought one of these way back when they were first introduced!

Motor-cycle mobile

On 22 June I worked G3ROZ/Mobile who was on the M1 en route to the Denby Dale mobile rally in S Yorks. Nothing unusual in that, you may think, except that the QRB was 100 miles plus, and Steve was on a motor cycle using ssb with horizontal polarization on 144MHz!



G3ROZ/Motor-cycle mobile 80W of ssb on 144MHz.

The photo shows the set-up in an appropriately-named location. The rig is a TR7010 and MRF247, capable of 80W to a halo or HB9CV mounted on the Honda CX500A (that's *not* a beam tetode by the way). Steve says wind noise can be a problem. He asks the organizers of mobile rallies which are held "in the sticks" to call on 144-300MHz occasionally, say every 15min. He once circled Droitwich rally several times because jokers had arranged the signs so that you followed a circular route if you obeyed them! Sanity was restored by fining numerous antenna-infested cars outside a pub and enquiring within "Is anyone here a radio amateur?", to have the entire bar respond "Yes, I am!"

Late news

In the tropo opening of 21 June, G0EAK (Harrogate), worked LA6HL/TF in RX square in rainy conditions, possibly the first G-TF contact by this mode.

On 50MHz on 21 July, Bill, G3BW, worked W2CAP/1 at 54 both ways while "three other W stations scented their heads off for G contacts". In this event, Graham, G3TCT, heard WA1OUB and W2CAP/1 weakly but made no contact. However, on 21 July, after hearing W1AW on 28MHz earlier, he heard locals on 50MHz working WA1OUB and made contact himself, followed by a QSO with K1JRW. Others heard were K1RSA, K1GPJ, W1QXX and K2QWD, the last sending QRZ. His conclusions were that the openings followed much the same pattern as last year's, being very selective geographically, with the south not so well favoured, and the log of Ted, G4UPS (Devon), supports this view. □

HF

John Allaway, G3FKM*

THE LIST of "pirate" Chinese callsigns received from CRSA and published in the July column has prompted G4UZN to point out that on cw only a dot separates a "B" from a "6"—and that surely, therefore, BY5HN and BY5SN could have been 6Y5HN and 6Y5FS! It would be interesting to know at what time the QSOs took place.

G4FFV has been receiving requests for QSLs from amateurs and listeners, mostly on the European continent, for VP8VK. She does not know anything about such a station and is certainly not his QSL manager.

G4UZQ would like information on the QSL routes for contacts he had with ZS3BI (March 1986) and 6W1KY (December 1984, operator "Otto"). Please telephone him at 0494 444280.

NQ4I will return to Guyana for the CQWW SSB Contest, and will operate as 8R1Z for up to five days before the contest when he will concentrate on 1.8 and 3.5MHz. Last year's operation brought 8R1Z to third position in the single-operator multi-band section. This year Rick will have better antennas—a pair of 1.8/3.5MHz slopers and Moseley Classic 33 on the roof of the hotel 165ft high. He will have a TS-930S and amplifier for all bands. On 1.8MHz he will look for Europe on 1,849kHz and will transmit on 1,827kHz. This will happen for the first 10min of each hour from 0200 to 0700.

Overseas news

Barry Woodcock, Z21GT/G4XPZ, writes from Gwern, Zimbabwe, to say that he has been on the air since 14 December 1985. However, he has had problems with his equipment and wishes to praise the efforts of ZS1SL who organized its repair. Barry reports that Gerry Wall, Z22KV, recently became a silent key and that he has bought his FT200. Conditions have been poor but KH6, VQ9 and VK6 have been worked. His usual operating time begins at 1500—when he is submerged by callers from Japan and usually limits himself to 12 QSOs. Useful information to those who are hoping to visit Zimbabwe is that well before travelling a visitor must apply for an import licence and a licence to possess a radio transmitter—this is *not* a transmitting licence. Application should be made to Posts & Telecommunications, HQ, PO Box 8061, Causeway, Harare. The responsible official is Mr H K Brides, who is most helpful. Two passport-type photographs are needed, and for short-term operation the visitors' callsign /Z2 is issued. For longer stays a full Z21 call is given. Barry emphasizes that the licence is issued to the equipment and the operator merely has a certificate of competence to use it.

The N California DX Foundation has elected new officers. They include Bob Ferrero, W6RJ, as president. Bob replaces Jack Troster, W6ISQ, who recently resigned after 15 years' outstanding service to the foundation. Jack has been elected trustee emeritus and will continue to act as advisor and to lead activities relating to the beacon network on 14,100kHz. Full details of how to support this excellent organization can be obtained from PO Box 2368, Stanford, Cal, 94305, USA.

G6ZY/EA6 reports that Spanish amateurs now have 18 and 24MHz. He claims the first-ever G-EA6 QSO on both bands when he worked G6ZO on 9 June, and the first with GM on 10MHz on 10 June when he worked GM3HBT. Stanley favours 18,070 and 24,900kHz and finds that his Tet three-element Yagi seems to work well as a rotary dipole on these bands.

G8PG reports that from 17 April the Spanish authorities reintroduced the morse test requirements for amateurs wishing to operate on the hf bands. This followed massive support from Spanish amateurs, many of whom—to show their disagreement with the "no morse test" decision—voluntarily undertook and passed the morse test despite being offered a "no code" licence. From the same date EA stations were allowed to use the full 10, 18 and 24MHz bands. Minimum age for holding a licence is now 13 years.

Hungarian amateurs are now allowed to use 10W of AIA between 1,830 and 2,000kHz.

DX News Sheet quotes information received from Barry, VP8WTW, who has been elected as secretary of the new Falkland Islands ARC. This was inaugurated at Mount Pleasant Airport on 3 June for the purpose of bringing together active VP8 amateurs and providing a QSL bureau. The club has the callsign VP8FIR, and correspondence should be sent to the

address given in "QTH Corner". Active members include VP8s WTW, BKK, BGX, GBO, LP, BTG, BJR, BKM, BKQ, and also G4YFB who was awaiting his VP8 call at the time of writing.

Ernie Stagneno, ZB2FK, who has been a member of the RSGB for some years, reports that his callsign is being pirated by someone who appears to operate on 7 and 14MHz cw mostly between 0400 and 0500. QSLs are arriving and are mostly from eastern Europe and giving his name as "Ernst".

The Malta Amateur Radio League (MARL) wishes to point out that all QSLs for Maltese amateurs should be sent to the official MARL QSL bureau at PO Box 575, Valletta, Malta.



Drew Glvens, GM3YOR. Licensed in 1969, he operates mainly cw on all bands 1.8 to 28MHz. Member of RSGB, ARRL, IDXF, NCDXF and RAFARS. Has operated from OY, TF, 9L, ZB2, VP2M and the Shelland Is

DX news

Leaders of the CRSA were due to meet during August, and the outcome may include the licensing of individual stations and licences for foreigners. There is now a Chinese net which meets at 0200 on Tuesdays on 14,330kHz. *DX News Sheet* reports that the new BY4SZ station has an FT1 and FT757 with "caged dipole" antennas. BY4RB opened on 22 June and has an FT77 and an IC551.

The *Long Island DX Bulletin* reports that there are 15 new club stations in India—supplied by the Indian National Institute of Amateur Radio. These are located in state capitals. The same news source says that KM1R, now back from Vietnam, confirms that neither he nor OK1AWZ were able to obtain an XV licence. Vietnamese law prohibits the import of any transmitting equipment into the country.

KC6IN, located in the Federated States of Micronesia (ie the East Carolines), is often active on 14,185kHz between 0500 and 0600. To mark the 25th anniversary of the Amateur Radio Association of New Caledonia, FK stations are permitted to use the prefix FK25 between 9 August and the end of 1986. From the Solomon Is JR6CMB is on the air as H44JA on 7 and 21MHz ssb. He will remain there until the end of 1987.

ZLIAMO still has logs and QSLs for contacts made as follows: VR6HI (March–April 1979); ZK1MB (Aug 1979); A35EA, ZK2EA, 5W1CW (Aug–Sept 1980); H44RW (Apr–May 1981); YJ8RW (Nov–Dec 1981); 3D2RW (Sept 1982); ZK1CQ (Aug 79 and April 82); ZLIAMO/C (Nov–Dec 80 and Mar–Apr 83); ZK9RW (Oct 83); ZL8AMO (Mar 84); ZL7AMO (May–June 84); FW0BX (Oct 84); A35EA (March 85); 5W1CW (Nov 85); A35EA, 5W1CW, ZK3RW, (Mar–April 86); and ZL7AA. Ron's address is 28 Chorley Avenue, Auckland 8, New Zealand.

AH9AD is still very active and checks into the RA4HA net which meets

*10 Knightow Road, Birmingham B17 8QB



Edwin Chicken, MBE, G3BIK, of Morpeth, Northumberland, operating from Santiago de Chile in June 1986

on 14,175kHz at noon, and also into the net on 14,220kHz around 0800.

There may be another station on the air from Amsterdam Is from November. This will be operated by F6GWO.

Mike Smedal, A7IAD, has recovered his log books from the Qatar Telecoms Authority and can now resume QSLing A7IAD and A7XD contacts. He is now in Cyprus as SB4TI.

ON7IP/ST is to be found between 14,176 and 14,195kHz often around 2230.

GM3YOR will be in Sri Lanka on vacation in October, and hopes to be active as GM3YOR/4S7 from 14 to 28 October, mainly on cw on the following frequencies: 3,503, 7,003, 14,033, 21,033 and 28,033kHz. He may also operate on ssb during the CQ WW Phone Contest.

Welcome . . .

. . . to the following who joined the Society during June: BY1QH, DK8ZV, EH4ALE, EH4BS, F6APB, HE9VGE, K3BN, LA3PT, N9FJO, OZ9YO, SV5RW, VK2XXX, ZS6AFA, 9LINS, 9LIRR, 9LIRA, 4Z4IO and SB4BBC. Among the listeners who joined were M Carshalton (Z), M Seannell (EI), J Coleman (EI) and R Dueno (KP4).

1986 28MHz COUNTRIES TABLE

G4JBR—89	G0AGP—69	G4DXW—35
G3VOF—84	G4XAH—67	G3BXM—31 (QRP)
G3XQU—79	G4MUW—61	4B4DN—2
G0AEV—76	G0DNV—57	G4YWG—1
G4RAB—74 (ssb)		

28MHz propagation—Part 2

Between 27 April and 26 May, EA3FHC and G8PG carried out a monitoring experiment on the band, both using QRP (3W or less), the object being to examine sporadic-E propagation from two widely-separated points in Europe. During the period EA3FHC (Barcelona) had 206 QSOs with 27 countries including OD, TZ, 4X and VU. The latter must have been F-layer rather than Es. G8PG had 104 QSOs with 24 countries, the best distance being to UA3. Although EA3FHC, as expected, did much better to the south, his most northerly contact was OZ, whereas G8PG worked LA, SM, UP, UQ and UR. The most interesting contact from G8PG was after the test period at 1121 on 7 June, when ZC4CZ was worked. This was almost certainly either full two-hop Es, or F at the ZC and Es at the G end. One does not hear much about the latter but it is probably more common than most people realize. From northwest England the band was open for 65 per cent of the days in May, and for the period 27 May to 24 June it was open on three days out of four.

SSTV

Until recently, users of the Walter Wrasse SC-1 slow-scan converters and Robot 1200C and 450C slow-scan converters have found their 24 and 48s line sequential colour systems incompatible and not interchangeable. The exception has been in the case of G3OQD, QTHR, who has developed his home designed and built slow-scan converter to cope with both systems most satisfactorily. Martin has now developed a substitute eprom for the

QTH CORNER

FH5EB Box 110, Dzaoudzi, Mayotte 97610.
 F00FB R Forbes, WB6GFJ, PO Box 1, Los Altos, Cal, 94022, USA.
 HC1MD/H8 J Kroll, K8LJG, 3528 Craig Dr, Ftni, Mich, 48508, USA.
 SX1MBA RAAG OSL Bureau, PO Box 3564, GR 102-00, Athens, Greece.
 TA1A Dr Ural Akbal, Box 787, Istanbul 34435, Turkey.
 TA3B Mustafa Tandogan, Box 839, 35214 Izmir, Turkey.
 VP8FIR Falkland Is Radio Club, PO Box 260, Mt Pleasant Atrpoil, Falkland Is.
 VR6HU (see ZK1XP).
 YM3KA Box 937, Izmir, Turkey.
 ZF2AH via W3HNK, Box 73, Edgemont, Pa, 19028, USA.
 ZK1XP H Layton, G4AAL, 341 Slourbridge Rd, Bromsgrove, Worcs B61 0BN.
 ZK1XV R Crosby, VK2BCH, Box 344, Forster 2428, NSW, Australia.
 ZL7BKM ZL2HE, A Law, Mangalore, Private Bag, Dannervirke, New Zealand.
 4M4A M Manalo, 2419 Willow St, Wesleyville, Pa, 16510, USA.
 4X8T Box 2002, Tel Aviv, Israel.
 8R1Z WIAK, Carol Shrader, 4065 Ophie Dr Manella, Ga, 30066, USA.
 9H QSLs MARL OSL Bureau, PO Box 575, Valtella, Malta.

Robot 1200C to completely overcome the incompatibility with excellent colour results and without affecting the normal functions of the unit in any way, and no extra switches are needed. G3WW, who has both these commercial systems, reports that he has fitted this modification and that it is fascinating to watch the 1200C automatically changing frame speeds and checking that it is being done on the SC-1's monitors.

Award

RAAG Award

Offered to all licensed amateurs and listeners who have verified evidence of contacts with amateurs in Greece since 1 January 1975. At least seven stations from the call areas SV1 to SV9 must have been worked or heard. There are no band or mode limitations. Send certified copy of log extracts plus US\$2 or eight lice to: RAAG Award Manager, PO Box 3564, 102 10 GR Athens, Greece.

Contests

Scandinavian Activity Contest

1500 20 September to 1800 21 September (CW)

1500 27 September to 1800 28 September (Phone)

European entrants work Scandinavia. Single-operator all-band and single-operator all-band QRP, multi-operator single-transmitter all bands (which must remain on a band for at least 10min after the first QSO on it following a band change), and listener sections. 3.5 to 28MHz according to IARU band plans—please note that there are 3,560–3,600, 3,650–3,700, 14,060–14,125 and 14,300–14,350kHz should be kept clear of contest traffic. Exchange RS/T plus serial number (from 001). The same station may be worked once on each band. Europeans score one point per QSO, and the multipliers are the different call areas worked on each band added together. Portable stations without a district number count as "0" (ie G3XYZ/LA = LA0). QH0 and QM0 are separate call areas. Final score is total QSO points times multiplier, and logs must show date, time, station worked, numbers sent and received, band, and multiplier. Listener logs must contain date, time, Scandinavian station heard and message being sent by it, own report, station being worked, and multiplier and points claimed. All entrants must submit a "dupe" sheet if more than 200 QSOs are made on a band, and stations on this should be listed by DXCC country and call area. The usual summary sheet is required, and entries should be sent to EDR Contest Manager QZ1LO, Leif Qitosen, Bankvejen 12, Kong, DK-4750 Lundby, Denmark, and be mailed no later than 30 October. Copies of rules are available from G3FKM (see please).

VK/ZL/Oceania Contest

1000 4 October to 1000 5 October (ssb)

1000 11 October to 1000 12 October (cw)

A maximum of 12h operating time may be done in one hour blocks, based on the even hour to the even hour (eg 1000–1100, 1300–1400 etc) and with minimum periods of 1h. The receiving section combines ssb and cw as above with a maximum of 24h. One QSO per band on all but WARC bands. Two points are scored for each QSO with VK, ZL and Oceania, and exchanges consist of RS/T plus serial numbers from 001. The multiplier is the sum of all VK/ZL/Oceania prefixes worked from each band, and Oceania stations are those which qualify for that continent for WAC. Submit separate logs for each band and for each section, show date, time, call sign, numbers sent and received. Underline each new prefix and state VK/ZL/Q prefix claimed for each band. Summary sheet must show call sign, name and address, total points claimed for each band, total multipliers on each band, points claimed and the usual declaration. Post to NZART Contest Manager ZL2GX, 152 Lytton Rd, Gisborne, New Zealand, to arrive by 15 February 1987. Copies of rules are available from G3FKM (see please).

AGCW-DL Straight Key Party

1300 10 1600 4 October

CW only, 7,010–7,040kHz. Open to any licensed amateur using a straight key, and to listeners. Call "CQ HTP". Class A 10W input, Class B 100W input, and Class C 300W input. Class D is swl. Send RST plus QSO number, class name, and age (y/s send "XX"). Points: QSOs between Class A and Class A = 9, Class A with B = 7, Class A with C = 5, Class B with B = 4, Class B with C = 3, and Class C with C = 2. Log time, band, call, numbers sent and received, class, description of station, points calculation and declaration. Submit by 31 October to Friedrich Fabri, DF1QY, Vor dem Steintor 3, D-3017 Pallenzen, FR Germany. For results list enclose an lic.

IX Concurso Ibero-Americano

2000 4 October to 2000 5 October

Work anyone. 1.8 to 28MHz, phone only. Class B is single-operator non-South American and Class D multi-operator non-South American. Exchange RS plus serial QSO number. Stations may be worked once per band. QSOs with Latin America count three points, with others one point. The multiplier is Latin American DXCC countries worked on each band. These are: CE, CO, CP, CR,

CT, CX C3, C9, DU, EA, HC, HI, HK, HP, HR, HT, KP4, LU, OA, PY, TG, TI, XE, YS, YV, ZP, 3C and their DXCC dependencies. Logs must show time, numbers sent and received, if multiplier, and points and duplicates must be clearly marked. Post before 30 November to IX Concurso Ibero-Americano, Gran Via de les Corts Catalanes, 594, 08007 Barcelona, Spain. A participation certificate will be given to those making 50 OSOs, and an award to the leader in each DXCC country.

Loano Elettra

0000 15 September to 2400 15 October

Phone and cw on 1-8 to 28MHz and vhf and uhl. Italian stations may only use 3,613-3,627 and 3,647-3,667kHz on the 3-5MHz band. Work stations in the Loano Division of ART—they will use special prefixes IOI and IYI, and visitors will use these as suffixes. Loana stations will give RS/T, QTH and progressive OSO number (from 001). Others only give RS/T. Each QSO is worth one point, and stations may be worked repeatedly on "different frequencies". The multiplier is the number of Loana stations worked—each counts once only. Listeners may enter. Logs should show date, gmt, station worked, exchanges and score claimed. Post before 15 November to IIXYN, ARI, Loana, CP16, 17025 Loana SV, Italy. The "Loano-Elettra" certificate showing Marconi's boat, will be awarded to all who make at least 2,000 points, and applicants should send US\$5 to 10 lrcs to the competition manager, IIXYN.

N California QSO Party

1600 27 September to 2200 28 September

Copies of rules available from G3FKM (saes please).

Band reports

Once again a good batch of reporters who managed to notice the slightly early deadline. Thankfully, things will be back to normal for the next issue. Those who contributed include: G2HKU, G3YY, G5BM, G5JL, GM3CSM, G3s GVV, KSH, PJT, XBM, G4s EHQ, JBR, GW4KGR, G4s LRS, MUW, RAB, UOL, UZN, XAH, G0s AEV, AGP, DNV, and RSs 10906 and 88639.

Stations listed in italics were using A1A.

1-8MHz 0300 C30C, C30BAN. 2200 OH0MDIOJO, ON4UN (?), UA2FGA, UA9AJX, 2300 UP2BW.

3-5MHz 0300 HC5EA, W1-W4, W0.0400 C30BAN, W5XZ, 0500 FM5WU, VE1CCX (P.E.I.), ZL2BT. 2100 S79BV. 2200 CX9CO, JA4CYG, ZS6BWY, 2300 OH0NYOJO, YB0WR, I0SNVZB2, ZS5BK.

7MHz 0000 ZF2CD, 0100 CE, FY4EE, T14BGA8. 0400 HK6BFC, T120Y, 0500

C30BBC, CE0ZIG, CO, FM5BW, GB0SWRMM (nr. VR6), HK, LU, OA, PY, VK2-5, VK7, ZF2AH, ZL2-4, 9J2BO. 0600 OH0MD, R9AL, VK, 6F3RT, 1300 OYI OZ3QN. 1800 HB0DL5BB, 2100 OH0MD/OJO. 2200 SX1MBA, I0SNVZB2, ZS1JJ, 2300 HBLC, SV9CG.

10MHz 0400 W7s, ZL2ADX. 0500 VK3, ZC4JV. 0600 K5HKIKP2, VK2-5, ZL3. 0700 OY7ML, VK5FE, W1HMDJ4, 0800 C30C, VY1BVJ, 1600 OY1R, 4U1ITU, 2000 FPIK1RH, LU, OA, W1,2,4. 2100 VE1-3, W1-4. 2200 CT1YH, FM5WD, OY1R, 7X2AX.

14MHz 0400 W6-7. 0500 JY9RL, VQ9RN, VU2BK. 0600 FO8DP, KL7s, VE8DX, W6-7. 0700 FO0ASJ, KL7s, VY1CO, ZK1XV, 5W1DZ, TM3KA, SX1MBA. 0800 T8CBT, TR8CR, Y1BGD. 0900 DU0RLC, 3C0A, 1000 C30C, FR5DX, OH0MD/OJO, OH1RY5B4. 1300 JA (to 2000). 1400 K6AV, UZ0AXX, W6HX. 1600 A4XJL, RVOYF, VK6WG, VU. 1700 WB5IZH/KH8, UV100, 1800 HL1JE, HS3CE, NN7X(Ar12), VQ9WZ, 5X5GK. 1900 A92EM, VY1CO, W6, OE3EMN/YK, 3C0A, 9LTAR, 9X5DH. 2000 BT1BK, OD5RH, VP8MT, ZD8TT. 2100 FH5DX, ON7IP/ST2, V44KI, Xes, 5B4MF, 2200 AL7BL, VK, W6-7, ZF1JT, ZF2BN, 3C0BX, 4U1UN. 2300 J88BK, OK1XC/JT, KG4XO, VP2MU.

18MHz 0700 DL, F, I, LA, OE, OZ, SM, Y, YU. 0900 G6ZYEA6, SV0AH. 1100 PY7XC, YU7AOP, 1400 ZS2A. 1500 C30BAV, F, Y, 1800 EA, PY. 2000 AZ1ARU, G6ZYEA6, EA8, F, PY. 2000 FM5s BH, WD, OA4IU, OY1R. 2200 SM5HVHK7, HH2CF.

21MHz 0800 TA1D, YM3KA, ZS3BG. 0900 AP2P. 1100 HV1CN. 1800 I0SNV/ZB2, 9J2BO. 1800 C30C, HC5EA, OD5TC, 5N4TME, 9X5WB. 1900 CE, LU, PY, PZ1DV, TA2G, 6W1AD. 2000 FM4DN, VP2MU. 2100 AZ1ARU/5, 9YNW. 2200 HK, T15CMM, Y1BGD, YV, ZF2FN, 5K3LR.

24MHz 0700 DL, EA6, HB, I, Y. 1500 DL, G6ZYEA6, EA, HB, LA, SM. 1900 KV4AD.

28MHz 0700 OD5s AS, PL, 5B4DN. 0800 OD5WW, TK5EP, UG7GWL, I0SNV/ZB2. 1000 ZB2IF. 1100 A71BK. 1200 A92DZ, VE1BNN, 4X6. 1300 C30BXX/P. 1400 7X2VMK, 9J2LG. 1500 EA9MM, LU1HOO, OH0BA, VU2CVP, ZS1DL. 1600 U8BGS. 1700 CE3ESS, PP5OV, 3A2LF, 4U1ITU. 1800 CN2AQ, CU2DG, LX2PR, NP4A, TA2A, T77C, UM8MIG, OY/DL3LAB, 5N6GM, 2000 OH0MD/OJO. 2100 CE0ERY, NP4A, PZ1DV, W1-4 (to 2300). 2200 CE, LU, PY, 3C0A, 8R1RPN.

As usual, thanks are due to the editors of the following for information extracted: The *Ex-G Radio Club Bulletin* (G13OEN/W6), *Long Skip* (VE31PR), *Lynx DX Group Bulletin* (EA2JGO), *DX Family Newsletter* (JH1KRC), *DX'press* (PA3CXC), *CQ Magazine* (W1WY), *DXNL* (DL3RK), *Long Island DX Bulletin* (W2IYX), and *DX News Sheet* (G4DYO).

Please send everything for the November issue to reach G3FKM by 25 September.

HF F-layer propagation predictions for September 1986

The time is presented vertically at two-hour intervals 00(00)gmt to 22(00)gmt for each band, ie 0 = 0000, 1 = 0100, 2 = 0200, etc.

The probability of signals being heard is given on a 0 (indicated by a dot) to a 9 scale; the higher the number the greater the probability, with 1 meaning 10 to 19 per cent of days, and so on. Additionally 50MHz F-layer and 1-8MHz openings are indicated by a plus (+) sign in the 28 and 3-5MHz columns respectively.

Time / CMT	28MHz	24MHz	21MHz	18MHz	14MHz	10MHz	7MHz	3-5MHz
***EUROPE	0000001111122	0000001111122	0000001111122	0000001111122	0000001111122	0000001111122	0000001111122	0000001111122
MOSCOW	024680246802	024680246802	024680246802	024680246802	024680246802	024680246802	024680246802	024680246802
MALTA11.....133222..35666662..1555556003	645322224688	+52.....3+1
GIBRALTAR2322341..26666785..26666785..11665567894	876532234789	+52.....4+1
ICELAND111131..4554475..276556893276556893	645633334688	+442.....3+1
***ASIA243342..136656772136656772136656772	532543334677	+442.....3+1
OSAKA11.....11.....13442.....23222321..1.....14513.....
HONGKONG11.....121.....244422.....2222465..147342
BANGKOK11.....12333.....23544.....1222135..147424
SINGAPORE11.....12333.....23545651..1222476..147124
NEW DELHI11111.....12333.....23445541..1111222663	41.....1478	3.....24
TEHRAN121221..2343443..43445673..	215211224704	741.....1478	+2.....24
COLOMBO1212.....124342.....224455.....1224243	21.....1478	3.....24
BAHRAIN1232231..2344453..33345672..	3121.....24775	841.....1478	+2.....4
CYPRUS1343344..35656642..1666667972	645433345897	98521113589	+2.....2+1
ADEN123345..2345672..3224576..	4121.....124745	851.....1478	+3.....4
***OCEANIA1.....1.....1232.3..33222.62..31.....14..
SUVA/S1.....1.....2.....5..521.....23..31.....31..
SUVA/L1.....1.....1211.....43222.....2..31.....131..
WELLINGTON/S1.....1.....1.....1.....1.....
WELLINGTON/L1.....1.....1.....1.....1.....
SYDNEY/S1.....1.....34311.....3322221.....11.....1631
SYDNEY/L1.....1.....2.....2.....2.....4311.....31
PERTH12.....2341.....35531.....	1113222232	1.....1461242
HONOLULU1.....1.....31.....2211.231..131.....11..
***AFRICA11121..1233453..23456761..322457851	3121.....224786	841.....1478
SEYCHELLES11221..1244554..24556771..333456861	1111.1224786	731.....1478
MAURITIUS11.....23366..42235686..	4.22.....24785	832.....1478	+5.....4
NAIROBI1221..24433..245676..43335687..	3.13.....124685	854.....1478
HARARE1221..13441..335773..45445686..421124682	5642.....1477
CAPE TOWN1233..13455..3356782..5456894..35323688..	12.52.....3604
LAGOS23.....11451..3223683..5444686..6433479..	13.31.....1585
ASCENSION Is13.....12351..2334584..5445687..6433479..	131341.....1485
DAKAR11131..2332363..4554586..176667892	55224434688	89753112379
LAS PALMAS121.....23531..45662.....345666..	111122223554	67631.....1124
***S. AMERICA11241..133574..555676..445571..	1.....312222345	75541.....15
ST. HELENA11141..333974..554576..543571..	241.....221.257	78621.....27
R DE JANEIRO141.....322364..544576..3444561..	241.....2211236	78631.....15
BUENOS AIRES11.....11133..32245..3433242	331.2221.....24	78621.....2
LIMA1122..32244..3432243..	331.2221.....25	78621.....2	5+5.....
BOGOTA11.....11133..332245..5423363	331.132.....136	88621.....14
***N. AMERICA11.....11133..332245..432342	32.....221.....24	6851.....2
BARBADOS11.....11.....22233..2433453	42.....221136	7851.....13
JAMAICA11.....11.....11122..343352	31.....2221135	674.....2
BERMUDA11.....11.....1122..243221	21.....221.....2	36411.....
NEW YORK11.....11.....11112..333442	31.....2221234	6741.....12
MEXICO11.....11.....11112..22221	2.....122112	2441.....
MONTREAL11.....11.....11112..1212	1.....22111	13421.....
DENVER11.....11.....11112..122	1.....113211	12321.....
LOS ANGELES11.....11.....11112..12122112321	1.231.....111
VANCOUVER11.....11.....11112..12122112321	1.231.....111
FAIRBANKS11.....11.....11112..12122112321	1.231.....111

No sunspot information has been received from SIDC Brussels in time for this issue

SWL

Bob Treacher, BRS 32525*

Fourth HF Challenge

As the three previous hf challenges have proved to be successful, the fourth challenge will take place to coincide with the ssb and cw legs of the CQ WW DX Contests. The ssb leg will therefore take place from 0000 25 October to 2359 26 October, with the cw leg from 0000 29 November to 2359 30 November. As usual, the idea will be to log as many countries as possible. Only one station from each DXCC country can be logged on each of the six bands. The full rules are as follows:

- (1) Entries may be single-band or multi-band, but not both.
- (2) Each different country heard on each band will count for points. (a) Countries in the swl's own continent counts one point on 28, 21 and 14MHz, two points on 7 and 3.5MHz, and three points on 1.8MHz. (b) Countries outside the swl's own continent counts three points on 28, 21 and 14MHz, five points on 7 and 3.5MHz and 10 points on 1.8MHz.
- (3) The final score should be calculated as follows:
 - (a) Single-band entries—the total points should be added together and multiplied by the number of DXCC countries heard (eg 180 points x 80 countries = 14,400).
 - (b) Multi-band entries—the total points from each band must be added together and multiplied by the total number of DXCC countries heard on each band.
- (4) Entries must be on standard sized log sheets and written legibly and in ink. A multiplier check list showing the countries heard on each band in alphabetical order must accompany each log.
- (5) Entries showing the full call sign of the station heard, the station being worked, the time and signal strength of the station heard. (Any entry of less than R3S3 will be deleted from the log—signals just are not R2S1 on 14MHz!) Logs should be sent to Bob Treacher, BRS32525, 93 Elbank Road, Eltham, London SE9 1QJ, to arrive no later than 24 November for the ssb leg and 22 December for the cw event.

1.8MHz successes

My reference to listeners with good 1.8MHz scores prompted four responses. BRSs 25429, 52543 and 1066 adding to my own entry. Firstly, the table:

Station	Countries heard	1.8MHz DXCC Countries confirmed	Mode
BRS25429	110	101	ssb
BRS32525	105	73	ssb
BRS1066	90	77	cw
BRS52543	83	0	ssb

Let us start with David's superb effort. He started listening on 1.8MHz seriously some time ago, the magic three figures taking a few years to materialize. David is very thorough with his QSLing and achieved the 100th confirmation earlier this year. His best confirmations are from CY0SP1, 6Y5NR/KP1, NR5M/KP5, OA4ZV and 5V8WS.

My effort to reach 100 countries heard suddenly gained momentum once the various administrations released the band to the amateur fraternity, the last 30 countries taking only two years. The highlight was most certainly hearing ZL3GQ at such good strength, logging CE8ABF working stations in the USA, and getting solid copy on a number of occasions from VU2GDG. Brad, BRS1066, still has 10 to go to reach the three figures. His best QSL is from 5A3CJ from a logging in 1963. Other choice cards have come in from HZ, J28, KP2, VK6, V2A, 3B9 and 5N2. Martin, BRS52543, needs 17 to reach the three-figure target, something he hopes to manage in the next two dx seasons. He does not send QSL cards, thus the zero in the confirmations column of the table. Hopefully, this piece will inspire other listeners to write with details of their 1.8MHz dx work. There must be other swls around the world who are near to or over the 100 mark.

HF news

Once again, not too many reports of hf activity. It must be summer! The major news had been the Annobon/Pagalu expedition, 3C0A. The expedition had certainly put big signals into G-land. On 7MHz ssb they were constantly 59. They had also been heard on 28MHz, and David Whitaker managed to get good copy on 3.5MHz for No. 246 on that band. Also reported was TZ6LPY on 7MHz ssb. Malcolm Harrington, BRS20249, mentioned Europeans on 28MHz, and V2AK and AP2MQ as his best dx of the month. Colin Watson, BRS46598, reported much activity on 14MHz, and noted V44KQ, VP2MDG and OD5YF. Mick Toms, BRS31976, had been going quite well on 28MHz. Apart from Es Europeans, he had heard stations from C5, CX, CP, EL, KP4, LU, PZ, T1, V4, VP5, VP8, XE, Z2, 3D6 and 5Z4.

*93 Elbank Road, Eltham, London SE9 1QJ.

1986 UHF/VHF Table

Station	Loc.	(Updates only)		70MHz		144MHz		432MHz		Total
		Squares	DXCC	Squares	DXCC	Squares	DXCC	Squares	DXCC	
BRS32525	JO01	0	0	68	15	27	7			117
BRS25429	IO93	0	0	61	16	25	8			110
BRS52543	IO83	11	3	39	12	18	5			88
BRS31976	JO01	2	1	51	20	0	0			74
F11ATZ	JN15	0	0	16	6	2	1			25
BRS62088	JO01	0	0	14	6	2	1			23

All-time countries table

Station	28	21	14	7	3.5	1.8	Total	Mode
BRS25429	280	314	337	258	245	110	1544	ssb
BRS32525	268	306	320	265	266	105	1530	ssb
BRS8841	256	293	317	244	227	68	1405	ssb/cw
BRS48909	216	255	275	205	189	80	1220	ssb
BRS52543	195	241	259	201	185	80	1161	ssb
BRS50134	178	218	244	185	175	89	1089	ssb/cw
BRS1066	195	210	270	174	128	90	1067	ssb/cw
ORS45992	215	259	275	159	134	16	1058	ssb
F11ATZ	203	197	232	75	98	33	838	ssb
Average	223	255	281	196	183	75	1213	

Dave Whitaker mentioned a card from AZ1A (South Orkneys) on 3.5MHz. He also recalled the second of the WRARS 28MHz Activity Periods when 17 European countries were heard at his QTH, and a DL was heard to say that he had worked VE1BNN on multi-hop sporadic-E. Some Central-European stations were heard working into Asia.

VHF corner

At the time of penning this piece, conditions at vhf and uhf had been good. Firstly, let us catch up with Mick Toms' vhf activities. Several small ms showers had produced OK2PZW, 1W2BNA (EF) and EA6VQ for country No 30 and square No 140 on 144MHz. The QSLs had been coming in apace, including direct returns from I, SP and Y. Mick now has 63 squares confirmed in 20 countries. On 9 June he heard OE9CAK working a DL, but no other dx was audible.

Martin Parry, BRS 52543, mentioned YU1CF (KN03) and YU1LA (KN04) during the 7 June sporadic-E. Moving on to the tropo conditions from 20 to 22 June, Martin (YN) heard stations from CN, EQ, EK, DL and DK squares, while on 432MHz stations located in CL, CM, CN and DL squares were heard. From a /P location (IO76XH) Colin Watson heard stations in DL on 21 June, but he gave no call signs or locators. LA7OO was heard on fm. Back home, LA8OJ was copied on ssb. Further south, Dave Whitaker (ZN) had a good time on 432MHz with DL6LAU (P/O) giving a new locator. Other good dx was DL0EM/P (DN), DG2BBF (EN) and OZ1KMU (EQ). GM6TQF (YP) and GM4YPZ (YQ) were also heard. On 144MHz LA1BM (CT) and numerous OZs in EP, EQ and ER squares. David reported that OY9JD had worked into ON and PA on 144 and 432MHz, and Martin Parry mentions OY9RD/P had worked into PA on 1,296MHz. Even further south, in JO01, conditions to northern GM were good on 20 June with GM1SZF (JO88), GM4NH1 (JO87) and GM6RGN (IP90) logged. GM4NH1 was also heard on 432MHz. On 21 June conditions were fair to DL, ON and PA, with the best dx only DL0SY/P (JO44).

Moving on a few days, to 26 to 29 June, F3VG/P (JN35) was good copy for long periods on the 26th in London, but further north and west stations in JN33 and 34 were being worked. The 28th saw conditions to HB9 and into the E line of DL. The evening of 29th June saw Joan, BRS62088, logging PA and OZ on 144MHz, while the om was busy having a field day into Scandinavia on 432MHz. OZ1BUR and OZ1KLU (both JO46), OZ1HNE (JO57), LA1ZE and LA41W (both CS) and SM6GWA (JO58) were heard around 2300. On 144MHz LA1BM (CT) was probably the best dx heard, while there were plenty of DLs and OZs to be had. Up north, Dave Whitaker reported a "fairly boring night". On 432MHz several OZs were heard, together with DLs and PA0s.

Andy Smith, GUIDWO/BRS50134, mentioned IW9AUH/9 via Es on 6 June, but nothing further by this mode until UB5DAA (KN18) was worked at 1635 on 1 July. Another Es event occurred on 2 July from 1600 to 1630 when UAs and UB5s in exotic squares were worked. Alas, I was at the office! As I pen this late piece, a fine Es opening has occurred to mid-SM—JO79, 89 and 99—and OH1AWW in KP10DL. More on this next month.

Finale

News, views and table scores for inclusion in the November issue must reach me no later than Monday 15 September, with late copy by Tuesday 23 September.

MICROWAVES

Mike Dixon, G3PFR*

More strange propagation on 1.3GHz

Arising from my comments in the July column, two more reports of strange propagation have come to hand.

The first, from Martin, G6ETA, of Whitstable, reported an occurrence on 28 June at 0900gmt. Martin said: "I worked Alec, G4PEC, by 'tail-ending' his QSO with, I think, G8XIR. The interesting thing was that I was beaming just south of the PA0QHN beacon to do so. Turning the beam (four by 23-element F9FT) to the north resulted in loss of signal. Alec was audible here until about 0920gmt when he faded out. I am 6km west of Herne Bay, where Pete, G6YLO, who raised the topic last year, lives."

The second report came from Jonathan, G4KLX, of Wirksworth, who said: "The first time I experienced it was on VHF NFD in 1984 when operating the Parallel Lines Contest Group 1.3GHz station from AN square. During the NFD, conditions had been very good and around dinner time on the Sunday we were calling CQ while beaming east and were called by GM3ZBE/P in YQ/YR. His signal was very weak, so we turned the antenna north and he disappeared. We promptly put the beam back east and completed the contact. He was very weak, being only a few decibels above the noise level—we discussed it after the contest but came to no conclusion as to the reasons. For the record, we were running 100W to eight by 23-element F9FT antennas and a GaAsfet preamp."

Jonathan went on to say: "I noticed the anomaly again in the good conditions at the end of June 1986. On 28 June I heard GM6MGS/P (YR) working a PA in CL with 5/9 reports both ways. The PA was 5/9 here, and the GM 5/1 with QSB plus radar noise. I called him while beaming southeast to D1 square. He received my call and we both turned our beams—he disappeared. I turned my beam back southeast and heard nothing more. About 30min later (2305gmt) I was beaming east to DM/DN and came across PEIAKJ (DM) calling the GM. The PE was 5/9 and the GM 5/1 with QSB to noise—the two were exchanging 5/9 plus reports. I called the GM again, this time neither of us turned our beams and just managed to make a contact, but it was very difficult. I was hearing PAs as far as the German border, but the DL stations were much weaker than I would have expected—DC9XO (EM, 500W to a 2m dish) was 5/2-ish—I would have expected the usual very strong signal from him under these conditions. To me this indicates some kind of boundary condition existing approximately where the GMs and my beam crossed, so to speak. Finally, on 29 June I heard G4PMK calling CQ on cw while I was beaming southeast—I assumed I was hearing him off a side-lobe but, turning the beam south, he disappeared. We did not make a contact so I do not know where he was beaming at the time."

"1.3GHz" radar

A most interesting letter regarding the sources of radar signals on 1.3GHz was received from John, BR57607 ("hopefully shortly a G1, currently active on 934MHz—almost microwaves") of Hampshire. John is an Air Traffic Control officer and he opened his letter with "—may I give a few words of explanation, but I suspect of little comfort (unless you regard the provision of 'beacons' as something of a consolation)—". He then briefly outlined the development of ATC radar, first the "long" range 600MHz and then the "short" range 3GHz radar, saying that the latter is in regular use but that the former "is not ideal as it shows too little weather, and aircraft responses are poor due to the relatively larger beamwidths of the radars". It appears that a Plessey system with sites in Shropshire (and most microwave enthusiasts will know that site) and north Devon were the first to operate at 1.3GHz in the early 'seventies. Recently the CAA has commenced a replacement programme for the 600MHz system, based on 1.3GHz. Thus we can expect signals from Heathrow, Didsbury (Essex), Sussex, Claxby (Lincs) Great Dun Fell (N Pennines), the Isle of Treen and the vicinity of Gatwick as well as the original two sites mentioned above. The equipment in current use is of Philips design, and similar radars are sited throughout Europe "and indeed the rest of the world". John's closing comment was: "A trip round Farnborough in September may reveal a lot more European sites". From this it appears that as secondary band users we will, indeed, have to learn to live with a growing problem of co-existence. Maybe the choice of this frequency (to reveal weather) has a bearing on the propagation anomalies reported earlier.

*"Woodsstock", Gaze Bank, Norley, Warrington, Cheshire WA6 8LL.

Operating news in brief

On 1.3GHz, Martin, G6ETA (mentioned above), between 28 and 29 June worked two GMs, two OZs, two SMs and one PA0 to give him three new countries and six new squares. The Norwegian beacons LA3UHG (up to 5/9 at times) and LA1UHG were heard, but no LA stations appeared to be active although conditions were extremely good to Scandinavia.

On 1.3 and 2.3GHz, Ian, G8IFT (Birmingham, IO82XJ) worked some nice DX as follows:

14 June	1.3GHz	DJ9BV	EN	812km
29 June	2.3GHz	PA0RDY	CM	470km
21 June	1.3GHz		"15+ PA0 etc"	
	2.3GHz	PA0WWM	JO22	441km
		PA0EZ	JO22	492km
		PA3BPC/P	JO21	421km
		DL0HC/P	JO41	733km
26 June	1.3GHz	HB9AMH/P	OH	876km
	2.3GHz	HB9AMH/P		

The latter contact was a "one-way" since Ian was unable to tune his receiver down to 2,308MHz: it may be remembered that it was indicated (March *Microwaves*) that the Swiss had special licences available for 2,308 to 2,312MHz only, and while HB9AMH was able to receive Ian's signal, the other way was not possible. Another good reason for common IARU Region 1 allocations!

Technical items

Dave, G4FRE, (and Charlie, G3WDG, and Petra, G4KGC) attended the Norwegian VHF/UHF Convention in Geilo, 6 to 8 June, reporting it to be well organized and attended. He commented on the "almost perpetual daylight" during the conference which rather upset the biological clock!

One most interesting feature of current microwave work in Norway is the development of microstrip circuits at 5.7 and 10GHz, using dielectric resonators as the tuning elements. We tend to think of the dielectric resonator as being the frequency determining element in GaAsfet two oscillators and converters. However, the resonators themselves have many more uses than this and are now available in the frequency range 1.54 to 25.3GHz. They consist of high-permittivity discs, rods or bars which exhibit extremely high Q (unloaded Q might be as high as 10,000 at 10GHz) which are used as tuned elements. In the dro they provide the feedback path between the gate and drain of the GaAsfet which makes the oscillator so temperature insensitive. They are tunable over a small range and can therefore be used to produce very compact filters; for example, to select the wanted harmonics from a comb produced by a varactor multiplier. LA6LCA produced an interesting paper at Geilo which described his use of the resonators on pcb microstrip to produce "non-waveguide" multipliers (1,296 to 10,368MHz), amplifiers, ordinary mixers and active bilateral mixers and filters for both 5.7 and 10GHz and, indeed a complete 10GHz non-waveguide transceiver with +24dBm output.

Sam, G4DDK, has obtained more information on the range of resonators available under the trade name of "Resonies", and made by Murata, and some information on their characteristics and uses will be appearing in the *Microwave Newsletter* very soon. Coupled with GaAsfets and pte pcb, we can expect a radical change in the amateur approach to microwave equipment any time now, away from "plumbing" and into microstrip.

Provocatively, can I say that it is high time that we, in the UK got away from the simple wideband concept and into narrowband using these modern technologies. The potential ease with which the newer technology can realize narrowband reception and transmission, especially in the upper bands (from 5.7 to 24GHz) must mean that really effective and comparatively simple equipment is just around the corner. Imagine 10 or 24GHz narrowband equipment where the waveguide cavities are replaced by little bits of ceramic either glued to a pcb or fixed to it with a plastic screw and mounting pillar! That is the simplicity which the ceramic resonator can offer to the constructor. Furthermore, alignment is likely to be easier and the temperature stability higher than with the "classical" WG coupled-cavity filters, where equipment may go off-tune in the field because of temperature changes.

The components service will be prepared to stock both selected ceramic resonators and unetched Duroid board just as soon as there is an active demand for them from users of the service. Can I ask readers to let the Microwave Committee know their needs? In the interests of economy (it is expensive) the Duroid may need to be offered in "standard" sizes, and suggestions as to what this size of sizes might be will also be welcomed—remember it will cost around £1 per square inch. Steve Davies, G4KNZ/ZL2AZQ, suggests some simple ways of producing microstrip (*Practical Wireless* August 1986) and strip design programs have appeared in the *Microwave Newsletter* (04/85, May and 08/85, September). Will not "go to it" and produce a design suitable for entry in the committee-sponsored constructional contest? (More of which anon.)

SATELLITES

Bob Phillips, G4IQQ*

Amsat—UK colloquium

The weekend of 5/6 July saw the first colloquium in this country dedicated to the subject of amateur satellites; in fact, it was probably the first in Europe. The event was organized by Amsat—UK in co-operation with the University of Surrey, and was attended by 174 delegates from all parts of the UK as well as North and South America, South Africa, Israel, Holland, Belgium, Norway, Sweden, Switzerland and the Federal Republic of Germany.

The event was opened by Dr Arthur Gee, G2UK, chairman of Amsat—UK, who then proceeded to give an overview of amateur satellites over the last 25 years. Arthur paid particular tribute to the efforts and far-sightedness of the late Roy Stevens, G2BVN, in ensuring the awareness of the IARU and the regulatory administrations to the developments in amateur satellite activities and the need for clearly identified frequency bands.

Ron Broadbent, G3AAJ, followed with a description of currently-operational satellites, and an indication of the types of equipment needed for adequate performance for transmission and reception. Ron highlighted the usefulness and widespread use of computers in many aspects of satellite operation, but he stressed that a computer is not a prerequisite. Indeed, much of the required information for successful operation is available in the form of orbital calendars or from other sources.

After lunch, I provided an introduction to some of the terminology used in satellite communications, concentrating on orbital elements and a description of the essential orbital parameters. Next came Phil Karn, KA9Q, well-known compiler of Keplerian elements for all the current amateur satellites. Phil provided an insight into the subject of orbit determination and co-ordinate systems, and described the planned method for achieving the required orbit for the Phase 3C satellite. In order to minimize the risk during orbit manoeuvres, it is planned to carry out two separate burns to increase the orbital inclination to around 63° and increase the perigee height to 1,500km.

The capabilities of the two Uosat satellites were fully described by Martin Sweeting, G3YJO, which was followed by a summary, by Richard Maebeth, of the new command station which is now operational at the university. Karl Meinzer, DJ4ZC, has spent considerable time and effort since the end of May trying to diagnose the cause of the difficulties of Oscar 10. Karl's exposé on the inner workings of the satellite and its almost total reliance on the integrated housekeeping unit provided the first real insight to the gravity of the problems. It appears that the predicted gradual degradation of the computer memory reached a stage that the built-in error-checking software could no longer cope. New software has been written for the on-board computer, but as less usable ram is now available the functions of the operating system have had to be limited. It is expected that the satellite will be brought back into operation in the near future, albeit on a rather limited basis. Whether Oscar 10 will survive until the launch of Phase 3C depends on many factors, including, I suspect, a substantial element of good chance.

The last presentation of the day was given by Martin Sweeting and Jeff Ward, who described the activities of the Amsat—UK Technical Group. The group had prepared a discussion paper which indicated a number of options for a future construction project. Four main areas of activity were presented:

- low earth orbiting satellite similar to Oscar 6;
- Highly elliptical orbit (package on T-SAT);
- geostationary satellite; and
- balloon flights.

Various ideas were being considered for a Uosat-C spacecraft which might carry a digital communications payload, imaging equipment and radiation experiments. Feedback was requested from all concerned so as to ensure that whatever is ultimately flown will satisfy as many users as possible.

A number of activities were organized for the Saturday evening, including a most educational and entertaining talk and demonstration by Dud Charman, G6CJ, on the subject of antennas and propagation.

The first lecture on Sunday morning was a continuation of matters concerning Oscar 10 and the soon-to-be-launched Phase 3C satellite, given

by Karl Meinzer. The remainder of the morning was occupied by a series of five talks by staff from the university on the Uosat spacecraft:

- "On board computer and software", Steve Holder;
- "Telemetry and experiment data formats", Craig Underwood;
- "Digital communications experiment", Jeff Ward;
- "Radiation detector, particle wave experiment and ccd camera experiments", Jacky Radbone; and
- "Attitude determination stabilization and control", Stephen Hodgart.

After lunch, Pat Gowen, G3IOR, gave a comprehensive talk on the history of the Soviet amateur satellite programme, including hints on how simple equipment can be used to obtain good results. Pat anticipated the launch of several ISKRA type satellites, which would probably be deployed directly from the new Mir space station.

The last formal session of the day was devoted to an open forum where a number of issues were discussed. On the subject of inconsiderate use of satellites, a great deal of concern was expressed, though it was felt that channelized transponders were not a viable solution. The increasing availability of high-speed digital signal processing technology gave rise to the possibility of identifying high-level signals and either reducing them to acceptable values or perhaps suppressing them altogether. A far more satisfactory solution would, of course, be for all users to show a little more respect for other amateurs, but this is true of many aspects of the hobby.

A number of those present expressed interest in the use of Mode L transponders—1,260 to 435MHz. Karl Meinzer indicated that the equipment requirements for the band were not particularly onerous (1m antenna and 10–30W) and he felt that this was within the capabilities of many more amateurs.

Arthur Gee closed the colloquium by thanking all those concerned with its organization and, in particular, Ron Broadbent and Martin Sweeting for their efforts over the previous months.

Oscar 10

As mentioned above, the health of the satellite is not too good, and its remaining useful lifetime is limited to six months or so. Under present conditions it is particularly important to observe requests from the satellite controllers. One additional difficulty that has arisen is that, due to the limitations in operating memory for the on-board computer, it will no longer be possible to carry the information bulletins in either morse or rity. The only source of data from the satellite is on the 400 baud psk transmissions. As usual, the best method of obtaining information is via the Amsat—UK information nets or from the bulletin transmissions of both the Uosats.




Fig 1 OSCAR 10 VISIBILITY (London area) - SEPTEMBER 1986
— satellite in view — — — perigee (MA=8)

Fig 1 indicates the usual availability of the satellite for the month, showing the gradually improving situation in terms of operating windows. It should be noted that, for clarity, the time axis has been off-set to show only complete periods of visibility.

*Transvaal Cottage, New Barn Road, Swanley, Kent BR8 7PW.

DATA COMMS

Ian Wade, G3NRW*

Packet news

The big packet news this month is the introduction of a new Z80-based tnc board designed by Pieter Meiring, G0BSX. The bare board costs £11, and requires only a handful of easy-to-get chips—the most expensive is about £4—and there is a 26-page documentation pack costing £2, with full operating instructions and schematics. The AX.25 software is also available at a nominal charge on a 2764 eeprom. For more details send an sae to Pieter at 21 Cator Lane, Beeston, Notts NG9 4AY (not QTHR).

John Sager, G8ONH, sent a long letter about AX.25 packet activities in Suffolk. John recently lent his PK-80 tnc to G4SWX, a near neighbour with a 4 x 19-element 144MHz array on an 80-foot tower, and who proceeded to work packet stations all over the south of England, Holland and Germany—his list of stations heard or worked over a three-week period includes 39 Dutch and 23 German stations! G8ONH also put on a packet demonstration at the East Suffolk Wireless Revival in May, using the callsign G4MRS (Martlesham Radio Society), with a TNC-t and a PDP-11 as the terminal. The demonstration generated a lot of interest, particularly with South Anglia Raynet who plan to carry out packet tests later in the summer.

A plea from Andy Witts, G1DIL, of Wolverhampton: he and Bill, G4TEC, are the only AX.25 stations active in their area and they are running out of things to talk about! Please turn your beam to the West Midlands to give them someone else to talk to. Alternatively, you could turn your beam southwards to Guernsey, from where Chris Le Tissier, GU4YMW, is now active with a PK-80 tnc and 100W to a 10-element parabcam on 144MHz.

Robin Harvey, G4BBR, has sent a useful list of reading material on packet. He mentions the articles by Harold Price, NK6K, in QST July and August 1985 ("What's all this Raeket about Packet?" and "A Closer Look at Packet Radio", both very readable introductions); CQ November 1985 has a concisely-written introduction under the heading "Briefly Speaking"; the *Networks 85 Conference Proceedings* (sponsored by Online Publications, Pinner, Middlesex) has a paper by Jim Tully on the XN and TCP/IP protocols; Plessey Controls of Poole in Dorset produce a pamphlet called *A Business Guide to Packet Switching*, giving an insight into packet systems as a whole; BICC of Hemel Hempstead produce a publication called *What is a LAN?* in similar vein and with a helpful glossary of terms.

Mike Thomson, G0AXM, writes with details of what he believes to be the first mobile AX.25 QSO in the UK, on 26 May, between himself and Tim, G1JOV. Mike's vehicle was equipped with an NEC 8201A portable micro, interfaced to a PK-80. It worked very well, although he could only operate while parked; he set the CTEXT message to say that he had his hands on the wheel, but would make the link when he could! I wonder who will be the first to claim a two-way mobile packet QSO between stations actually on the move? If you are tempted to try this, don't forget that the boys in blue will take a dim view of anyone who can see a tv screen from the driver's seat—mobile packet is strictly for back-seat drivers!

The top six packet questions

Over the last few months I have received many letters on packet, with the same questions coming up again and again.

Question 1: "Has the world agreed on any packet standards?"

There are several different packet protocols (or systems) in use today, but only AX.25 has been approved as an international standard by the ARRL, on behalf of the IARU. I was fortunate to be present as an observer at the historic meeting of the ARRL Digital Communications Committee in September 1984 when the standard (officially known as AX.25 Level Two Version Two) was approved, and my lasting impression of that meeting was the feeling of relief among the committee members that agreement had actually been reached on one standard. The general opinion was that there were already enough stations using it at that time to prove that it really worked, and rather than having several similar but incompatible standards it was more important to freeze Level Two and devote more time to the higher levels of packet networking software. The reality of the situation is that there are very few people throughout the world who are both data communications experts and radio amateurs, and so it is important to use

their rare skills to address the more complex networking issues, rather than to dissipate their energies in a multitude of Level Two protocols.

The approval of AX.25 by ARRL opened the floodgates. Other national societies, including the RSGB, have since endorsed the standard, and several companies are now supplying the necessary tncs to make it work. The net effect has been an AX.25 explosion! Listening on 144MHz and on the hf bands, the number of new stations seems to be increasing almost by the hour, and we are already seeing severe QRM problems on some frequencies. Take a listen around 14,003kHz on a Sunday afternoon and you will see what I mean! A far cry from last winter, when there were just a handful of us scratching around for contacts; my list of AX.25 users in the UK last December amounted to only 22 stations. However, we still have some way to go to catch up with the Germans—I had a call recently from a station in Munich saying that there are now (in June) over 2,000 packet stations active in the Federal Republic. And in the USA they are fast approaching 20,000. There is no doubt about it: AX.25 packet has arrived.

Question 2: "What about the other protocols, such as Vancouver V2 or Cambridge? What is the future for these?"

For me, one of the joys of amateur radio is that we are free to devise and try out any new protocols as the fancy takes us, and I feel strongly that this should be encouraged. But the cold hard fact remains that for a protocol to be accepted universally it has to be approved by the IARU, which really means the ARRL Digital Communications Committee. The chances of the committee's even considering Vancouver or Cambridge at this time are probably remote, and so these protocols will, I think, remain just of parochial interest.

Question 3: "I can just about understand how my computer works, but all this talk of protocols, bit stuffing and NRZI leaves me cold. How on earth will I be able to cope with packet?"

Using packet is a bit like driving a car. All you actually need to know about driving is how to press the pedals and change gear; you certainly do not need to know what is happening under the bonnet (although you will probably be a better driver if you do). Likewise for packet. If you can type, you can work packet, and you certainly do not need to be a computer expert. Most of the tncs commercially available are easy to use once you have set them up, and setting them up is usually a once-only job which is quite straightforward and does not require any special test equipment.

Question 4: "Can I use any radio for packet, and is transmit/receive changeover time critical, like it is with Amtor?"

One of the big advantages of packet is that virtually any radio will do, and any necessary timing adjustments are made by software in the tnc (part of the setting-up process just mentioned), rather than in the radio itself. This means that you could blow the cobwebs off your old Westminster, re-crystal it for 144.675MHz, and dedicate it to packet, thus releasing your shiny synthesized multi-mode for more interesting activities (like working /M?).

Question 5: "Is it 'safe' to spend my hard-earned cash on a tnc, without the risk of its becoming out of date next week?"

It is certainly true that new and cheaper tncs are appearing on the scene, so it may make sense to wait a while for the market to stabilize. But if you do decide to take the plunge today I am sure that you will have no regrets. AX.25 will be around for a long time to come, and even if the standards were to change it should simply be a matter of plugging a new set of eeproms into your tnc to bring it up to date—I have already done this with my 1983-vintage pre-standard TNC-1, and I assure you that it was quite painless!

Question 6: "Where can I see packet in action before spending my money on a tnc?"

If you live in the south of England there are plenty of people who will undoubtedly be happy to show off their packet stations, but the further north you go the fewer there are. To find out who is active in your area, send me an sae for a free copy of my latest master list of UK AX.25 stations. In addition, some of the more go-ahead emporia now include tncs in their wares, so they should be able to give you a demonstration. Be warned, though, that most people on packet tend to be very enthusiastic about it, and you will find it virtually impossible to keep your wallet closed after seeing packet in action!

RTTY bits

Iain McCallum, RS87859, of Roydon Hall, East Peckham, Tonbridge, Kent TN12 5NH, has a Tandy 100 portable micro with a liquid crystal display, and wants to use a tv set with it. He also wants to know how to get it going on rty, Amtor, ascii and cw. Can you help? . . . Alan Lowe, G1INA, says that there was no mention of any rty/cw package for the Electron in the survey published in this column in June, and wants to know if anyone can help him, or if he has to change his computer! (The survey was prepared from replies to questionnaires I sent out earlier this year to

* 7 Daubeney Close, Hartlington, Dunstable, Bedfordshire LU5 6NF.

rtty suppliers; nobody sent me any information about the Electron. Another machine missing from the survey was the Amstrad, but Scarab Systems have since told me that they have a rtty package for it, plus other packages for the Electron, CBM 64, Vic 20, Spectrum and BBC. . . . Stan Horzempa, WA1LOW, of 75 Krieger Drive, Wolcott, CT 06716, USA, has a list of radio software for the TI-99/4A. Send him a large self-addressed envelope and a couple of lics for details. □

QRP

Rev George Dobbs, G3RJV*

QRP "down under"

After a quiet period for QRP operation in Australia, the VK QRP Club has been revived and is growing. The club and its activities are open to radio amateurs worldwide, and I have recently received the following information about membership.

VK CW Operators QRP Club

The CW Operators QRP Club is an international group, open to radio amateurs and short wave listeners in any country. It was formed with the aim of promoting QRP and the cw mode of transmission on all frequencies allocated to the amateur service. Members are encouraged to build their own equipment. Currently there are members in Australia, New Zealand, North America and England.

The club journal *Lo Key* is published quarterly in March, June, September and December. It contains articles of a practical nature on building QRP equipment, details and tips on home construction, and QRP news. The journal reports on QRP activity worldwide, including contests and awards. In the CW Operators QRP Club, QRP is defined as 5W output into the antenna, this being the limitation for contests and awards. The main mode of transmission used by club members is cw, but local VK stations get together from time to time on 3.5MHz QRO ssb to discuss club matters.

Annual membership fees are: Australian members, \$A8; New Zealand members, \$A10 (airmail); overseas members, \$A12 (airmail). All money orders and cheques to be made out to: "CW Operators QRP Club". IRCs are not acceptable. Radio amateurs interested in joining the club should contact the club treasurer, Kevin Zietz, VK5AKZ, 41 Tobruk Avenue, St Marys, SA 5042, Australia.

In addition to the usual international QRP frequencies of 3,560, 7,030, 14,060, 21,060 and 28,060kHz, the members use the local frequencies of 1,815, 3,530, 7,025, 14,050, 21,130 and 28,125kHz.

I have seen several copies of *Lo Key* and can confirm that it is a worthy little journal full of good practical ideas and news. The CW Operators QRP Club did produce a small book of suitable circuits for the QRP equipment constructor. It was edited by Drew Diamond, VK3XU, and had 55 pages of circuits for transceivers, receivers, transmitters and station equipment from a variety of sources. I believe the book to be out of print but, if not, the G QRP Club may attempt to import some into the UK.

Mentioning books from that part of the world, I still have a few copies of that excellent little antipodean book from New Zealand: *The ZL2BMT DSB Transceiver*, which was mentioned in my last QRP column and outlines the story of ZL2BMT's family of simple DSB transceivers for 3.5MHz. The book is full of construction ideas for simple and cheap DSB circuits for that band. A copy may be obtained from the address at the foot of this column for 75p. Please make out cheques to "G QRP Club" and send a self-addressed stamped (12 or 17p) 9 by 6in envelope.

Also from the Australian QRP Club comes details of an interesting contest:

The Oceania CW QRP Contest 1986

0000gmt 15 November to 2400gmt 16 November.
CW only. Call "CQ QRP". 1.8 to 28MHz (not WARC bands). Full period 48h, half period any consecutive 24h within the 48h. Exchange RST plus serial number from 01 to 999. Maximum power 5W rf output. Scoring: between 1 and 2W 5 points, between 2 and 3W 4 points, between 3 and 4W 3 points and between 4 and 5W 2 points. Multipliers: every contact with a different ITU Zone counts as a multiplier on each band. Bonus score: field stations (F/P) multiply their grand total. To qualify for entry a log must contain a minimum of 10 entries. Contestants may work each other once per band in each 24h session. All entrants must use a separate log sheet for each band. Each logged QSO to show date, time gmt, station worked, RST exchange, multiplier, power output, points claimed, grand total. The grand total is derived from the total

points from all bands, multiplied by total multipliers from all bands, multiplied by bonus score. All entries must include a summary sheet showing calculation of grand total score, name and QTH, call sign and signature. Include the usual contest declaration. Certificates will be awarded to the 24 and 48h, single- and multi-band highest score for each class. There is also a class for swl entrants and for QRO (over 5W) entrants. Entries should be addressed to Len O'Donnell, 33 Lucas Street, Richmond, SA 5033, Australia, to arrive not later than 29 December 1986.

Although a QRP Contest at the other side of the world may seem a strange event to promote, I hope that as many QRP contesters as possible join in this event to encourage the club and its work.

VK and ZL QRP operators are a bold lot. I have a copy of a great circle map based upon Auckland in New Zealand. For the European operator it looks like a nightmare . . . nothing for thousands of miles. These fellows have to do a lot to get out of their "own backyard"!

A good read from New Zealand

Eric Sears, ZL2BMT, is a licensed Anglican clergyman, who, wanted to go it alone on 3.5MHz. In 1983 he built a simple double-sideband transceiver for the band, and since that time has built 10 further dsb transceivers for 3.5MHz, each improving on the last. Eric has difficulty in obtaining some components, and chooses to ignore other components because of their expense. So many other amateurs wrote to him asking for circuits of his equipment after working him or hearing of his little transceivers, that he decided to produce a small book describing the saga: *The ZL2BMT DSB Transceiver*. This little book is a real delight. Lots of circuit ideas, suggested layouts, and helpful notes and comments written in a folksy style. It is a real story of amateur radio enterprise. The transceiver is designed for portable use on dsb or cw, and capable of being built cheaply and simply by any radio amateur.

The ZL2BMT dsb transceiver would prove a useful and workable little project for any individual or group of constructors. After reading the book, I asked Eric to send a supply of them to sell at the RSGB Convention in April. I have a few left, and a copy may be obtained by sending me a cheque or Postal Order for 75p, made out to "G QRP CLUB" with a 12p or 17p stamped addressed 9 by 6in envelope.

Sporadic-E QRP on 28MHz

In an interesting report in *Sprat*, the journal of the G QRP Club, Miguel Molina, EA3FHC, describes some of his experiments on 28MHz during the summer of 1985. Miguel worked 28MHz from Barcelona with a converted cb rig running 1W on cw and 3W of ssb. The only antenna used was a simple 28MHz groundplane.

During the May to July, inclusive, EA3FHC made a total of 727 sporadic-E QSOs on the band. Three-quarters of them were on cw, and of the remainder, all but 35 were on ssb. May proved to be the best month, with the band open for Es on 25 days and 373 contacts being made. The earliest the band opened was 0800gmt on 1 May, and the latest was 1850gmt on 13 May. During June the band was open on 23 days and in July for 13 days. The best paths were to the UK, Netherlands and Germany. During low periods of sporadic-E activity, Miguel has noticed further openings when there are sudden changes in atmospheric pressure. No complete report has been made of Miguel's sporadic-E work during this year, except a short note on his results in March 1986. The paths were open from Spain to Africa and Asia and during March, and he worked C53, D68, OD5, ZS, 5H3 and J28. The 28MHz total QSO count for 1985 was 1,135 contacts—not bad for a dead band!

More recently, Angus Taylor, G8PG, has reported successful QSO using QRP on 28MHz via sporadic-E. Never underestimate a band . . . and never underestimate the effectiveness of low power communication!

QRP vhf activity weekend

John Beech, G8SEQ, the vhf manager of the G QRP Club, has announced an activity weekend for 144MHz and above. It is not a contest, just a chance to go on 144MHz and higher with under 5W of rf and work as many of other QRP stations as possible in any mode. The event is booked for Sunday 3 August, 0600 to 1800bst. A small prize will be awarded to the station who contacts the most members of the G QRP Club using QRP both ways. Logs for the QRP activity weekend should be sent to John Beech, G8SEQ, 14 Hollow Crescent, Radford, Coventry CV6 1NT as soon as possible after the event.

QRP events in the autumn

20, 21 September: Scandinavian Contest with QRP section. 11, 12 October: QRP ARCI (American QRP Club) Fall QSO QRP Party. 19 September: RSGB 21MHz Contest with QRP section. 1-7 November: HA QRP CW Contest on 3.5MHz. 29, 30 November: CQ Worldwide Contest with QRP section. Full details of these contests can be found in the appropriate journals. □

* St Aidan's Vicarage, 498 Manchester Road, Rochdale OL11 3HE.

Contest News

7MHz Contests 1986 results

The popularity of these contests remains high, despite poor conditions dominating entrants' comments in both of this year's events. The ssb section suffered a distinct lack of activity between midnight and 0400gmt, while the cw section would have benefited by greater support from North America.

The highlight of the contests must be the excellent opening to JA during the cw event, capitalized on by this year's winner of the G6QB Trophy, Steve Taylor, G4EDG, who worked 38 during the 2h from 0630. High first-hour QSO rates were available, with 80-90 being achieved by top stations. The ssb section winner, Keith Ginder, G3NAS, demonstrated that wire antennas can provide excellent compellion on this band; perhaps a welcome thought to entrants will have access to high Yagis.

Log-keeping standards were generally good, although again live stations were disqualified for exceeding the maximum of five unmarked duplicates. Several logs had to be re-scored as the entrants had difficulty in distinguishing between 5- and 15-point QSOs.

G3SJJ

Equipment used by leading stations

G4EDG TS830M, phased verticals—quarter-wave spacing.
G3NAS FT107M + SB200, four slopers and a 7MHz bi-square.

Summary of multipliers worked by leading stations

G4EDG CFC, CT, CT3, DJ, EA, EA6 EA8, EI, F, HA, HB9, I, J3, JA, LA, LZ, OE, OH, OK, ON, OY, OZ, PA, PY, SM, SP, SV8, T1, UAI, UA9, UB, UC, UD, UE, UF, UL, UM, UP, UQ, UR, VE1-3, VK2-6, VP5, W1-4.6, 8-0, Y2, YO, YU, YV, ZS, 4X, 9V1, ZL1-3, (67)
G3NAS CE, CN, CT, DJ, EA, EA6, EA8, EA9, EI, F, HA, HC, HI, HK, HP, HB9, I, J3, JA, KL7, LA, LU, LX, LZ, OE, OH, OK, ON, OZ, PA, PY, SM, SP, SV4, TG, TI, UA10, UAI, UA9, UB, UC, UF, UH, UI, UL, UM, UO, UP, UQ, UR, VK2-6.9, VP2, Y, YN, YO, YU, YV, ZF, ZL1, 3, ZP, 4X, 5B4, 9H1, (69)

UK CW TRANSMITTING

Posn	Callsign	Points	Posn	Callsign	Points	Posn	Callsign	Points
1	G4EDG	255,270	19	G4UOL	47,520	35	G4WYQ	22,910
2	G3KDB	230,750	20	G3ESF	45,540	36	G4W4HK	22,275
3	G4CNY	224,750	21	G4IOM	44,000	38	G6CIP	22,260
4	G3W3WVG	125,232	22	G3PVA	43,020	39	G3BPM	20,100
5	G3JCS/A	111,450	23	G3ZMP8	40,320	40	G3FKA	19,575
6	G3YEC	92,205	24	G3SWH	39,360	41	G3SKW	19,110
7	G3SYOR	77,070	25	G3OLU	38,280	42	G3AE2	14,445
8	G4AMT	75,160	26	G4HVC	35,700	43	G3AWR	10,010
9	G40BK	74,200	27	G3KSH	34,880	44	G3VEY	9,750
10	G3MIR	68,670	28	G3VYI	34,350	45	G3ILO	9,460
11	G3TBK	65,322	29	G4KCK	31,200	46	G4EBK	7,560
12	G4ASIO	61,560	30	G6WTM	31,155	47	G3GMA/A	6,405
13	G5LP	59,990	31	G3ZDW	29,400	48	G4BWP	5,700
14	G4M3RAO	55,185	32	G4GLC	27,260	49	G4M8C	3,995
15	G2OT	52,355	33	G4UZN	27,150	50	G3JKY	1,680
16	G4BUO	50,610	34	G3RXP	26,400	51	G4XVJ	780
17	G5MY	48,246	35	G40OV	26,040	52	G4IJE	515
18	G3YDV	47,500						

REST OF WORLD CW TRANSMITTING

Posn	Callsign	Points	Posn	Callsign	Points	Posn	Callsign	Points
1	UH8EC	17,340	8	UA9CFV	2,760	14	VK3XB	660
2	U060KW	12,375	9	UA9AIA	2,070	15	UA9FM	600
3	RA9SUV	7,700	10	4X6IF	1,725	16	VZ2CW	315
4	UA9FG0	7,500	11	UA9SFV	1,440	17	U60AC	180
5	UJ8JA	7,050	12	JA7HMZ	1,350	18	UA9YC	140
6	UA9FAL	5,150	13	UM8MZ	1,200	19	UA9XDG	135
7	UA9AHH	3,200						

UK SSB TRANSMITTING

Posn	Callsign	Points	Posn	Callsign	Points	Posn	Callsign	Points
1	G3NAS	186,576	8	G3I TJ	36,864	15	G40OV	13,050
2	G3KFT	93,916	9	G3VLX	28,955	16	G3UHU	10,750
3	G4AMT	66,500	10	G3FNM	26,250	17	G4OKI	7,700
4	G4W4ZL	62,780	11	G4PPR	26,250	18	G40BK	4,446
5	G40SY	48,792	12	G2OT	20,223	19	G4VIZ	1,800
6	G4MTF	38,046	13	G4KHM	16,530	20	G3ILO	810
7	G4VMM	37,800	14	G3AEZ	15,120			

EUROPE SSB TRANSMITTING

Posn	Callsign	Points	Posn	Callsign	Points	Posn	Callsign	Points
1	OZ5KG	17,255	22	H89OX	1,155	43	Y23UL	445
2	OH2VB	10,320	23	OH8WN	1,110	44	Y63VN	425
3	EA2OU	7,800	24	OK7JO	1,050	45	Y36NC	375
4	LA9DI	5,915	25	E17CC	875	46	EA2CR	372
5	F9KP	5,220	26	PA2NJK	840	47	DL25BG	332
6	Y06BZL	4,200	27	DF50K	805	48	Y32DN	325
7	ON6AB	3,850	28	Y25XG	800	49	Y37BA	300
8	U02GAG	3,420	29	F6BVB	785	50	DL1SN	280
9	Y24YH	3,060	30	F6BIVY	780	51	Y24GB/A	240
10	RB5AL	2,650	31	Y51TG	750	52	LA1IE	236
11	UR1RWVW	2,430	32	LA0DY	745	53	FA5FHE	210
12	PA3OAF	2,400	33	Y31ZE	660	54	Y22VI	197
13	UC2OG	2,350	34	OK5KJ	656	55	Y36SG	172
14	Y05GYG	2,205	35	IL2VN	630	56	OH7HW	165
15	Y71KH	2,000	36	EA7EMX	600	57	Y24GB	152
16	UB4MZA	1,880	37	Y06AJI	570	58	UA10I	120
17	HA7KP7	1,530	38	ON5JH	500	59	Y04US	115
18	Y04KAY	1,520	39	Y05KDX	498	60	Y07SF	70
19	DL2S8F	1,505	40	FD1HWB	475	61	OH8UJ	20
20	EA3NA	1,395	41	Y37WB	470	62	OH3BU	5
21	Y53FD	1,340	42	OH1BV	450			

REST OF WORLD SSB TRANSMITTING

Posn	Callsign	Points	Posn	Callsign	Points	Posn	Callsign	Points
1	UF6VAX	6,345	4	UH8EC	2,000	6	UI80AZ	140
2	UA9CI	3,115	5	4XBLD	1,710	7	RM8MA	120
3	EA8ZI	2,695						

EUROPE CW TRANSMITTING

Posn	Callsign	Points	Posn	Callsign	Points	Posn	Callsign	Points
1	LZ2AX	11,985	54	F3JL	3,100	107	Y08BE	1,470
2	U85IFZ	10,350	55	U85VKO	3,100	108	OK2XD	1,470
3	U6BLGN	9,520	56	ON4XG	3,100	109	Y042F	1,435
4	Y0800P	7,840	57	Y71KH	2,970	110	LZ2AG	1,400
5	U84FWC	7,770	58	EA3AI V	2,970	111	UV6L2	1,365
6	UR2RNO	7,200	59	R85AL	2,950	112	Y24XJ	1,320
7	UA102	6,655	60	IIXP0	2,880	113	SM60R2	1,320
8	Y27IO	6,160	61	SP3MEY	2,800	114	SM6DUA	1,305
9	Y04EJC	5,995	62	Y24LE	2,745	115	U85HKW	1,290
10	U85FAN	5,670	63	OL2SAV	2,745	116	UA6LLI	1,260
11	U850JI	5,655	64	DL9CE	2,745	117	UA1AUA	1,240
12	UR2RDU	5,650	65	U85GGN	2,650	118	OZ5S	1,225
13	Y03CO	5,640	66	OF3ON	2,610	119	OL1SN	1,225
14	Y24YH	5,500	67	OL6RAI	2,610	120	Y26FL	1,200
15	4H2E	5,450	68	HA2NI	2,600	121	OK3CEL	1,200
16	Y22YA	5,390	69	EA1PR	2,600	122	Y23HJ	1,160
17	LZ2ZA	5,200	70	UP28PO	2,550	123	OK3CO7	1,155
18	OI7IC	5,060	71	U02GMC	2,550	124	Y09CYD	1,120
19	SP2AVE	5,005	72	U02GJV	2,520	125	U85EF	1,120
20	OZ3ON	5,005	73	PADKAW	2,520	126	Y02GI	1,050
21	OL90I	4,730	74	Y36NC	2,475	127	Y59WF	1,015
22	OL5JO	4,680	75	ONSAL	2,475	128	HA0HG	910
23	G3TFX/OE9	4,650	76	L21H	2,430	129	OL8HAV	875
24	HA8RC	4,550	77	Y75PN	2,400	130	OK1KZ	870
25	YU7SF	4,510	78	U02GHC	2,280	131	PA2NJK	840
26	SM5IAO	4,450	79	OK1OXW	2,205	132	H89OX	840
27	HA8HO	4,400	80	OK1OXW	2,205	133	OK6SC	840
28	OK1P00	4,300	81	Y21YA	2,160	134	Y62NH	825
29	Y37ZE	4,290	82	PADKOR	2,160	135	OK1DKR	770
30	Y330J	4,250	83	EA2CR	2,120	136	Y23YE	750
31	Y54IAL	4,180	84	UA10GI	2,025	137	UP2BEI	750
32	UP28N	4,150	85	HA8UN	2,000	138	SM6ECO	735
33	UP28KA	4,095	86	Y87UL	1,980	139	OH6LO	630
34	UA1AGL	4,000	87	Y32LI	1,980	140	OH2BX1	600
35	YU4BR	3,835	88	Y68WC	1,960	141	PA2JG	540
36	SM6FPC	3,795	89	L21OV	1,920	142	OH5MX	525
37	UP28BI	3,750	90	OK2PMM	1,920	143	H89AYZ	500
38	OK1DAV	3,740	91	Y06BHN	1,890	144	UW3I N	480
39	Y09YE	3,685	92	HA7MJ	1,800	145	UA3ECO	360
40	OZ1DPW	3,685	93	U85DW	1,800	146	Y41ZF	350
41	HA4XX	3,575	94	Y51YJ	1,755	147	Y22WF	325
42	H89AGH	3,550	95	Y51XE	1,750	148	SP3AZO	300
43	YU4JI M	3,510	96	U85HO	1,720	149	PA0I Z	250
44	UC2LU	3,510	97	Y22UQ/P	1,710	150	UP28NL	240
45	OF22Y	3,465	98	L2PGS	1,680	151	Y02AD0	225
46	Y25WE	3,375	99	UY5WA	1,680	152	Y05KDX	200
47	YU6GP	3,350	100	Y36TI	1,610	153	U85KAG	200
48	HA1VE	3,350	101	YU3UP1	1,600	154	U85X8D	160
49	LA1IE	3,350	102	UA3AAJ	1,539	155	UA4SSS	150
50	HA8XX	3,285	103	OK1MH	1,520	156	U85SBR	150
51	Y35ZK	3,200	104	UA3YAO	1,505	157	Y07OR0	135
52	OK1HIM	3,200	105	UA1ANA	1,485	158	Y21HE	120
53	Y23RJ	3,150	106	Y22LE	1,480	159	OH8UV	75
						160	U85K00	70

CW RECEIVING

Posn	Station	Points	Posn	Station	Points
1	8RS1066	30,940	5	UA3-15528	4,050
2	UA31211518	8,910	6	Y26953G71	3,850
3	UP2-038794	4,100	7	U06-001220	2,640
4	OK3-27707	4,070	8	DHL-383	1,900

SSB RECEIVING

Posn	Station	Points	Posn	Station	Points
1	BR532525	42,750	9	OK3-27707	1,920
2	BR528198	13,920	10	UA2-125894	1,818
3	BR587156	12,900	11	DL1-383	1,708
4	G1GM2	8,250	12	Y71088A043	1,485
5	UL7-026587	4,800	13	Y29540A55	840
6	Y21547C51	3,020	14	UR20831030	600
7	Y2EA13732J	2,912	15	RS44984	495
8	BR531976	2,625			

1 twenty-five checklogs were received and are gratefully acknowledged.

28MHz Cumulative Contests, first series 1986 results

At the request of a number of regular entrants to the Autumn 28MHz cw and phone cumulatives, an extra live session on each mode were held in April and May. A total of 19 logs were received for the cw event and 20 for the phone sessions. The phone entry included one multi-operator station and two swi entrants. Conditions were poor during both events, and although some South Americans and Europeans were heard (and called) by many entrants, only a few non-UK contacts were made. Congratulations to G4BLX, a regular high-scoring entrant in these events, who led in both sections.

Logs were generally accurate, but a few entrants forgot to include the check sheet for bonus contacts. Some logs were totalled incorrectly, and others showed the wrong bonus claims. The adjudicators corrected the scores in this time, but it is extra work, so be warned for the future (see Rule 7). Certificate winners are shown in the table and it is regrettable that there were insufficient entrants for the swi and multi-operator sections to justify awards, (see Rule 10).

Most of the entrants to the cw section expressed their satisfaction with the contest, the rules and the scoring system, but such was not the position of the majority of phone entrants, who complained about the dates, the timings and the method of allocating bonus points. The overlap with phone and cw in the same week were universally disliked, and some have suggested making the sessions longer (1930 to 2230 gmt). The September date for the phone

section is thought to be too early as it conflicts with those taking a late holiday and a later date is preferred. The strongest criticism is levelled at the county bonus, which is thought to favour entrants who are located in, or adjacent to, areas of high amateur activity. Three entrants want the radial ring system (as used in vhf contests), one suggested a point/km bonus, while a number of others think that contacts with their own and adjacent counties should not count for bonus.

The adjudicators have considered all these comments and are not entirely convinced that changes will be of benefit but, as they have been requested, we are willing to change the dates and try the adjacent county rule for the autumn/winter sessions. In view of some adverse comments about changes to the timings, these will remain as 2000 to 2200gms. The next cw sessions will be in October and the phone sessions in November, and the rules appear in this issue.

It only remains for the adjudicators to thank all those that entered, or sent in check logs, and those who took the trouble to write to the HF Contest Committee with their views. The analyses prepared by two entrants of the various scoring systems were of great interest.

G4RWW and G6LX

CW CUMULATIVES RESULT					
Call sign	9.4.86	17.4.86	25.4.86	6.5.86	Total
G4BLX*	193	180	—	181	554
G4PIE*	157	155	166	—	478
G3TCT*	141	142	—	148	431
G4WJSJA	—	—	129	152	416
G4WVX	Ck	133	147	133	413
G3SYA	115	Ck	136	137	388
G3YDV	—	129	121	124	374
G4RCG	118	135	120	Ck	373
G2HLU	110	142	—	113	365
G0BON	123	121	Ck	Ck	365
G4UKM	104	—	—	109	338
G3MCX	102	100	Ck	105	307
G4PUR	Ck	108	96	92	296
G4RNF	63	—	79	Ck	208
G3SJK	—	—	60	—	158
G4DBK	108	43	—	—	151
G43YDR	43	—	27	—	145
G0DTI	31	—	—	34	85
G4BUD	Ck	—	—	Ck	Ck

*Certificate winners.

PHONE CUMULATIVES RESULT					
D4BLX*	—	238	—	325	883
G4NOK*	171	221	Ck	190	582
G0CEI*	—	125	—	145	523
G3MGW	Ck	132	—	170	481
G3WHK	108	106	—	187	401
G2HLU	Ck	84	—	192	398
G0BIR	—	Ck	131	166	381
GW4HSH	—	124	—	202	326
G3SJK	—	—	—	123	319
G3UHU	Ck	—	80	82	243
G3WBM	52	65	Ck	—	238
G4DBK	88	38	48	—	174
G4PUR	—	51	32	65	148
G4SBD	Ck	34	51	39	124
G3EPD	—	22	17	20	59
G0DTI	—	58	—	—	58
G3XDP	—	—	—	Ck	Ck

MULTI-OPERATOR					
GW4EZW	Ck	211	Ck	308	860

G1GMZ 68 — 75 113 — 258

G1JJA — Ck 89 78 77 244

*Certificate winners.

Town & County Contest 1986 results

The HF Contests Committee was very disappointed with the small entry for this contest; although 242 different call signs appear in the logs, there were only 29 transmitting and eight receiving entries and a handful of checklogs. This is well down on last year, and raises the question whether members are interested in a 1.8MHz phone contest, or whether they would prefer a set activity period without the need to write-up contest logs. It is known that some stations are very disenchanted with 1.8MHz contests, particularly those who have limited antenna space and height, as they feel that they have no chance of being able to compete. It is also known that some stations only come on during the contest to collect new counties and are not interested in the competitive aspects of the event. These are points that the committee will have to consider, as it might not be worth continuing this contest in its present form.

To do well in the contest it is necessary not only to achieve a good QSO rate, but also to work as many counties as possible to collect bonus points. There was quite a battle for first place between four entrants, but G4BJM, who was operating on behalf of the North Bucks Contest Group and using the club call of G4NUT/A, managed to get the few extra contacts for first place. Using a dipole at 90ft, he made 138 contacts with 49 different counties. GW5NF (Gwen), also used a high dipole, and had 130 contacts with 50 counties. G4WQN worked 46 counties from 131 contacts using a 5A/8 sloper. There were some excellent fogs from the SWL section which were most useful for checking purposes. Bob Treacher, RS32525, logged 82 QSOs in 45 counties; G1GMZ had 53 log entries in 34 counties, and RS20249 had 32 counties and 49 QSOs logged.

Most of the logs were first class and only a few lost points due to log errors or other mistakes. There were still a few logs that had been incorrectly scored, but the adjudicator took pity and added the unclaimed bonus points. It would have been helpful if all entrants had read the rules of the contest before submitting their logs!

The committee thanks all those who entered, or sent in check logs, and it will consider the various comments before the rules for the next event are finalized. Any entrants having suggestions how to make the contest more interesting so that there is a bigger entry, are asked to please write to the HF Contests Committee, Box 73, Lilchfield, Staffs.

G4RWW

Posn	Call sign	Score	Town	County
1	G4NUT/A	659	Milton Keynes	BKS
2	GW5NF	640	Newport	GWT
3	G4WQN	623	Norlingham	NOT
4	G3SJJ	621	Norlingham	NOT
5	GW4UZZ	610	Haverfordwest	DFD
6	GW4IOI	527	Swansea	GNW
7	G3SSD	493	Cheltenham	GLR
8	G4NIF	439	Lydney	GIR
9	G3UEG/A	437	Harlow	ESX
10	G4UMS	412	Stanmore	LDN
11	G3BPM	410	Crewkerne	SDM
12	G0AVU	406	Wooler	NLD
13	G0AOZ	365	Abingdon	DFE
14	G3VYT	359	Farnham	SRY
15	G4ECI	353	Stockport	MCH
16	G4WEY	341	Wimborne	DDR
17	G4TGE	328	Barton	HBS
18	G4MET	253	Sallybridge	MCH
19	G4ODV	218	Redlith	CNL
20	G4YEK	209	Harrogate	YSN
21	G4OYY	206	Axminster	DVN
22	G3WHK	205	Morden	LDN
23	G4YDG	203	Halifax	YSW
24	GM4WEW	202	Girvan	SCD
25	G3ZRZ	178	Blackpool	LNP
26	G3GMM	172	Manchester	MCH
27	GM3UM	137	Lothian	LTH
28	G3KSH	121	Skipton	YSN
29	G3TXF	113	Kingslon	SRY

*Certificate of merit

Check logs received from: G3MCX, G4KTI, G4DBK, G6LX.

RECEIVING SECTION					
Posn	Station	Points	Posn	Station	Points
1	BR32525	471	5	G8GWR	274
2	G1GMZ	329	6	G1JJA	254
3	BR320249	307	7	BR387885	235
4	BR387156	298	8	BR382086	134

*Certificate of merit

March 144/432MHz Contest results

This dual-band event again attracted a reasonable number of entrants. More stations stayed in a warm home environment than chanced their luck with the snow ploughs! Very cold weather and generally poor radio conditions were apparent during the contest, with occasional lifts to Europe.

General comments received varied from "Lost one tent in the wind" to the more familiar cry of "Bring back the old QRA system, all is forgiven". In general there were no bad signal reports, and only one report of poor operating standards. One station requested that the contest be moved to later in the year, but unfortunately there are just not enough weekends in the spring and summer contest season.

Certificates go to G6XVV, G3XBY, Warrington ARS, Sheppey Western Contest Group and RS28198.

G4HWA

OVERALL RESULTS: SINGLE-OPERATOR SECTION				
Posn	Callsgn	144MHz	432MHz	Total
1	G6XVV	743	361	1,104
2	G3XBY	1,000	74	1,074
3	G8HHI	4	1,000	1,004
4	G0AHO	57	904	961
5	G1DDX	708	209	917
6	G4DZU	0	788	788
7	G3JXN	0	699	699
8	G1KDF	295	376	671
9	G4DFI	347	167	514
10	G6IAT	268	239	507
11	G8DKK	0	446	446
12	G0CLP	408	28	432
13	G4XEN	136	247	383
14	G6XDM	365	2	367
15	G6HXU	163	118	281
16	G4VBG	166	72	238
17	G4ZNM	72	144	216
18	G8TJ	35	113	148
19	G1IFL	105	13	118
20	G8UYD	61	39	100
21	G6BDV/A	0	92	92
22	G6CSY	28	7	35

OVERALL RESULTS: MULTI-OPERATOR				
Posn	Group	144MHz	432MHz	Total
1	Warrington ARS	1,000	1,000	2,000
2	Sheppey Western CG	484	742	1,226
3	Flowerpot Men CG	684	548	1,212
4	North Bucks CG	433	359	792
5	Colswold Co-operative	437	325	763
6	Iste of Man ARS	554	74	628
7	Harwell ARS	289	300	589
8	Haverling & D ARS	173	399	572
9	University of Kent	481	1	482
10	Five Bells CG	158	320	478
11	Petersfield Area CG	315	124	439
12	Victory CG	402	10	412
13	Celamity CG	190	104	294
14	N Wakefield RC	101	183	284
15	Chesley & D RS	144	39	183
16	Bromsgrove & D ARS	127	40	167
17	Aberdeen ARS	66	83	129
18	Macclesfield & D RS	44	50	94
19	G6UDM	37	51	88
20	Leicester RS	45	30	75

LISTENER SECTION						
Posn	Station	144MHz		432MHz		Totals
		Points	QSDs	Points	QSDs	
1	RS28198	482	84	88	14	1,683
2	RS31976	706	127	—	—	1,000

144MHz SINGLE-OPERATOR				
Posn	Call sign	Points	GSOs	Loc
1	G3XBY	2,841	433	92DG
2	G6XVV	2,110	298	83JK
3	G1DOX	2,012	254	84JC
4	G0CLP	1,154	252	92KT
5	G6XDM	1,038	183	92PB
6	G4DFI	987	121	01BL
7	G1KDF	837	134	83NN
8	G6IAT	780	150	91TV
9	G4VBG	472	52	94FW
10	G6HXU	464	118	83RF
11	G4XEN	385	47	92PH
12	G1IIF	298	66	91VV
13	G4ZNM	204	30	00BS
14	G8UYD	172	44	93JO
15	G0AHQ	161	37	83UB
16	G8TZJ	100	14	84OA
17	G6CSY	76	20	01BJ
18	G8HHI	11	3	81OH

144MHz MULTI-OPERATOR				
Posn	Call sign	Points	GSOs	Loc
1	GW4CDA/P	9,749	880	82KW
2	G8KOW/P	6,472	881	03AD
3	G04IOM	5,400	480	74OD
4	G4GFX/P	4,717	596	81UQ
5	G3UKC	4,688	532	01MH
6	G4WET/P	4,261	614	81XU
7	G4NUT	4,217	519	82PC
8	G8LNC/P	3,820	522	90LU
9	G4VWD/P	3,070	502	81PC
10	G3PIA	2,816	447	91IO
11	G8VGM/P	1,851	374	82OL
12	G8HRC/A	1,688	288	01DM
13	G8ZHP	1,539	150	92TR
14	GW8GIZ/P	1,406	248	83JF
15	G3VGG	1,238	230	82XH
16	G4NOK/P	988	242	83FR
17	GM4ZUK/A	644	44	87WB
18	G3LRS	439	104	92KP
19	G1MWS/P	432	128	83WG
20	G6UDM	384	90	82WP

432MHz SINGLE-OPERATOR				
Posn	Call sign	Points	GSOs	Loc
1	G8HHI	612	108	91DH
2	G0AHQ	553	113	83UB
3	G4DZU	482	48	93ES
4	G3JXN	428	65	91UM
5	G8DKK	273	33	91TV
6	G1KDF	230	38	83NN
7	G6XVV	221	37	93JK
8	G4XEN	151	25	92PH
9	G6IAT	146	28	91TV
10	G1DOX	128	24	84JC
11	G4DFI	102	36	01BL
12	G4ZNM	88	16	00BS
13	G6HXU	72	17	83RF
14	G8TZJ	68	11	84OA
15	G6BDV/A	58	29	91RN
16	G3XBY	45	13	82DG
17	G4VBG	44	8	94FW
18	G8UYD	24	10	83JD
19	G0CLP	18	6	82KT
20	G1IIF	8	4	91VV
21	G8CSY	4	4	01BJ
22	G6XDM	1	1	92PB

432MHz MULTI-OPERATOR				
Posn	Call sign	Points	GSOs	Loc
1	GW4RNL/P	2,064	245	82KW
2	G6TFI/P	1,532	200	61UO
3	G6FTI/P	1,131	181	03AD
4	G4HRC/A	824	120	01DM
5	G3TGE	742	150	92PC
6	G6JAY/P	672	133	81XU
7	G4SIV	661	69	92TR
8	G3NNG/A	619	122	91IO
9	G3GWB/P	388	119	92LJ
10	G4SEO/P	376	86	83FR
11	G0DAE/P	256	67	81PC
12	G4WGE	254	67	91OF
13	G4ZOR/P	215	68	82OL
14	G04GNH	153	15	74OD
15	GM6MGS/A	130	8	87WB
16	G6UDM	106	32	82WP
17	G1NUS/P	104	44	83WG
18	G6VGG	83	29	82XH
19	GW8GIZ/P	81	37	83JF
20	G6XRS	81	24	92KP
21	G8NEH/P	20	4	90LU
22	G8KUC	3	3	01MH

Check logs gratefully acknowledged from G0DWJ and G6PHN.

May 1986 432-24GHz Contest results

This year's contest saw a reduced level of activity on 432MHz and 1-3GHz, but a welcome increase on the higher bands, and this was reflected in the number of entries received.

Most stations described conditions as poor to unprintable, though those in the east enjoyed some good propagation to the Continent for a while. Those inland and further north commented on the difficulty of obtaining contacts for the microwave bands from the 432MHz portables. Possibly more communication between lents to align the stations instead of just beaming east and monotonously calling CQ might result in even more contacts?

Once again log-keeping and scoring were to a high standard, most points lost were due to call sign errors. No problems were noted over the locator this time, most people now seem to understand and like it. However, G8TFI/P blamed the lack of activity on it, though G4RNL/P thought it was due to the Eurovision Song Contest! Congratulations to the winners and runners up.

G4NBS

OVERALL TABLE (MULTI-OPERATOR)

Posn	Name of group	Points	432 MHz	1-3 GHz	2-3 GHz	3-4 GHz	5-7 GHz	10 GHz	24 GHz
1	Sheppey Western CG	4,630	1	5	1	1	1	-	-
2	HADRABS & Addiscombe CG	3,631	5	2	3	2	-	1	1
3	Windbreakers	3,056	7	7	5	-	-	2	-
4	Parallel Lines CG	2,746	3	1	2	-	-	-	-
5	East Kent RS	1,871	8	3	4	3	-	3	-
6	Warrington CG	1,556	2	4	-	-	-	-	-
7	Hillbillies	1,238	6	6	-	-	-	-	-
8	Sheppey Outcasts CG	763	4	11	-	-	-	-	-
9	Hillingdon ARC	886	11	9	6	-	-	-	-
10	South Manchester RC	648	10	8	7	-	-	-	-
11	University of Surrey EARS	235	14	10	-	-	-	4	-

OVERALL TABLE (SINGLE-OPERATOR)

Posn	Call sign	Points	432MHz	Band position	1-3GHz	2-3GHz
1	G3XDY	2,911	2	1	1	1
2	G1DOX	1,259	3	2	3	8
3	G6DER	1,005	10	3	4	-
4	G1LSB	1,000	1	-	4	2
5	G4DDK	908	-	-	5	5
6	G8IFT	737	14	-	6	3
7	G8GZD	706	-	-	7	-
8	G4FOH	688	4	-	8	-
9	G1KDF	627	6	-	9	-
10	G0DAZ	483	7	-	-	-
11	G4ZNM	273	8	-	-	-

432MHz MULTI-OPERATOR

Posn	Call sign	Points	GSOs	Loc	Best dx (km)	Pwr (dBW)
1	G8TFI/P	2,881	300	01KK	741	28
2	G4RNL/P	2,888	293	93AD	759	28
3	G4CLA/P	2,248	230	03CE	718	26
4	GW4BVY/P	2,174	239	82KO	774	28
5	G4PUB/P	2,145	217	01OI	899	28
6	G4THB/P	1,833	157	94RJ	779	28
7	G8CHP/P	1,070	118	01PU	819	18
8	G8EKR/P	895	108	01OI	471	20
9	G4COR/P	852	137	83AC	721	25
10	G3FVA/P	843	171	93AE	518	23
11	G1DXY/P	880	157	91OO	513	28
12	G5LKM/P	875	156	91VG	547	18
13	G6UDM/P	493	113	82OJ	742	15
14	G4WGE/P	380	112	91XG	432	10
15	G4XVW/P	370	86	91DJ	367	21

432MHz SINGLE-OPERATOR

Posn	Call sign	Points	GSOs	Loc	Best dx (km)	Pwr (dBW)
1	G1LSB	581	72	02CT	801	20
2	G3XDY	511	45	02OB	587	24
3	G1DDX	478	89	84JC	413	17
4	G4FOH	386	45	82XJ	577	7
5	G0CLP/P	368	55	84IG	566	10
6	G1KDF	278	39	83NN	582	20
7	G0DAZ	271	42	82VF	709	17
8	G4ZNM	153	31	00BS	420	17
9	G1FHY	150	49	91WK	329	20
10	G6DER	145	19	83GN	480	16
11	G1EHJ	129	35	82EO	397	9
12	G6CSY/P	125	25	01BH	383	7
13	G6BDV	90	22	91TT	287	9
14	G8IFT	78	16	82XJ	309	17

Check log received with thanks from BR532525

1-3GHz MULTI-OPERATOR

Posn	Call sign	Points	GSOs	Loc	Best dx (km)	Pwr (dBW)
1	G4LIP/P	802	81	03CE	885	24
2	G0ALE/P	832	83	01OI	494	25
3	G6TRM/P	802	80	01OI	536	21
4	G3CKR/P	527	80	93AD	617	18
5	G4HXA/P	505	69	01KK	557	23
6	G4HXA/P	475	45	94RJ	695	25
7	G4ZTR/P	467	61	01PU	410	19
8	G3UHF/P	232	50	93AE	296	20
9	G4KPP/P	227	47	81OO	416	18
10	G3IGO/P	87	27	81XG	343	3
11	GW4GFX/P	29	7	82KD	216	0

1-3GHz SINGLE-OPERATOR

Posn	Call sign	Points	GSOs	Loc	Best dx (km)	Pwr (dBW)
1	G3XDY	262	28	02OB	510	23
2	G6DER	105	18	93GN	457	19
3	G1DOX	102	17	84JC	391	6
4	G4DDK	86	14	02PA	266	12
5	G8IFT	67	19	82XJ	280	22
6	G8GOZ	79	17	92AK	257	20
7	G1FHY	60	16	91WK	230	10
8	G1KDF	34	6	83NN	251	10

2-3GHz MULTI-OPERATOR

Posn	Call sign	Points	GSOs	Loc	Best dx (km)	Pwr (dBW)
1	G4FRE/P	6,113	35	01KK	310	16
2	G4CBW/P	6,074	27	03CE	395	19
3	G0ALE/P	4,821	29	01OI	342	16
4	G8FEZ/P	4,496	29	01OI	292	11
5	G4VIX/P	3,733	25	01PU	271	-3
6	G4UER/P	1,088	6	81DO	416	14
7	G8LOO/P	471	6	93AE	149	-3

2-3GHz SINGLE-OPERATOR

Posn	Call sign	Points	GSOs	Loc	Best dx (km)	Pwr (dBW)
1	G3XDY	3,167	18	02OB	510	9
2	G4DDK	1,823	13	02PA	268	4
3	G8GOZ	1,286	10	92AK	257	15
4	G6DER	1,103	5-5	93GN	415	15
5	G8IFT	847	9	82XJ	225	6
6	G1DOX	57	1	84JC	57	6

Contests Calendar

1 Jan-31 Dec	UBA SWL (Rules in December SWL News)
May-Sept	Microwave Cumulatives (Rules in March issue)
May-Sept	10GHz Cumulatives (Rules in March issue)
2 September	LZ DX (Rules in August HF)
3-5 September	Howdy Days (Rules in August HF)
6, 7 September	144MHz Trophy and SWL (Rules in June issue)
6, 7 September	IARU Region 1 SSB FD (Rules in May issue)
6, 7 September	IARU Region 1 VHF (Rules in June issue)
7 September	DF Quailing Event, Slade (Details in August issue)
13, 14 September	BATC International (Details G6IQM)
13, 14 September	European DX (phone) (Rules in August HF)
20, 21 September	Scandinavian Activity (cw) (Rules in September HF)
21 September	70MHz Trophy and SWL (Rules in August issue)
21 September	DF National Final, Salisbury
27, 28 September	Scandinavian Activity (phone) (Rules in September HF)
29 Sept, 7, 15, 23, 31 Oct	28MHz CW Cumulatives (Rules in September issue)
4, 5 October	VK/ZL (ssb) (Rules in September HF)
4 October	AGCW-DL Straight Key Party (Rules in September HF)
4, 5 October	IX Concurso Ibero-Americano (Rules in September HF)
4, 5 October	432MHz-24GHz (Rules in August issue)
4, 5 October	IARU Region 1 UHF/VHF (Rules in June issue)
7 October	432MHz Cumulative (Rules in August issue)
11, 12 October	VK/ZL (cw) (Rules in September HF)
12 October	21/28MHz SSB (Rules in May issue)
15 October	1,296/2,320MHz Cumulative (Rules in August issue)
19 October	21MHz CW (Rules in July issue)
23 October	432MHz Cumulative
28 October	70MHz Fixed (Rules in August issue)
26 October	DF Treble Night Event, Mid-Thames
31 October	1,296/2,320MHz Cumulative
1, 2 November	144MHz CW (Rules in August issue)
3, 11, 19, 27 Nov, 5 Dec	28MHz Phone Cumulatives (Rules in September issue)
8 November	432MHz Cumulative
8, 9 November	European DX (rily) (Rules in August HF)
8, 9 November	Second 1-8MHz
16 November	1,296/2,320MHz Cumulative
24 November	432MHz Cumulative
2 December	1,296/2,320MHz Cumulative
7 December	144MHz Fixed and AFS
10 December	432MHz Cumulative
14 December	70MHz CW
18 December	1,296/2,320MHz Cumulative

In each session with a new county or country, other than the entrants own and adjoining counties, eg stations in LDN cannot claim a bonus for contacts with LDN, BRK, BKS, ESX, HFD, KNT and SRY. Any station (worldwide) counts for points, but no bonus can be claimed for contacts with other UK countries. Subject to the limitations in Rule 11, swl entrants score on the same basis as transmitting entrants.

7. Single log for each mode covering all sections entered. This to show: date of session, call, RS(T), serial No sent and received, county code, points and bonus claimed. Logs must be fully scored and totalled and should also show the county code sent. A separate list of counties/countries worked in each session must be included. RSGB HF Contest log sheets (or equivalent) should be used. Incomplete logs will not be accepted. A standard RSGB Declaration must be completed and included with the entry. This must show the county code sent.

8. Entries should be sent to HF Contests Committee, c/o Mrs R L Galsher, G4RWW, 279 Addiscombe Road, Croydon CR0 7HY.

9. Entries should be postmarked not later than 10 Nov 1986 for the cw section and 15 Dec 1986 for the phone section.

10. Awards. Certificates will be awarded to the leading three entrants in each section for the phone and cw contests, subject to a minimum of 10 entries being received in the single-operator and five in the multi-operator and swl sections.

11. SWL section. Rules as transmitting section, except as detailed below:
(a) Entrants. British Isles RSGB members only, who do not hold a Class A transmitting licence.

(b) Logs must be headed date, time, call heard, call of station being worked, report, number and county code of station heard, points and bonus (where applicable). Note: the call of the station being worked may only appear once in every three contacts logged, unless it is a new country/county for bonus. A list of these bonus countries/counties must be included.

South Manchester Quad Night DF results

This year's event attracted a record number of 14 teams. All stations were audible at the start but approximate bearings were given for the hard of hearing!

Station A, G3WTF/P, was located some 16km east of the start in a small wood by the side of the Macclesfield Canal. As the antenna crossed the canal to the opposite side, some teams spent an entertaining night on the wrong side! First arrival, after much bush beating on both sides of the canal, was ten Morrison at 2316.

Station B, G3FVA/P, was located 10km west of the start by the side of the Manchester Ship Canal. Several teams located this transmitter but none of those on the opposite bank were brave enough to risk a night-time dip!

Station C, G3UHF/P, was situated 2km north of the start between a railway line and the Bridgewater Canal. The overhead pylons and power lines caused considerable confusion and many teams spent their time searching the nearby Water Park and rubbish tip—actually walking past the transmitter and a member of the crew checking antennas! First arrival was Trevor Hopkins at 2108.

Station D, G3ZDM/P, was situated 12km north west of the start in a rhododendron jungle by the side of a motorway. The transmitter operators practised knitting by producing a patchwork of antennas. Over 500m of wire were used, which kept some teams searching all night, threatening the transmitter operator with various horrible tortures when they eventually found him. First arrival was George Whennam at 2153.

After the event, a hot-pot supper was provided to revive the competitors, and the results were announced. Geoffrey Foster of the Stratford club was declared the winner and was presented with the "Quad" Rosebowl.

The South Manchester club would like to thank all who took part, operated (and provided the supper afterwards!) and looks forward to the 1987 event.

Posn	Name	Club	Stn A	Time of arrival	Stn B	Stn C	Stn D
1	G Foster	Stratford	—	2052	2218	—	—
2	D Yorke	S Manchester	—	2115	—	—	2232
3	T Hopkins	S Manchester	2345	—	2108	—	—
4	G Whennam	Coventry	—	—	2354	2153	—
5	D Newman	Slade	—	—	2355	2224	—
6	C Wells	S Manchester	—	2036	—	2359	—
7	C Merry	Darford Heath	—	2113	—	—	—
8	I Morrison	S Manchester	2316	—	—	—	—
9	G Laing	S Manchester	—	—	2343	—	—
10	C McKenzie	S Manchester	—	—	—	2358	—

Four teams failed to locate any transmitter.



While operating GB2FCL in May, Thornton Cleveleys ARS welcomed French visitor Patrick de Grancey, F6IHS, who had heard the station JP while in Blackpool. L to r: club member Roger Wood, G0AJQ; club chairman Mike Green, G4EZM; and F6IHS

28MHz Cumulative Contests, second series 1986 rules

Entrants should note that there are some changes to the rules for the autumn series of 28MHz activity contests.

1. The general rules for RSGB HF contests published in the January 1986 issue of *Radio Communication* will apply.

2. Dates and times. Each session 2000-2200gm.

CW sessions: 29 Sept, 7 Oct, 15 Oct, 23 Oct and 31 Oct 1986.

Phone sessions: 3 Nov, 11 Nov, 19 Nov, 27 Nov and 5 Dec 1986.

3. Sections. Single-operator, multi-operator and swl. All entrants, including each operator of a multi-operator entry, must be fully paid-up members of the RSGB. Portable or IA entries are acceptable, but entrants must operate from the same location for all sessions.

4. Frequencies. CW 28-28.2MHz, phone 28.5-28.7MHz. Entrants are asked to spread out within the specified segments.

5. Exchange. RS(T), number (starting at 001 for each session) and RSGB county code (see *Rad Com* Jan 1985). For OSQs with overseas countries, RST and serial No (when given). SWL section, see Rule 11 below.

6. Scoring. Each session is scored separately, and the sum of the three highest scoring sessions to count. Each completed contact is worth three points. Additionally a bonus of five points can be claimed for the first contact

Club News

The following is the latest information received by RRs from RSGB affiliated societies, clubs and groups in time for inclusion in this issue. Basic unchanged information on other affiliated organizations will be published again in January 1987.

RSGB affiliated organizations are requested to report all programmes and new items to their regional representatives regularly. Information for inclusion in the November issue should reach them by 18 September and for the December issue by 21 October.

Club programmes are given in order of date, subject, time and place of meeting. All listings of club secretaries and other contacts are QTHR (correct in the current RSGB Call Book) unless otherwise stated.

All clubs welcome visitors and would be pleased to hear from potential new members.

REGION 1—RR B Donn, G3XSN, 7 Thorne Way, Liverpool L25 4SQ. Tel 051-722 3844.

Bury (BRS)—9 Sept ("Ultrasonics and doppler shift"), Peter Smith, 8pm. Mosses Youth & Community Centre, Cecil Street, Bury. PRO G0CUK, tel Bolton 706191.

Chester (C&DARS)—9 Sept ("An Intro to microwaves", G3PFR), 16 (Video tapes "Satellite comms and packet radio", Ian Wade), 23 ("How an IBA local radio works", Julie Hallam of Marcher Sound), 30 (Visit by Lowe Electronics of Matlock). Morse classes 7.15pm. Main meetings 8pm. Chester Rugby Union Football Club, Hare Lane, Vicars Cross, Chester. Details G6IFA, tel 336639.

Congleton (CRC)—First Wednesday of each month, 8pm. The Library, Congleton. Details, G6OKN, tel Crewe 765005.

Crewe (South Cheshire ARS)—8 Sept (Talk on "Operation Raleigh"), 8pm. Crewe LMR Sports Club, Goddard St, Crewe. Details G1PUV, tel 07816 73185.

Ellesmere Port (EP&DARS)—Meetings are held on Mondays not Tuesdays, fortnightly, 7.30pm. The Grosvenor Hotel, Ellesmere Port.

Fylde (FARS)—2 Sept (Visit to Blackpool Airport Fire Station), 16 (Informal with Morse), 7.45pm. The Kite Club, Blackpool Airport, Sec G8GG, tel 725717, or PRO 737680.

Leyland (Central Lancs ARC)—1 Sept (Planning for SSB Field Day), 15 (What went wrong on SSB Field Day), 1 Oct (Trip to HMS Inskip), 6 (Noggin and natter), 8pm. The Priory Club, Broadfield Drive, Leyland. Sec G4YWG.

Liverpool (L&DARS)—2 Sept (Open night), 9 (Quiz), 16 ("First impressions of the Isle of Man", G3XSN), 23 (Inquest into SSB Field Day, G4CVZ), 30 (TBA), 8pm. The Churchill Conservative Club, Church Road, Liverpool 15. Sec G1EXJ, tel 051-728 8811.

Ormskirk (O&DARC)—4 Sept ("Microwaves", G4UGH), 16 (Visit to Lancashire Police, Hulton Radio Workshop, 8pm), 2 October (Junk sale). **Penrith (EVRS)**—18 Sept ("Simple receivers", G4AFU), 7.30pm. The Ullswater School Evening Centre OR at The Crown Hotel, Eamont Bridge. Details G4XPO tel Cullin 482.

Sale (SMRC)—5 Sept ("The Great Egg Race—Part 5"), 12 ("TV sound outside broadcast", G4MYB), 19 ("Using and abusing the 4CX250B series", G4FRX), 26 (Bring and buy sale, non-radio items welcome), 3 Oct (Video lecture), 8pm. Sale Moor Community Centre, Norris Rd, Sale. Sec G3WFT, tel 061-973 1837.

Stockport (SRS)—10 Sept (SSB Field Day post-mortem), 17 (Informal), 24 ("Frequency meters", G8CZW), 8 Oct ("Logic circuitry", G8OMH), 8pm. The Magpie Inn, Wellington Rd North, Stockport. Details G4FFW, tel 061-224 7880.

Thornton Clavalays (TCARS)—1 Sept ("Computers", G6BZD), 8 (Informal—club on the air), 15 ("Design and construction of rotor mountings", G0AJW), 22 (Informal), 29 (Talk by G4EFO of Microwave Modules Ltd). Morse class, G3ZRZ, 7.45pm. 1st Norbreck Scout HQ, Carr Rd off Fleetwood Rd, Bispham, Blackpool. Details G4BFH, tel 0253 853554.

Warrington (WARC)—2 Sept (Open forum), 9 (Junk sale), 8pm. Greppenhall Community Centre, Bell House Lane, Warrington. Info Paul, tel 0925 814005.

Wirral (WARS)—3 Sept (Sale of surplus equipment), 17 ("Protection in the electrical generating industry", G8RIX), 8pm. The Club Room, Ivy Farm, Arrowe Park. Sec G3VEB.

My thanks to Oldham ARC for inviting me to officially open their new radio shack on 12 June. It was a really enjoyable evening and I cut the tape with a morse key. First station worked was VP2MDY. The catering was excellent.

Thanks also to the Carlisle & DARS for their hospitality during my visit, and particularly to Tony and Jeck, John and Mary for their kindness.

Welcome to Rossendale ARS; Central Lancs ARC and Congleton ARC.

Please note that the area representatives for this region are listed on page 24 of the April 1986 RSGB Call Book. They are there to help with your problems. Why not give them a call? RR1

REGION 2—RR P R Sheppard, G4EJP, 9 Elvington Crescent, Leconfield, Beverley, N Humberside HU17 7LX. Tel 0401 50397.

Hallifax (H&DARS, G2UG)—16 Sept (AGM). Running Man ph. Details G0DLM, tel 0422 202306.

Hull (H&DARS, G3AMW)—5 Sept (DF hunt). West Park Recreation Centre, Walton St. Details G0DMP, tel 0482 862149.

Kelghley (KARS, RS84851)—9 Sept (Informal meeting), 30 Sept (Talk by Mr R F Fleet, senior transmitter manager, BBC), 8pm. Victoria Hotel. Details G1IGH, tel 0274 496222.

Leeds (White Rose ARS, G3XEP)—3 Sept (SSB Field Day briefing), 10 (Meet your committee), 17 (Natter nite), 24 (Video on satellite comms). Moortown RUFC, Moss Valley, Kings Lane. Details G4ATZ, tel 0937 842790.

North Wakefield (NWRC, G4NOK)—4 Sept (AGM), 11 (Junk sale), 18 ("Contest operating", G3XZ), G4IAU and G4RCG), 25 (Monthly meeting). White Horse ph. Details G4RCH, tel 0532 536633.

Pontefract (P&DARS, G3FYD)—4 Sept (Committee meeting), 11 (NWRC junk sale), 20 ("Went valley hike", Raynet exercise), 25 ("Raynet", G3PSM). Carleton Community Centre. Details G0AAO, tel 0977 43101.

Todmorden (T&DARS, G4WYT)—1 Sept (Chat night), 15 (Chat night). Queen Hotel. Details G1GZB, tel 070681 7572.

UK FM Group (Northam, G8KRM)—7 Sept (Monthly meeting). Royal Hotel, Barnsley. Details G4UNA.

Wakefield (W&DARS, G3WRS)—30 Sept (Demo for muscular dystrophy). Community Centre, Prospect Rd, Osselt. Details G4VRY, tel 0532 820198.

Wayne (Wayne Raynet Group, G4UWE)—1 Sept (Comms test with county Raynet groups), 15 (Group training meeting), 18 (Quarterly meeting at Humber Bridge), 14 (Humber Bridge Marathon—Radio support).

York (YRC, G4YRC)—9 Sept (Informal), 23 (Test your equipment with G4FUC), Ashcroft Hotel, Bishopthorpe Rd. Details G1FTA, tel 0904 704634.

NOTES

1. Hamnet Hull—New tel No 0482 465150 (300 Baud, 8 bit, no parity).

2. Scarborough—Welcome to Bob Wilkinson, G4YKO, the new area representative.

3. O7I—The talking book is desperately looking for assistance in Region 2, please ring 0765 6159 for details.

4. Many thanks to the following clubs visited in early '86 for their hospitality: Hornsea, Hull, Leeds, UK FM Group, Mexborough, Pontefract and Sheffield.

5. "Club News" items may be telephoned in up to and including the last date shown in "Club News". RR2

REGION 3—RR G Ross, G8MWR, 81 Ringwood Highway, Coventry CV2 2GT. Tel 0293 616941.

Birmingham (Midland ARS)—16 Sept (Surplus sale). Unit 5, Henslead House, Henslead St (off Bromsgrove St). Sec G8BHE, tel 021 422 9787.

Bromsgrove (B&DARC)—Thursdays (Club net—144.575MHz and Morse tuition), 12 Sept (Surplus sale), 8pm. Alternate Fridays. Avoncroft Arts Centre, Bromsgrove. Sec G4NYH, tel Bromsgrove 73847.

Droitwich (DARC)—22 Sept (Microwave workshop, G8MWR), 8pm. 2nd and 4th Mondays in the month. Scout HQ, Droitwich. Sec G4HFP, tel 02993 3818.

Halesowen (MEBRC)—9 Sept (Open meeting), 23 Sept (General meeting), 8pm. MEB Social Club, Mucklow Hill, Halesowen. Sec G4RWH, tel 021 747 8784.

Hereford (HARS)—5 Sept ("VHF working", G4ASF), 19 (Informal), 8pm. Civil Defence HQ, Gaol St, Hereford. Sec G3WRQ, tel 0432 54064.

Kidderminster (KARC)—2 Sept (AGM), 16 ("VHF propagation", G8BKL), 30 (An evening with G3PGQ). Every other Tuesday, 8pm. Vice-presidents club, Harriers Football Ground, Hoo



The official opening of the Oldham ARC radio shack by G3XSN, RSGB Region 1 representative. L to r: G1KJC, G6NCK, G3XSN and (seated) G4ARP. Photo: Rochdale Observer Group



The Royal Signals gave a demonstration of satellite communications equipment to members of the Stratford-upon-Avon & DARC on 9 June. Included in the photograph are G4MMF, G6MMD, G0EDT, G8HJS and G4YGY. Photo: G0CHO

Rd, Kidderminster. Sec G8WOX, tel 0562 751584.
Rugby (RATS)—16 Sept (Auction and barbecue). 7.30pm. Cricket Pavilion, "B" entrance, Rugby radio station. Sec G8TWH.
Shrewsbury (Shropshire Salop) ARS—4 Sept (Night on the air), 11 (Fox hunt), 18 (Natter night), 25 ("Slowscan tv", G4IUT), 8pm. Old Bucks Head, Frankwell, Shrewsbury. Sec G6OMJ, tel 0743 67799.
Solihull (SARS)—18 Sept ("Radio Investigation Service", G4PZA). The Shirley Centre, Stratford Rd, Shirley. Sec G8AAY, tel 021-783 2996.
Stafford (SARS)—2 Sept (Informal), 9 ("The RSGB", G8MWR), 16 ("Home brew wines", G3ZZS), 23 (Night on the air), 8.30pm. Coach & Horses, Pasturefields, Staffs. Sec G6DAT, tel 08894 2453.
Stratford upon Avon (SuA ARC)—8 Sept ("Selling up a station", 22 ("Raynet", G3STG), 7.30pm. Baptist Church, Payton Street, Stratford upon Avon. Sec G8OVC, tel SuA 750584.
Warwick (Mid-Warwick ARS)—9 Sept ("Making pubs", G0CHO), 23 ("A night with Norman", G8CXL), 8pm. St John Headquarters, 61 Emscote Rd, Warwick. Sec G6VHI.
Wolverhampton (WARS)—2 Sept ("Rig testing", G4WAS), 9 ("Discone antennas", 16 (Committee meeting), 23 ("Antennas and feeders", G8MWR), 28 (DF hunt), 30 (Night on the air), 8pm. Electrically Sports Club, St Marks Rd, Chapel Ash, Wolverhampton. Sec K Jenkinson, tel 0902 24870.

REGION 4—RR M Shardlow, G3SZJ, 19 Por-treath Drive, Darley Abbey DE3 2BJ. Tel Derby (0332) 556875.
Alfreton (A&DARC)—6 Oct (Homebrew Comp, buffet and night on the air), 8pm. ECP Social Club, Carnfield Hill Alfreton. Sec G1SFR, 7 Byron Ave, Alfreton.



Tom Douglas, G3BA, (l) with Jack Collett, then G3AMY and chairman of the Mansfield ARS, after he had judged a construction competition and given a talk entitled "Experiences of a radio amateur on the Burma-Siam railway". Photo: G4SVU

Derby (DADARS)—3 Sept (Bring and buy sale), 10 (75th anniversary lecture at St Helen's House, G2CVV), 17 and 24 (TBA), 1 Oct (Junk sale), 7.30pm. 119 Green Lane, Derby. Sec G3KOF, tel Derby 772361.
Glossop (GADARG)—25 Sept (Visit by Lowe Electronics), 7.30pm. Nags Head Hotel, Charles-town Road, Glossop. Sec G4GNO.
Grimsby (GARS)—4, 18 Sept (TBA), 2 Oct (AGM and awards night), 8pm. Cromwell Social Club, Cromwell Road, Grimsby. Sec G4EBK, tel Grimsby 887720.
Loughborough (Worked All Britain Award Club)—Club net frequency 3,760kHz most days. Hon sec G4IAR.
Lough (LADARC)—Every first and third Wednesday, 7.30pm. The Charterhouse Club, Manby, near Lough. Sec G1IZB, tel Marshchapel 595.
Nottingham (ARCON)—4 Sept (144MHz foxhunt, Number 5), 11 ("CW the best thing since sliced bread", G4NZU), 18 ("Narrowband tv"), 25 (Activity night), 7.30pm. The Sherwood Community Centre, Mansfield Road, Nottingham. Sec G4PJZ, tel Nottingham 624764.
Scunthorpe (SARC)—2 Sept (Natter night), 9 (Video "Secret Listeners"), 16 (Construction contest), 23 (Homebrew ORP), 30 (Junk sale), 7 Oct (Natter night), 7.30pm. Grange Farm Hobbies Centre, Franklin Crescent, Scunthorpe. Sec G4ZGJ, tel 732268.
Workshop (WARS)—9 Sept (Visit to Sheffield Brewery), 26 (Visit to Maltby Club for quiz night), 7.30pm. The Maltkins, Galeford Road, Workshop. Sec G4ZUN, tel 486614.

REGION 5—RR J S Allen, G3DOT, 77 Roslyn Crescent, Luton LU3 2AT. Tel 0582 508515 or at work on 0582 21151.
Cambridge (C&DARC)—5 Sept (Contest brief-



Jack Collett, G3AMY, (l) who retired as chairman of the Mansfield ARS prior to becoming G13AMY, receiving a memento from new chairman Gordon Holdom, G4SVU. Photo: G4AAH

ing), 12 (G6KND, topic to be announced), 19 (Informal meeting), 26 (G8VCN, topic to be announced). The Colteridge Community College, Radebund Road, Cambridge.
Dunstable (DDRC)—14 Sept (Trip to Allon Towers), 21 (National car boot sale, Old Warden Aerodrome). Details G6EES, tel Dunstable 607623.
Leighton Buzzard (LLRC)—1 Sept (AGM). Room A64, The Vandyke Community Centre, Vandyke Road, Leighton Buzzard, Beds.
Milton Keynes (MK&DARS)—18 Sept ("American scientists and scientific discoveries", USAF lecture team), "The Meeting Place", Hodge Lea, North Milton Keynes.
Wisbech (WR&EC)—Now meets every Thursday from 1930 in two rooms above the RAFA Club in Asrai House, Old Market, Cambridgeshire. Chairman is G8NIL, and sec G4DDH.

REGION 8—RR N P Taylor, G4HLX, 87 Hunters Field, Stanford in the Vale, Faringdon, Oxon SN7 8ND. Tel 03677 503.

Aylesbury (AVRG)—No meeting in Sept. Enquiries about GB3VA, GB3AV, GB3BV, GB3VB or group membership, contact G8BOH, tel 0296 641783.
Chesham (C & DARS)—Every Wednesday. Bury Farm, Pednor Road, Chesham, Bucks. Details "Liz", tel 09278 3911.



Chesham & D ARS's demonstration station on Chesham's Carnival Day, 14 June 1986, being operated by G8KVI, watched by ITN reporter Jeremy Hands, who opened the carnival, and Cllr Mrs Jo Franks, Chesham Town Mayor. Photo: G4UXA

Didcot (Vale of White Horse ARS)—16 Sept (AGM), 7.30pm. The Waterwitch, Cockroft Road, Didcot. Sec G4SYL, tel Didcot 816845.
Harwell (HARS)—16 Sept ("History of the telephone", speaker from BT), 7.30pm. Harwell Lab Social Club. Sec G6MRP, tel Abingdon 848617.
High Wycombe (Chiltern ARC)—24 Sept (Lecture by Chris Bartram, G4OGU, from MuTek Ltd), 8pm. Sir William Ramsay School Science Block. Details G4XVP, tel 0494 35275.
Oxford (O & DARS)—24 Sept ("VHF antennas", Ian White, G3SEK), 7.45pm. Oxford Civil Service Sports Association Club, Government Buildings, Marston Rd, Oxford (entrance by gate marked Driving Tests). Sec G4PUU.

REGION 7—RR R Sykes, G3NFV, 16 The Ridgeway, Feltham, Leatherhead, Surrey KT22 9AZ. Tel 0372 372587.

Bexleyheath (North Kent RS)—2, 16 Sept (Equipment evening or 50MHz evening), 8pm. The Pop-in-Parlour, Graham Road, Bexleyheath. Sec G4DIB.

Biggin Hill (BHARC)—16 Sept ("The work of the RS"), 8pm. Downe Village Hall, 24 High Street, Oowne, Kent. Sec G0AMP, tel 0689 57848.

Cray Valley (CVRS)—18 Sept (Natter night), 8pm. Progress Hall, Admiral Seymour Road, Eltham SE9. Details G3TAA.

Crystal Palace (CP & DRS)—20 Sept ("The history of the valve", C Jones), 8pm. All Saints

Parish Room, Upper Norwood, SE19. Sec G3FZL, tel 01-699 6940.
Dorking (D & DRS)—9 Sept (Informal), 23 Sept ("Raynet"), 8pm. Star and Garter (9th), Ashcombe School (23rd). Sec G3AEZ, tel 0306 77236.
Sutton & Cheam (S & CRS)—19 Sept (Visit to Surrey Police Headquarters), 8pm. Downs Lawn Tennis Club, Holland Avenue, Cheam, Surrey. Sec G4FKA, tel Epsom 21349.
Wimbledon (W & DRS)—5 Sept (144MHz dl foxhunt), 7pm. Note new venue: St Andrew's Church Hall, Herbert Road, Wimbledon SW19. Sec G3DWW, tel 01-540 2180.

REGION 8—RR M Elliott, G4VEC, 20 Haysel, Sittingbourne, Kent ME10 4OE. Tel 0795 70132.

Brighthelm (B&DRS)—3 Sept (Talk by G3WR), 17 ("A blast from the past"), G4DOS, 8pm. Seven Furlong Bar, Brighthelm Race Course. Details G4ILL, tel 607737.
Crawley (CARC)—10 Sept (Informal, courtesy Lech, G3KAU, QTHR), 17 (Committee meeting at Mick's, G3IPP), 24 ("RSGB", G4VEC), 8pm. The Leisure Centre, Haslet Ave, Crawley. Details G4IOM, tel 882641.
Dartford (DDFC)—7 Sept (RSGB hunt), 9 (Pre-hunt meet), 14 (Club night), 21 (RSGB Final). Pre-hunt meetings alter 9pm. Horse & Groom PH, Leyton Cross, Dartford Heath. Details G8DYF, tel Greenhithe 844467.
Dover (SEKYMARC)—3 Sept (Natter nite and committee meeting), 10 ("Raynet, how it works"), 17 (Natter nite), 24 ("Scarab"), 8pm. Dover YMCA, Godwynhurst, Leyburne Rd, Dover. Details: JH Dobson, tel Dover 211638.
Eastbourne (Southdown ARS)—1 Sept ("50MHz, past and present", GBVR), 3 (Exhibition at "Hobbyfair", Hailsham Leisure Centre), 16 (New RAE course starts at Hailsham Leisure Centre), 20 (Activity weekend on all bands to promote "Devonshire Award", GB2SAR special event), 6 Oct (Surplus equipment sale). Chaseley Home, South Cliff, Eastbourne. Various courses held Tuesday evenings. Friday evenings are chat nights. Hailsham Leisure Centre, Vicarage Lane. Details G4XNL, tel Eastbourne 838853.
Edenbridge (EARS)—10 Sept ("RSGB" G4VEC), 8 Oct (HF night/judging of construction contest), 8pm. The Scout Hut, High Street, Edenbridge. Details G8VCH, tel East Grinstead 24748.
Gillingham (Bredhurst R&TS)—4 Sept ("The G-QRP Club", G3RJV), 2 Oct (Inter-club quiz), 8pm. Parkwood Community Centre, Parkwood Green, Wigmore, Gillingham. Details G0AMZ, tel Medway 376991.
Gravesend (GRS)—Mondays, 8pm. The Windmill Tavern, Shrubbery Road, New Sec G0DYX.
Hastings (HERC)—17 Sept ("Ron Hodgkinson, G4KYQ"), 7.45pm. West Hill Community Centre. Various activities on other nights. Details G4NVO, tel Hastings 420608.
Maldstone (MYMCAARS)—5 Sept (Open evening to welcome beginners and new members) 8.30pm. 12 (Natter night, RAE and cw), 8.30pm. 19 (ATV demonstration/lecture), 7.45pm. 26 (Natter night, RAE and cw), 8.30pm. YMCA Sportscentre, Melrose Close, Maldstone, New Sec G0BUW.
Meopham (MPRC)—14 Sept ("Direction-finding techniques and equipment"), 7.30pm. 21 (DF hunt). The Club House, Vigo Rugby Football Club, Vigo Village, Nr Meopham. Details G6TXP, tel 0732 883812.
Worthing (W&DARC)—3 Sept (Ragchew and HF SSB Field Day review), 10 (Microcomputer evening, G3LJK, G4SWH, G8VEH), 17 (Ragchew evening), 7.30pm. Lancing Parish Hall, South Street, Lancing. Sec G4SWH, WADARC, PO Box 599, Worthing BN14 7TT.

REGION 10—D H Phillips, GW4KO, 17 Pentre Gardens, Gwent, Cardiff CF1 7QJ. Cardiff (CRSGBG)—8 Sept ("SSB power measurements", GW3NWS), 7.30pm. Pantmawr Hotel, Tyla Teg, Pantmawr Estate, Whitchurch, Cardiff. Sec GWOCUM, tel Cowbridge 3212.
Rhondda (RARS)—18 Sept ("Ellis Evans, GW3CDH, Worked all (USA) Counties" slide show), 2 Oct (Open meeting), 7.30pm. Union of Mineworkers Club, Tonypany.

REGION 11—RR B H Green, GW2FLZ, 1 Clwyd Court, lan-y-Bryn Road, Colwyn Bay, Clwyd LL28 4AH. Tel 0492 49288.
Colwyn Bay (Conwy Valley ARC, GW6TM)—11 Sept (Quiz), 8pm. Green Lawns Hotel, Bay View Rd.

Colwyn Bay. New Sec GW4KG1, tel 0745 823674.
Porthmadoc (P & DARC)—18 Sept (Video film), 16 Oct ("Basic fault finding", GW2HCJ), 8pm. Harbour Cafe, Ffestiniog Railway, Porthmadoc. Sec GW1EG0, tel 0766 2684.
Rhyl (R & DARC GW4ARC)—1 Sept (AGM), 15 (Programme planning), 6 Oct (Activity night), 7.30pm. 2nd Rhyl Scout HQ, Vale Road, Rhyl. Sec GW8OYT, tel 0745 37284.

Would club secretaries please send to me their club programmes for November 86 onwards, as soon as possible, so that I may insert them in "Club News".
 RR11

REGION 16—RR A Owen, G4HMF, 102 Constable Road, Ipswich, Suffolk. IP4 2XA. Tel 0473 51319

Braintree (B&DARS)—1 Sept ("Power supplies", G3PEN), 15 (Arrow electronics, G3LST), 8pm. The Community Centre, Victoria Road, (next to bus station), Braintree. Details G0EMK (temp 88 Coldnailhurst, Braintree CM7 5PY, tel 0376 25587).
Brentwood (BARC)—First and third Tuesdays in each month, 7.30pm. The Healtage, Shentfield Road, Brentwood. Details from chairman, G8WYM, tel (daytime) Basildon 403153.
Bury St Edmunds (BSIEARS)—16 Sept ("FAX demo", G4UCW), 7.30pm. Westgate Primary School, off Hospital Road, Bury St Edmunds IP3 2EE. Details tel 0359 50271.
Chelmsford (CARS)—25 Sept ("Antarctic surveying", 2 Oct (AGM), 7.30pm. Marconi College, Arbour Lane, Chelmsford. A.C. Mead. Details G4KQE, tel 0376 83094.
Colchester (CRA)—18 Sept ("Electronic teleprinters", G8CKW), 2 Oct (AGM), 7.30pm. Colchester Institute, Sheepen Road, Colchester CO3 3LL. Details G3FIJ, tel 0206 851189.
Felixstowe (F&DARS)—8 Sept (Social), 22 (Alan Melia, G3NYK), 6 Oct (Social), 8pm. The Feathers

PH, Walton High Street, Felixstowe. Details G4YQC, tel 0473 642595 (daytime).
Great Yarmouth (GYRS)—This club is meeting again on Thursdays, 7.30pm. The Drill Hall, York Road, Great Yarmouth. Details, G3NHU, tel 0493 721173.
Ipswich (IRC)—3 Sept (Planning SSB FD), 24 (TBA), 8 Oct (Planning JOTA), 8pm. Rose & Crown PH, Norwich Road, Ipswich. Details G4IFF, tel 0473 44047.
Kings Lynn (Norfolk CAT Student Union ARC)—Thursdays, 7.30pm. Norfolk radio shack (at rear of) St John's School, London Road, Kings Lynn. Morse classes Fridays. Sec G4OZG, tel 0553 768701.
Leiston (LARC)—25 Sept (Social), 7 Oct (RTTY by computer), 7.30pm for 8pm. Sizewell Sports & Social Club, King George's Avenue, Leiston. Details G0CJX.
Norwich (NARS)—3 Sept (SSB field day planning), 10 (Visit to Yarmouth Coastguard), 17 (RR16 visit), 24 (Surplus equipment sale), 8pm. Valley Drive Community Centre, 97 Plumstead Road, Norwich. Details G4WTR, tel 0603 610874.

REGION 17—RR T Emery, Wilverley, Old Lyndhurst Road, Cadnam, Southampton. SO4 2NL. Tel 0703 812435.

Bishop's Waltham (Amateur Radio and Computer Club)—5 Sept ("Pacsal and JAS-1", K8KA), 3 Oct ("Enigma—over the shoulder", G3VA), 8pm. The Crown, Bishops Waltham, Hants. Sec G6DLJ, tel 0703 847754. (Also Presitel Mailbox 703847754).
Andover (ARAC)—3 Sept (Construction contest), 21 (Club barbeque), 1 Oct ("A night of conversation"), 8pm. Wolversdene Club, Andover. Club net, 8pm Tuesday evenings S18—G0ARC/A, Sec G0AMO, tel Andover 51593.
Basingstoke (BARC)—1 Sept ("Surface mounted devices", G4QXK), 25th anniversary of BARC in September—congratulations. 8 Oct (AGM), 7.30pm. Forest Ring Community Centre, Sycamore Way, Basingstoke. Sec G4WIZ, tel Tadley 5185.

The highlight of the Mid-Lanark ARS open day was the presentation of the GM3EH Award to John Branagan, GM4IHJ, (centre) for his work on auroral sporadic-E and satellite prediction, together with honorary life membership of the society. The awards were presented by Tom O'Neill, GM4PRO, chairman, MLARS (I), and Jim Reid, GMLQR, vice-chairman, MLARS (r). Photo: GM4SRL



At the Mid-Lanark ARS open day in June, the winners of the joint Mid-Lanark and West of Scotland ARS 144MHz fm contest held in April 1985 were presented with their certificates. L to r: Jim Reid, GM4LOR, vice-chairman, MLARS; Bruce Steel, GM1KNP, leading portable station; Anne Hood, sec, MLARS, and contest organizer; Vic Budas, GM3VTB, leading unhandicapped station and second overall place; Derek Smith, GM0EEY, leading Mid-Lanark member; and Tom O'Neill, GM4PRO, chairman, MLARS. Photo: GM4SRL

Binstead, IoW (BARS)—Every Wednesday, Binstead Scout Hall, 7.30pm. Sec G4VJF, tel Ryde 66298.

Blackmore Vale (BVARs)—9 Sept (Junk sale), 23 (Project night), 7.45pm. The Bell and Crown PH, Zeals (on the A303), Sec G4YXX, tel 0963 32389.

Eastleigh (Hichen Valley ARC)—12 Sept ("Propagation", G3LTP), 26 ("A general view of QRP", G6BUE), 7.30pm. The Scout Hut, Brickfield Lane, Chandler's Ford, PRO G0EQG, tel Winchester 55339.

Fareham (F&DARS)—10 Sept ("Mountain climbing", G1MCP), 24 ("Homebrew—the legal limit on 144", G4XZL), 3 & 17 (Natter nights), 7.30pm. Portchester Community Centre, Portchester, Hants. Sec G3CCB, tel Fareham 288139.

Horndean (H&DARC)—4 Sept (Junk sale), 2 Oct (AGM), 7.30 for 8pm. Murchiston Hall, London Road, Horndean, 1986 is 10th anniversary year of club with special award. Sec G4BEQ.

Ile of Wight—Fridays, 7.30–8pm. Unity Hall, Wootton Bridge, Sec G6XMI.

Liphook (Three Counties ARC)—3 Sept ("Propagation", G3LTP), 17 ("Amateur IV", G8LES), 1 Qcl ("HF antennas and feeders", G5RV), 8pm. The Railway Hotel, Liphook, Sec G0BTU, tel Petersfield 66489.

New Forest Repeater Group, GB3NF—For information or to join the group and help support the repeater, please contact G6DLJ, tel 0703 847754.

Poole (PARS)—28 Sept (10th anniversary celebrations), 7.30pm. Commander's House, Constitution Hill Road, Poole. Sec G4XYX.

Portsmouth Hill Repeater Group, GB3PH—For information or to join the group and help support the repeater, please contact Mr A L G Price, tel 0329 281852.

Southampton (SUARS)—29 Sept to 13 Oct: special event station (awaiting call sign) on 11, 144 and 432MHz to coincide with "Fresher's Conference" and to publicise club in the university. Meetings Wednesdays, 1pm. 65 University Road, Southampton. Contact G0ERI, tel 0703 559122, ext 2137 (work).

Swindon (S&DARC)—4 Sept ("Radio and tv broadcasting in the USA", G4YOZ), 18 ("Antennas", G4RZF), 11 and 25 (Natter nights), 7.30pm. Oakfield School, Marlows Avenue, Swindon. Sec G4YOZ.

UK FM Southern Repeater Holding Group, GB3SN—For information or to join the group and help support the repeater please contact Mrs Jan Steele, tel Fleet 3311.

Waterside (WSWC)—Results of agm: chairman, G3YJJ; treasurer, G1MTR. Fourth Tuesday in every month, 7.30pm. Community Centre, Blackfield, Southampton. Sec G0BPA, tel 0703 893937.

Weymouth (SDARC)—2 Sept ("Radio control of model aeroplanes", G3YWW), 7.30pm. Royal Engineers Training Camp, Camp Road, Wyke Regis, Weymouth. Sec G1AHK, tel Dorchester 67596.

Winchester (WARC)—19 Sept (Presentation by McKnight Crystals), 7.30pm. Durngate House, Winchester. Sec G4ZNO, tel 0703 772191.

Club secretaries in Region 17 are asked to note that I am on Prestel Mailbox No 703812435. There is now even less excuse for you not letting me know what your club is doing. **RR17**

REGION 18—RR Ian Gibbs, G4GWB, 81 The Gables, Widdrington, Morpeth NE61 5QZ. Tel 0670 790090.

Berwick (Borders ARS, G0BRS)—5 Sept (Field Day presentation), 6, 7 (Field Day, HF VHF/UHF), 19 Sept ("Top band working", G3KMR/G3YOG, Tweed View Hotel, Tweed St, Berwick. Sec G01RN, tel 0289 82491.

Newcastle (NER & CC, G4YPT)—Members and visitors please note new club secretary. Meetings Monday evenings, Village Hall, Hazelrigg, Newcastle. Sec G1GNY, tel 091 235 5288.

Newcastle (Tyneside ARS, G3ZQM)—3 Sept (Informal), 6, 7 (Participation in 144MHz Trophy & SWL Contest), 10 (Activity evening), 14 (Operation of special event station GB2BBC from BBC HQ Newcastle), 17 (Informal), 21 (DF foxhunt (No 2)), 24 (Activity evening). Scout Centre, Harbottle St, Byker, Newcastle. Sec G4KDT, tel 091 234 1148.

REGION 20—RR C R Hollister, G4SQQ, 34 Bettlersby Wey, Henbury, Bristol BS10 7SU. Tel 0272 508451.

Bristol (BARC)—9 Sept ("UHF matters", G6GN), 7.30pm. YMCA, Park Road, Kingswood, Bristol. Details G4YOC, tel Bilton 4116.

Bristol (BRSGBC)—29 Sept ("10GHz revisited", G8MWR, of Microwave Society), 7.30pm. Small Lecture Theatre, University of Bristol, University Walk, Clifton, Bristol. Details G4SQQ, tel 0272 508451.

Bristol (North Bristol ARC)—5 Sept (Natter night), 12 (Bring and buy), 19 ("GWR", talk and films by Ron Gardner), 26 (QSL card display), 7pm. SHE, 7 Braemar Crescent, Northville, Bristol. Details G4YQQ, tel 0272 690404.

Bristol (South Bristol ARC)—3 Sept (AGM), 10 ("Cellular radio", lecture and demo, G3PTO), 17 (Computer bring and buy), 24 (Preparation for the Bristol Rally, G4SQQ and G4KUQ), 7.30pm. Whitchurch Folk House, East Dundry Road, Whitchurch, Bristol BS14 1LN. Details G4RZY, tel 0272 834282.

Cheltenham (CARA)—5 Sept (Test equipment evening), 7.30pm. Stanton Room, Charlton Kings Library, Cheltenham. Details G4VXE, tel 0242 26723.


Shirehampton (SARS)—19 Sept ("Packet radio", demonstration and lecture, G8NUU and G8IMB), 7.30pm. Twyford House, Shirehampton, Bristol. Details G4GTD.

Weston-super-Mare (WsmARS)—8 Sept (Natter night), 22 (Constructors' night), 7.30pm. The Rugby Club (off Grove Road), Weston-Super-Mare BS22 0SJ. Details G1DJW, tel 0934 514429.



Yeovil (Y&DARC)—11 Sept ("The transmission equation", G3MYM), 18 ("Inductance", G3MYM), 25 (Natter night), 7.30pm. The Recreation Centre, Chilton Grove, Yeovil, Somerset. Details G3GC, tel 0935 75533.


Note—Clubs not listed above have not sent copy to the RR.

Many thanks to all the members in Region 20 who voted for me. It is a great credit to the region that there was almost a 25% ballot.



Four of the people responsible for setting up GB4OH on the Isle of Wight in June 1986. It was the sister station of GB01OM at the same event. L to r: G4VJF, G4RTW of Binstead (IoW) ARC, with G6XMI and G6XVN of the Isle of Wight RS

TRIO DEALER		WARD ELECTRONICS		TRIO DEALER	
Choose from the Comprehensive Range of TRIO quality Communications Equipment	NEW! 2M Multimode TR751E £525	Scarab Radio Software and Hardware CBM • BBC • AMSTRAD	Daiwa Quality Products VHF Linears Power Supplies	G3LIV RTTY and SSTV	R532 Synthesised Airband Scanner £209
		Dewsbury Pocom Codereaders Star Masterkeys	AR2001 Scanner £435	Howes Kits ORP Projects	WARD ELECTRONICS 422 BROMFORD LANE, WARD END BIRMINGHAM B8 2RX Tel: 021-328 6070 CLOSED MONDAY
TS440S £950 HF Transceiver with Gen. Cov. Receiver. All modes included.	Pacesetter 2M rig. Top performance at an affordable price.	• KEYS • ROTATORS • SWR METERS • PSUs • ANTENNAS • RSGB BOOKS •			



USED AMATEUR EQUIPMENT?

I Buy, Sell & Exchange!

SELLING?

I pay the BEST POSSIBLE PRICES for your TOP QUALITY used Amateur Equipment! Or, if that doesn't tempt you, why not let us sell it for you at our competitive commission rates? We have many satisfied customers of our services and it sure beats waiting months for the small ads to appear! Phone Now!

BUYING?

Due to the offers above, I always have a selection of the BEST QUALITY Used Amateur Equipment, available just about anywhere. Everything is inspected and tested by ourselves, whether sold by us, or on behalf of another amateur. Strict standards are kept, ask the people whose rig we didn't buy! Satisfaction of purchase is fully guaranteed on all gear sold at point of sale and our warranty scheme is available beyond that at a small premium. Whether you're looking for the largest or the smallest item in amateur radio, phone us now—and save money!

For the deal you've been looking for—whether BUYING or SELLING—Phone Dave, G4TNY on (040 24) 57722 Between 9am & 7pm Mon to Sat. OR SEND AN SAE FOR OUR COMPUTERISED LISTING!! Personal callers by appointment Only, please.

MAIL ORDER

G4TNY AMATEUR RADIO

132, Albany Road, Hornchurch, Essex RM12 4AQ

PART EXCHANGE

KW TEN-TEC CORSAIR II

No frills, "gimmicks" or unused facilities—For the serious Phone/CW operator who wants the lowest noise, cleanest and most selective amateur HF transceiver on the world market.



Other KW TEN-TEC winners
The ARGOSY II phone/cw transceiver
The CENTURY 22 cw only transceiver

The original KW TRAP DIPOLE and TRAPS, B ATU's, KW BALUN, and antennas

WRITE OR PHONE FOR DETAILS

KW TEN-TEC LIMITED

Vanguard Works, Jenkins Dale, Chatham, Kent ME4 5RT
Telephone: 0634 815173

SPECIALIST RF COMPONENTS

RF power transistors and special components. UNELCO capacitors. Transmitting mica trimmers. Low noise VHF/UHF front end transistors. Japanese equivalents.

Sole Agent for SSM (Thomson CSF) RF transistors.

Phone for Prices. SAE for lists

MODULAR ELECTRONICS

1 Coniston Close Felpham,
(Bognor Regis), Sussex,
PO22 8ND. Tel. 02431 823603



ELECTRONICS (G8AQN)

151a BILTON ROAD, RUGBY CV22 7AS

Tel: Rugby (0788) 76473

TF144H/4 MARCONI signal generators 10KHz to 72MHz £85.00, a few need rapai £35.00 with manuals.

PMR ANTENNA's—7 ele Yagi 145-155MHz 75ohm (Jaybeam) unused £10.00. UHF 460MHz 11 ele Yagi unused £12.00. Mobile j wave antenna's cut for 81MHz, ca be cut for up to 170MHz £2.50 ea.

145-155MHz 75ohm (Jaybeam) unused £10.00. UHF 460MHz 11 ele Yagi unused £12.00. Mobile j wave antenna's cut for 81MHz, can be cut for up to 170MHz £2.50 ea.

Please note all above items must be collected by arrangement.

SERVICE MANUALS—for TEKTRONIX 'SCOPES and plug-ins, plus others send for list. BOLT-IN FEEDTHROUGH CAPS 1000pf 500v 2ba thread 50p each, 10 for £4.50. SOLDER-IN FEEDTHROUGH CAPS 1000pf 500v 3mm dia 10 for 50p. SOLDER-IN FEEDTHROUGH INSULATORS 4mm dia 100 for 75p. OXLEY PTFE feedthrough lns 3-5mm dia 6p each, 10 for 50p. 240pf and 500pf bolt-on anode blocking caps 5Kv wkg ideal VHF/UHF valve linear's, £2.50 ea. 'N' plugs 50 ohm right-angle type ex-equip good cond £1.50. MAGNETIC DEVICES type 354 aerial 12v relays OK up to 200MHz @ 75 Watts s.p.c.o. £1.75 ea, 2 for £3.00, 2-25pf 10mm dia film trimmers (special offer) 10p ea, 50 for £2.50, 100 for £4.00. Mullard 1-10pf film trimmer 7mm sq 15p ea, 10-80pf compression trimmer P.C. mount OK RF up to 50 Watts 25p. 10-7MHz SSB CRYSTAL FILTERS (less carrier xtal) £12.00, 10-7MHz SSB crystal filter LSB only, £6.00 both with data sheet, 2-3v 25Ah CYCLON BATTERIES unused list price over £18.00 our price only £5.00 ea, buy six to make nice 13-8v pack £25.00 post up to 2 off plus £2.00 over 2 post paid. CERAMIC TRIMMERS 10mm dia 10-40pf tag ends sp offer 10p ea, 15 for £1.00. 2GHz TUNNEL DIODES SFDs-163 £1.00 ea, 4 for £3.00. 3SK97 gaslet £2.20, 3SK81 mosfet 65p, BFR84 mosfet 50p, RF POWER—2N6070 24v 25 Watt SSB 30MHz, £5.00. PT4236A 1 Watt 175MHz 12v TO39 case 75p. PT4555 25 Watt @ 144MHz 6db gain 12v £8.00. PT4236C 35 Watt 88MHz 12v 7db gain OK 50MHz £6.00. PT4577 UHF power approx 2 Watt 70cms no info so £1.50 ea. PT 4236B 11 Watt 88MHz 10db gain 12v £4.00. FX1115 boards 10 for 20p.

Many bargains for callers to our shop including loads of test equipment PCBs mixed bags of compts etc plus a complete range of YAESU MUSEN products. Opening times 9.30am to 5.30pm lunch 1.00 to 2.30pm.

ANTENNA FAULT?

LOSING DX? NOT getting out?

Check FAST with an Antenna Noise Bridge and your receiver. MEASURE resonance 1-160MHz and radiation resistance 2-1000 ohms, just TUNE your receiver and TURN the resistance control on the bridge to null the noise, then SIMPLY READ resonance from the receiver and resistance from the bridge.

ANSWERS, no confusion with harmonics, no 10 second limit.

ALSO measure phasing lines, RF resistance and hence Q of loading coils, preamplifier matching or use as a noise generator.

FUN-TO-BUILD kit (ready-made to order) only £24.20 includes ALL parts, case, pcb, pre-wound transformer, by-return postage (Europe same, Giro 21. 923. 4000) and list of other kits.

CAMBRIDGE KITS

45 (RJ) Old School Lane, Milton, Cambridge

ICS

presents the brilliant **ALINCO** 2 METRE TRANSCEIVERS



ALR-206E 25 WATTS 2' METRE MOBILE

- 144-146 MHz FM
- 25 watts output
- 10 memory channels, band scan
- All programming from key pad on microphone
- Back lit LCD frequency display with LCD 'S' metre
- Frequency selection from front panel or microphone
- Mobile mount included

The ALR-206E features micro processor controlled versatility and programming from the microphone in a compact package.

ALR-206E Price: £249.95 inc VAT. (p & p £2.50)


Isopole 144 omni-directional antenna: Price £39.95 (p & p £2.50)



ALM-203E
3/5 WATTS
2 METRE
HANDHELD

- 144-146 MHz FM
- 3 watts with NiCad, 5 watts with DC/DC converter
- 10 memory channels
- Programmable band scan
- Switchable 150-160 MHz Rx (marine band)
- 'S' metre
- Toneburst
- NiCad charger

ALM203E Price: 249.95 inc VAT (p&p £4.00)



ELH-24B
Built in Ga As FET Pre-amp complete with ELH-24B Amplifier

INCREDIBLE OFFER
save **OVER £58.00**
purchase ALM-203E
and ELH-24B together
for just **£249.95**
(p & p £4)

ICS

ICS Electronics Ltd.
PO Box 2
Arundel
West Sussex BN18 0NX
Telephone: 024 365 590




Please send SAE for further detail:
12 months parts +labour warranty
Dealers throughout UK
Prices may vary with
exchange rate
Callers by appointment

APPROVED
TRIO
DEALER

STEPHENS-JAMES LIMITED

47 Warrington Road, Leigh WN7 3AE (0942) 676790



TRIO TS930S
HF Transceiver

TS830S	£998.00	PS430	£139.00	AT930	£178.87	TR2800E	£299.00
AT230	£170.86	TL922	£1266.00	AT250	£314.00	TS530SP	£779.79
SP230	£61.43	R2000	£518.73	TS780	£998.00	TR9130	£544.73
VFO230	£282.00	HS5	£29.39	TW4000A	£586.34	SW200A	£32.67
TS430S	£760.00	TS711E	£770.74	TM201A	£286.09	TS930S	£1395.00
TH21E	£189.30	TL120	£196.29	TM401A	£360.91	TH41F	£220.95
TR751E	£525.00	SP120	£30.74	TR3500	£270.00	TS811E	£895.00
SW100A	£42.95	SW100B	£42.95	VC10	£139.00	TS940S	£1795.00
TS440S	£950.00					MC50	£39.50
						MC60A	71.00

FULL RANGE OF TRIO ACCESSORIES STOCKED



TRIO R2000
General Coverage Receiver

The only official stockist of Trio equipment in the North West

STATION ACCESSORIES (inc post)

SWR50 Twin SWR meter	£20.50
Heavy Duty magnetic mount	£18.50
Polit high power antenna traps	£17.25
Heavy Duty dipole cantilever	£3.95
LF30A Low Pass Filter	£28.00
VHF Wavemeter	£27.75
WELZ SP5M swr/power	£41.00
WFLZ SP350 swr/power	£79.00
NS660P 1:9 to 150M SWR/PEP	£39.50
CN419 Antenna tuner	£179.00
CN518 Antenna tuner	£260.00
CN410M 3-5-150MHz swr	£54.00
CN460M 140-500MHz swr	£68.00
HP4A High Pass Filter	£7.50
AT100 SWL ATU	£54.50
HK608 Morse key	£16.50
Lightweight Antenna Rotator	£42.00
MK704 Twin Paddle	£16.57
Daiva 30 Amp Power Supply	£199.00
Polit 7, 1MHz Antenna Traps	£10.50
HS50B 1:1 Balun	£21.00
Mag Mount - SO239	£16.50
Gutter mount lead	£12.00
Daiva 12 Amp Power Supply	£92.00
Full size G5RV antenna	£17.50
Half size G5RV antenna	£16.25
80-10 Trip Dipole Kit	£26.50

Stockist for Jaybeam, Tonna, Dai-ong, Yaesu, G-Whips, Mic Modules, Belcom, Daiwa, Konpro, AKD, TET, JRC, Pacom.

Full range of aluminium tubing, lashing kits, clamps for the caller

AR2002 SCANNING RECEIVER

Updated version of the best selling scanning receiver the AR2001. Frequency range 25 to 550MHz plus new band 800 to 1300MHz. Improved keyboard. Front panel knob for frequency stepping. LED 'S' Meter. Socket for RS232 interface unit. Specifications as the AR2001. PRICE

£435.00



TS430S HF Transceiver

ANTENNAS

Joybeam VR3 Vertical	£55.78
Joybeam TB1 Dipole	£83.38
Joybeam TB2 Tribander	£155.25
Joybeam TB3 Tribander	£238.00
Mini Products HQ-1 Mini-beam	£199.00
Joybeam C512M Co-linear	£86.00
DCPS 10-80m Vertical	£149.00
GPV-5 2m Co-linear	£47.36
GPV-7 70cm Co-linear	£37.50

Revcone—Disccone antennas and other scanning receiver antennas in stock

Our secondhand stock is one of the largest in the North. Updated daily. Send SAE.

FULL RANGE OF PUBLICATIONS IN STOCK RSGB, ARRL, ETC.

THREE NEW MODELS FROM TRIO

TR 751E 2M Multimode—25 Watts of 5 Watt Output Smaller and lighter than the TR9130

TR-2550E 2M FM 45 Watt Transceiver—23 Memory Channels
TS-440S HF Transceiver—INPUT 250 Watts · SSB-CW-FM 100 Watts FM · Two VFO's · 100 Memory Channels. Optional AT440 ATU can be fitted Internally heavy duty PS50 Power Supply. J.R.C. NRD525 General Coverage Receiver now in stock at £1098.00

JRC NRD525 Solid State Communications Receiver now in stock

TM 211E/411E FM VHF/UHF mobile transceivers

By taking the popular TM201A and TM401A and adding DCS and a tiltable front panel, TRIO have produced higher specification transceivers. Even easier to fit in tight locations, the TM211E and TM411E are transceivers designed to cope with today's crowded bands.

TM211E . . . £398.00 inc VAT

TM411E . . . £466.00 inc VAT





KEEP UP TO DATE ON SEMICONDUCTORS

USE THE
SEMICON

INTERNATIONAL INDEX

In three ongoing volumes. 85,000 entries in all including European, Japanese and US types Characteristics, pinout reference and alternative manufacturers on a single line. Substitute section. Used professionally worldwide.

£28.00 per volume (+£1.80 pp)

Annual updating service extra.
Descriptive leaflet available.

SEMICON INDEXES Ltd

PO Box 31, Fleet Hants GU13 9DA
Tel: 0252 628526 Telex: 858893

10% DISCOUNT
to RADCOM READERS

BRAND NEW COMPONENTS BY RETURN OF POST

VAT inclusive Postage 20p (Free over £5), Lisi Free

HIGH STABILITY MINIATURE FILM RESISTORS 5% Tolerance
1W E24 Series 0.5R - 10MΩ 1p (75p/100 one value) 0.125W E12 Series 10R to 1MΩ 2p
0.5W E24 Series 10R to 10MΩ 1p 1.0W E12 Series 10R to 10MΩ 5p
1W metal film 10R to 1MΩ 5% E12 series 2p 1% E24 series 3p
Mullard or equivalent Subminiature Ceramic Plate capacitors 100V E12 Series
2% 1.8p to 47p 3p 2% 56p to 330p 4p 10% 390p to 4700p 4p
Plate Ceramic Capacitors 50V working for vertical mounting
E12 Series from 22p to 1000p 100V E8 series 1k 5p to 47k 1p 2p
Miniature Polyester capacitors 250V working for vertical mounting
0.1, 0.015, 0.02, 0.03, 0.047, 0.068 4p 0.1 5p 0.15 & 0.22 6p
0.33 & 0.47 8p 0.68 (250V, 63V) 11p 1.0 15p 1.5 20p 2.2 22p
ELECTROLYTICS Wire Ended (Mkds/Volts)
47/50 5p 10/50 5p 47/16 5p 100/25 7p 220/25 8p 470/40 15p
1.0/50 5p 22/16 6p 47/25 5p 100/50 8p 220/50 10p 1000/15 15p
2.2/50 5p 22/25 6p 47/50 6p 150/16 7p 470/16 11p 1000/25 25p
4.7/50 5p 22/50 6p 100/16 7p 220/16 8p 470/25 11p 1000/40 35p
TAG ENDED CANS: 5000/30V £1.00 4700/16 25p, 4700/25V axial 70p.
TANTALUM BEAD ELECTROLYTICS Subminiature vertical Mounting (Mkds/Volts)
0.1/35 14p 2.2/35 15p 15/16 20p 22/16 30p 47/16 80p
0.22/35 14p 4.7/8 14p 15/25 35p 22/25 35p 68/3 30p
0.47/35 14p 4.7/25 15p 22/6 20p 33/10 30p 100/3 35p
1.0/35 14p 10/25 29p 22/10 25p 47.6 30p 220/16 £1.20
POLYSTYRENE Capacitors 53V working E12 Series Tang Axial Wires
10p to 820p 3p 1kpl to 10kpl 4p 12kpl 5p
TRANSISTORS
BC107/8/9 12p BC547/8/9 8p BC212L 10p BFY50/51/52 20p BFX88 25p
BC147/8/9 10p BC557/58/9 8p BCY70 15p 2N2926 7p RSX196/20 15p
BC157/8/9 10p BC182L 184L 10p BF195/7 10p 2N3055 50p BD135/66 25p
8 pin i.c.s. 741 20p 555 22p Holders 8 pin 9p 14 pin 12p 18 pin 14p 28 pin 25p 40 pin 40p
DIODES (p.i.v./tempst)
75/25mA IN4148 2p 800/1A IN4006 6p 400/3A IN5404 14p 115/15mA OA91 6p
100/1A IN4002 4p 1000/1A IN4007 7p 60/1.5A S1M1 5p 100/1A Bridge 25p
400/1A IN4004 5p 1250/1A BY127 10p 30/45mA OA90 5p 30/150mA AAY37 8p
Zener Diodes E24 series 400mV, 3V3 to 33V to 33V 8p. 1 watt 3V9 to 33V 12p.
LEDs Red, Green, Yellow 3 & 5mm, 10p, 8mm, 35p, Grommets 3 & 5mm, 2p
Fuses 20mm glass 100mA to 5A. Q Blow 5p. A/Surge 8p. Ip.c. or chassis!
High speed p.c.b. drills 0.8, 1.0, 1.3, 1.5, & 2mm 25p. 12V Drilling machines £6.50
The C.R. Supply co. 127 Chesterfield Rd, Sheffield S8 0RN. Tel: 557771

SLOWSCAN TELEVISION

TRANSMIT AND RECEIVE SSTV PICTURES with this super
ZX SPECTRUM program. No hardware needed. Only £4.95.

P. Goodrum, 9 Ryston Close,
Downham Market, Norfolk PE38 9BD

UPPINGTON

COMMUNICATION ELECTRONICS

G2BAR BERT RS8565 PAUL GIDFK PETER

G2BAR HAM BAND AERIALS

Gamma Matched Yagi Arrays

	2EI	3EI	THE G5RV	
5M	£18.50	£ 22.00	MULTIBAND DIPOLE	
10M	£56.00	£ 66.70	FULL SIZE 1/2 SIZE	
15M	£68.00	£ 80.50		
20M	£88.50	£103.50		
ZL SPECIAL	12ELE £25.00	P&P £3.50	80-10 MTRS	40-10 MTRS
TYPE	7ELE £14.50	P&P £3.00	£16.25	£14.25
ANTENNAS	5ELE £10.50	P&P £2.50	+ 1.80 P&P	+ £1.80 P&P

AMATEUR ELECTRONICS UK

12/14 PENNYWELL ROAD, BRISTOL BS5 0TJ

Telephone: Bristol (0272) 557732/558578

HEATHERLITE


2M EXPLORER AMPLIFIER

A precision high power
amplifier, hand built for
144MHz-146MHz. 350
watts PEP RF output.
Tuned anode strip line.
In-built power supply.

£485 inc VAT



Heatherlite Products, 75 St. Catherine's Drive, Leconfield,
North Humberside. HU17 7NY. Phone (0401) 50921.



Bredhurst electronics

SITUATED AT SOUTHERN END OF M23—EASY ACCESS TO M25 AND SOUTH LONDON

HF RECEIVERS			
		£	(GBP)
Icom	IC R7	789.00	(1.1)
Iio	R2000	518.00	(1.1)
Iio	VCT VHF Converter	138.00	(2.00)
Yaesu	FRG 8800	575.00	(1.1)
Yaesu	IRV 8800 VHF Converter	90.00	(2.00)

HF TRANSCEIVERS			
		£	(GBP)
Iio	TS 340S	1795.00	(1.1)
Iio	TS 930S	1395.00	(1.1)
Iio	TS 440S	950.00	(1.1)
Iio	TS 430S	750.00	(1.1)
Iio	TS 830S	898.00	(1.1)
Iio	TS 530SP	779.00	(1.1)
Yaesu	FT 980	1759.00	(1.1)
Yaesu	FT 757GX	879.00	(1.1)
Icom	IC 715	989.00	(1.1)
Icom	IC 735	899.00	(1.1)

VHF SCANNING RECEIVERS			
		£	(GBP)
Icom	IC R7000	899.00	(1.1)
Yaesu	FRG 9600	465.00	(1.1)
AOR	AR 2002	435.00	(1.1)
Signal	R532 "Airband"	209.00	(1.1)

VHF HANDHELD RECEIVERS			
		£	(GBP)
FDK	ATC 720 "Airband"	180.00	(12.00)
FDK	RX 40 14T-179 MHz FM	159.00	(12.00)
Signal	R537S "Airband"	64.89	(12.00)

ANTENNA TUNER UNITS			
		£	(GBP)
Yaesu	HT 7700 Short wave listening	53.50	(12.00)
Yaesu	IC 757AT	318.00	(1.1)
Iio	AT 230	170.00	(12.00)
Iio	AT 250 auto	314.00	(1.1)
Daew	CNW 518 High power	258.00	(1.1)

2M TRANSCEIVERS			
		£	(GBP)
Iio	TH 21E Handheld	189.00	(1.1)
Iio	IR 2600C Handheld	299.00	(1.1)
Iio	TN 20TA 25w FM mobile	296.00	(1.1)
Iio	TR 75TC 25w multimode	525.00	(1.1)
Iio	TS 71TE base station	770.00	(1.1)
Yaesu	FT 250R Portable multimode	369.00	(1.1)
Yaesu	FT 203R + FN83 Handheld	225.00	(1.1)
Yaesu	FT 209RH + FN83 Handheld	275.00	(1.1)
Yaesu	FT 270RH 45w FM mobile	399.00	(1.1)
Yaesu	FT 2700R 2M+70cm FM mobile	499.00	(1.1)
Yaesu	FT 726R base station 170cm opt	889.00	(1.1)
Icom	IC 2C Handheld	189.00	(1.1)
Icom	IC 02E Handheld	299.00	(1.1)
Icom	IC 27E 25w mobile	399.00	(1.1)
Icom	IC 27TE base station	779.00	(1.1)
Icom	IC 3200C 2M+70cm FM mobile	529.00	(1.1)

70cm TRANSCEIVERS			
		£	(GBP)
Iio	TH 41E Handheld	220.00	(1.1)
Iio	TH 3600C Handheld	324.00	(1.1)
Iio	TN 40TA 12w mobile	350.00	(1.1)
Iio	TS 81TF base station	895.00	(1.1)
Yaesu	IC 203R + FN83 Handheld	265.00	(1.1)
Yaesu	FT 709R + FN83 Handheld	285.00	(1.1)
Yaesu	70cm module for FT 726R	309.00	(1.1)
Icom	IC 4E Handheld	295.00	(1.1)
Icom	IC 04C Handheld	299.00	(1.1)
Icom	IC 471E base station	889.00	(1.1)

OTHER BANDS			
		£	(GBP)
Yaesu	FT 690R 6M portable	399.00	(1.1)
Yaesu	6M module for FT 726R	228.00	(1.1)
Yaesu	2T-24/2B III module for FT 726R	249.00	(1.1)
Icom	IC 127TE 1.2 GHz	1099.00	(1.1)

STATION ACCESSORIES			
		£	(GBP)
Drae	VHF wavemeter	27.50	(1.50)
AKD	VHF wavemeter	24.95	(1.50)
Yaesu	FF50 IDX low pass filter 30MHz 1kW	33.00	(2.00)
Iio	LF 30A low pass filter 30MHz 1kW	27.70	(2.00)
Adonis	AM 303G desk mic with pre-amp	46.00	(2.00)
Adonis	AM 503G desk mic with compression	59.00	(2.00)
SMC	Polar-plaster II	49.00	(2.50)


ANTENNA SWITCHES			
		£	(GBP)
Willy	CH 20N 1300MHz 14 skts	48.50	(1.50)
Willy	CH 20A 900MHz S0239 skts	26.50	(1.50)
SA	450N 2way decast 500MHz 14 skts	72.00	(1.00)
SA	450N as above but SO 239 skts	15.00	(1.00)
Drae	3way N skts	19.90	(1.00)
Drae	3way SO 239 skts	15.40	(1.00)
CS	4 way BNC 14 skts 1500MHz	26.00	(1.00)

ANTENNA BITS			
		£	(GBP)
H/O	Baton T.T. SW P.P.	17.95	(11.00)
Ralcom	Baton 4.1 1kW	11.20	(1.00)
Ralcom	7.1MHz Epoxy Triax Inert	9.95	(1.50)
Sell	Amalgamating Tape 10M x 25mm	3.95	(0.75)
T	piece polyprop. 0.001 inch	1.60	(0.25)
Small	ceramic egg insulators	0.50	(0.15)
Large	ceramic egg insulators	0.75	(0.15)

CABLES ETC.			
		£	(GBP)
URM	67 low loss coax 50 ohm per metre	0.75	(0.25)
UR	76 50 ohm coax dia 5mm per metre	0.30	(0.10)
UR	70 70 ohm coax dia 5mm per metre	0.35	(0.10)
UR	95 50 ohm coax dia 2.3mm per metre	0.40	(0.10)
4mm	Polyester Guy Rope 1400g per metre	0.20	(0.10)
50mms	TG swg hard drawn copper wire	6.90	(1.50)


BREDHURST ELECTRONICS LTD.
High St, Handcross, W. Sx. RH17 6BW (0444) 400786

GOODS NORMALLY DESPATCHED WITHIN 24 HRS.
—PRICES CORRECT AT TIME OF GOING TO PRESS—E&OE
MAIL ORDER & RETAIL



MICROWAVE MODULES LTD

THE NEW SIX METRE TRANSVERTER



TECHNICAL SPECIFICATIONS

TRANSMIT POWER OUTPUT OF 20 WATTS — This power level of 20 watts, when used in conjunction with a typical antenna of 7 dB gain, gives an ERP of 100 watts (the maximum permissible in UK). This power level is also ideal for driving a grounded-grid amplifier.

PURITY OF TRANSMISSION — The MMT50/144 Transverter has been optimally designed to ensure that spurious radiations falling within the 88-108 MHz broadcast band are typically better than 90 dB below 1W output. This has been achieved by the use of 16 poles of filtering, well-balanced mixing and push-pull amplification.

EXCEPTIONAL LARGE SIGNAL RECEIVER PERFORMANCE — The 50 MHz transverter enjoys a uniquely high overload characteristic of typically +12 dB (third order intercept point of transverter input). This has been achieved by the use of parallel FET's in the front end driving a balanced pair of FET's in the mixer. Given that the background sky noise at this frequency represents an equivalent noise figure of greater than 8 dB, the low noise figure achieved in the transverter ensures that external noise is the limiting factor. The conversion gain of 10 dB is provided to ensure that the 144 MHz transceiver in use will detect the weakest of signals, while not being subjected to overload in the presence of strong signals on the 50 MHz band. In other words, a system of impressive dynamic range is guaranteed!

FURTHER FEATURES — The transverter will accept a drive level at 144 MHz of between 150 milliwatts and 15 watts. The automatic level control (ALC) ensures that the 20 watt output signal is of consistently high quality. An LED bargraph display indicates the relative transmit output power, and the RF VOX control allows the operator to select the "hang" time to anything from 20 milliseconds to 1.5 seconds.

PRICE: £245.00 inc VAT



MICROWAVE MODULES Ltd
BROOKFIELD DRIVE, AINTREE, LIVERPOOL L9 7AN, ENGLAND
Telephone: 051-523 4011 Telex: 628808 MICRO G
CALLERS ARE WELCOME, PLEASE TELEPHONE FIRST

HOURS:
MONDAY-FRIDAY
9-12.30, 1-5.00
E. & O. E.

RADIO SHACK

FOR
EVERYTHING
IN

AMATEUR RADIO

SCANNERS

A variety in stock including PRO-30 Handheld at £239.95, ADR 2002 Bearcat 150, YAESU FRG-9600.



SC-200FB
16 CHANNEL
£199.95

RECEIVERS AND TRANSCEIVERS

YAESU • TRIO • ICOM • DRAKE •
COLLINS • INCLUDING THE FABULOUS
KWM380 AT £3,438.50

ANTENNAS

JAY BEAM • HY GAIN • HUSTLER
• ANTENNA SPECIALISTS • AVANTI • MET
• G4MH MINI BEAM • CABLES & CONNECTORS

NEW! 200 CHANNEL HANDHELD SCANNER £239.95

(p&p £3.45) (Delivery expected end of June)

ACCESSORIES


DATONG • TELEX • MICROWAVE MODULES
COMPUTERS & PRINTERS
• TANDY •

TELESCAN

Scanner
Antenna.
Normal Version
30-600MHz
£19.95

TELESCAN 2

12dB
Amplified
Antenna.
Automatic
Attenuator
for strong
signals. 60-
600MHz £49.95
(Use in or
outdoors
height 1m)
Carriage on



RADIO SHACK LTD

(Just around the corner from West Hampstead Station on the Jubilee Line)

Giro Account No. 588 7151 Telephone: 01-624 7174 Telex: 23718

100 CROFTCHURCH GARDENS,
LONDON NW6 3AY



RAEDEK ELECTRONICS

SERVICING THE TELECOMMUNICATIONS AND ELECTRONICS INDUSTRIES

102 PRIORY ROAD
HALL GREEN
BIRMINGHAM
ENGLAND B28 0TB
Tel 021 474 6000

VALVES

Large selection of Valves available besides types listed. A few of the most popular types are given:

AI1211A	37-50	1CC32	6-75	E280	1-50	5AR4	2-10	12A15	1-50
AI1211	30-00	1CC81	1-80	GJ24	2-10	64H6	2-30	12A16	1-70
AH2532	21-50	1CC82	1-80	K155	8-00	6A1SW	1-80	12AX1A	1-30
015	50-00	1CC83	1-50	K172	8-75	6BA6	1-50	12BA6	1-30
015B	50-00	1100	1-70	K180	24-95	6CB6A	1-80	12BY7A	2-70
0117	142-00	1185	3-00	GOV01 10	5-30	6J86A	4-20	572B	50-00
0111A	130-00	1186	2-30	GOV01 12	1-00	6J86C	6-25	6145A0	5-00
0195	125-00	1189	2-30	GOV06-40	30-18	6J56C	4-70	6360A	4-90
C3J	30-00	EL34	2-90	0A2	2-00	6KD9	5-90	6550A	2-25
C3JA	30-00	1138	2-30	2C39A	30-30	616GC	5-00	7044	6-00
18RCC	2-90	118A	1-60	2C39WA	42-00				
190CC	2-50	1185	2-10	2021	2-00				
1081	1-35	EL516	1-70	2400Z	78-00				
1RC91	1-10	1N12	18-25	3500Z					
EB189	1-35	E280	1-80	4CA250B	90-00				
EC30	1-25	E281	1-50	4CA250F	105-00				

Complete range of
EIMAC Tubes
and Accessories

TRANSISTORS

Probably the largest range of RF power and small signal Transistors available in the UK. A small selection is given below:

MRF231	2-50	MRF501	2-75	2N5944	7-85	2SC1672	6-50
MRF238	11-90	2N7375	10-90	2N5945	10-10	2SC2053	0-80
MRF240	20-70	2N7552	1-50	2N5948	10-80	2SC2217	4-00
MRF245	33-00	2N7553	12-95	2N6780	9-65	2SC2181	6-80
MRF211	33-30	2N1711	12-95	2N6801	8-40	2SC2290	24-00
MRF408A	10-15	2N3866	1-20	2N6802	10-50	SD1012	6-75
MRF450	10-50	2N4427	1-40	2N6803	11-20	SD1012 (cut)	23-10
MRF450A	13-50	2N5205	16-90	2N6804	12-00	SD1134	7-25
MRF454	11-25	2N5109	1-35	2SC1129	12-50	SD1127	3-10
MRF454A	11-25	2N5160	2-00	2SC1945	3-45	SD1134	7-25
MRF455	16-50	2N5589	1-60	2SC1346A	16-00	SD1136	11-90
MRF475	2-30	2N5590	2-90	2SC1341	8-50	SD1143	6-40
MRF476	2-15	2N5581	6-50	2SC1549	1-90	SD1214	14-70
MRF646	27-00	2N5642	11-85	2SC1570	1-40	SD1212	10-95
MRF646	32-70	2N5917	2-50	2SC1911	3-50	SD1216	13-75

ALSO AVAILABLE

CCTV ACCESSORIES
RF/HF INDUCTION
HEATING SPARES

TERMS

Prices correct at time of going to press. Please add C 00 P&P and VAT @ 15% to all orders in the UK.
Export enquiries welcome

AMATEUR RADIO SOFTWARE NEW RELEASE FOR MSX COMPUTERS

RTTY	Receive only, Standard Band Rates, QSO review, Printer dump, etc (Requires Filter or T.U. See Below)	£ 7:00
C.W.	Morse decoder, self tracking 8/30 wpm Interface to suit	£ 6:00 £ 2:50
	SPECTRUM (48K, PLUS & 128)	
RTTY	QSO Review, Printer dump, type ahead Memories, etc. (Both require filter)	1x/1x £ 8:50 Rx only £ 6:00
C.W.	Self tracking 8/30 wpm, type ahead Memories Lic	1x/Rx £ 8:50 Rx only £ 6:00
SLOW SCAN T.V.	Save to Printer, Brightness Contrast and inverse controls, etc	£ 7:00
FILTERS	Unboxed RTTY Only £6 Boxed RTTY/C.W. Switchable £11:50 Data with tuning I.F.D. £13:50	C.W. Only £ 7:00 £11:50 £13:50
TERMINAL UNITS	Rs spare for full description Send S.A.E. for full details & Spec.	£45:00

MORSE READER PROGRAMMES for:-

DRAGON	VIC 20	CBM 64	08C B	ZX 81	AMSTRAD 464
--------	--------	--------	-------	-------	-------------

Self tracking 8/30 wpm, oil on or printer

Needs small interface (except ZX81) cutout inc
Really built interface to suit

S.A.E. for full details of all our products

J.B.P. ELECTRONICS LTD.

New Road Complex, New Road, Kidderminster, DY10 1AL
Tel: (0562) 753893



DUNSTABLE DOWNS RADIO CLUB

NATIONAL AMATEUR RADIO

CAR BOOT SALE

TO BE HELD AT

AMATEUR RADIO
BARGAINS GALORE
Bring the family and enjoy
a great day out
10am till 5pm

SUN 21 SEPT

Admission only 50 pence

Parking free

Refreshments available

Aircraft and Motor Museum open



OLD WARREN AERODROME
BIGGLESWADE, BEDFORDSHIRE

COMPONENTS
TV RADIO
RTTY HF COMPUTERS VHF
R.S.G.B. STAND
BARGAINS MICROWAVE

Do you have anything to sell?

For further information contact either

PHILL 0582 607623 or
CLIVE 0582 416152

ICS

At last! AX.25 Packet Radio at an Affordable Price



From A.E.A. Inc. in America comes an exciting breakthrough in Packet Radio price and flexibility! The PK-80 has an RS232 interface and inbuilt packet radio modem. It is fully equivalent to the TAPR TNC2 Packet Controller and implements the AX.25 2.0 protocol. It includes hardware HDLC for full duplex operation and comes completely wired and tested and guaranteed for one year. The PK-64 operates with Commodore 64, 128 or SX64 computers and gives AX.25 version 2.0 Packet Radio, AMTOR, RTTY, CW and ASCII transceiver all in one package.

Exceptionally user friendly, this hardware/software package gives split screen operation and endless operator help features. This has got to be the most comprehensive amateur radio software package ever written! The V.H.F. Packet Radio modem comes as standard; the H.F. modem and tuning indicator is a user fittable option.

PK-80	£229 inc. VAT p & p £4.00
PK-64	£229 inc. VAT p & p £2.50
HFM-64 modem	£100 inc. VAT p & p £1.00
PM-1 modem for PK80	£183 inc. VAT p & p £2.50

ICS

ICS Electronics Ltd.
PO Box 2
Arundel
West Sussex BN18 0NX
Telephone: 024 365 590



Please send SAE for further details
12 months parts +labour warranty
Dealers throughout UK
Prices may vary with
exchange rate
Callers by appointment

C. M. HOWES COMMUNICATIONS EASY TO BUILD KITS BY MAIL ORDER



139 HIGHVIEW,
VIGO, MEOPHAM,
KENT DA13 0UT
TEL: (0732) 823129

HAM RADIO DOES NOT HAVE TO BE EXPENSIVE!

HOWES QRP equipment offers you the chance to enjoy amateur radio without the need to spend a fortune! Take our **DeRx DIRECT CONVERSION COMMUNICATIONS RECEIVER** for example. This is an easy to build, single band receiver for CW and SSB reception. It will work from a 1.2 to 14V DC supply and gives up to 1W of audio output to drive a loudspeaker or headphones. For a simple receiver, the performance is quite amazing. Compare ours against an expensive radio, you will be surprised! Versions are available for 160, 80, 40, 30 or 20M bands. The DeRx kit costs £14.80, or as an assembled PCB module, £19.90. With ready wound coils, and little alignment, this makes an excellent project for both the newcomer and the QRP station. A case and a couple of tuning capacitors are the only major items to add to finish your receiver. We have suitable capacitors for all but the 160M version at £1.50 each. You can read a review of this super little kit in the July 1986 issue of Practical Wireless.

HOWES QRP TRANSMITTERS. We have three QRP CW transmitters in our range at the moment. The **CYX** transmitters are available for 40 or 80M bands, and the **MTX20** is for 20M. All three feature adjustable output power, up to about 5W on 80, 3W on 40 and 10W on 20M. The heatsinking for the output stage is on-board, and one crystal is included. There is space for two more crystals on the PCB, and provision is made for connecting a VFO. The CVF VFOs are available for 40 and 80M at the moment, the 20M version is under development. The VFOs have dual buffered outputs, so that not only will they drive the transmitter, they can also drive the DeRx receiver as well, for full transceive operation. Voltage regulation, and IRT (clarifier) facilities are included.

CYX80 80M transmitter kit £12.95
CYX40 40M transmitter kit £12.95
MTX20 20M transmitter kit £19.90
CVF40 or CVF80 VFOs: kit £9.30

Assembled PCB Module £18.95
Assembled PCB Module £18.95
Assembled PCB Module £26.95
Assembled PCB Module £14.90

HOWES 2M to HF TRANSVERTERS

If you have a 2M SSB/CW transceiver (an FT290 for example) you can get on to 20 or 80M without having to spend a fortune on an HF transceiver. These transverters also make HF Mobile operation much more practical, as a small 2M rig is all that has to be mounted within reach of the operator. These units deliver about 10W output from mismatch proof transistors, and do not require any fancy test equipment to set them up. A high proportion of fixed value filter components keeps alignment simple, and the output spectrum clean.

HC220 20M kit £48.90
HC280 80M kit £48.90

Assembled PCB Module £79.90
Assembled PCB Module £79.90

HOWES CTU30 ANTENNA MATCHING UNIT

The CTU30 is a "T" match type ATU for use with receivers and transmitters of up to 30W output on all bands from 1.8 to 30MHz. It uses two air-spaced capacitors, and 12 switched inductance settings. An unusual feature in a small ATU is the provision of a balun for feeding balanced antennas in addition to the more common unbalanced types. All the parts are PCB mounted in this novel design. Simply add a case and connectors to fit in with your station, even the knobs are included in this kit.

HOWES CTU30 kit £24.90

Assembled PCB Module £29.90

HOWES TRF3 SHORTWAVE BROADCAST RECEIVER

The TRF principle was developed 80 years ago. Here it is brought up to date with modern silicon devices. The receiver tunes from about 5.7 to 12.8MHz in three bands, if you wish the coil as suggested in the instructions, although you can easily experiment with the coverage if you wish. The TRF3 has switchable input impedance and attenuator, so it can be used with large or small antennas. This is an excellent educational project for the "junior op", as well as providing a bit of fun for the old timer as well! You should be able to read off about building it in the September issue of Ham Radio Today. A suitable tuning capacitor is available at £1.50.

HOWES TRF3 kit £13.90

Assembled PCB Module £16.90



All HOWES kits come with a good quality PCB which has the parts locations screen printed on it for easy, accurate assembly. Full, clear instructions are provided, as are all board mounted components. We think you will like the quality of our products.

If you would like further information on any item simply drop us a line, enclosing an SAE. We have a free information sheet on each product and a general catalogue.

PLEASE ADD 80p P&P to your total order value. Export prices are the same as above, but add £2.00 per kit for air mail delivery outside Europe. UK delivery is normally within 7 days.

73 from Dave G4KQH

QUARTZ CRYSTALS

QuartzLab

MARKETING LTD

P.O. Box 19 Erith Kent DA8 1LH

Telephone: 01-318 4419

24Hr Ansafone:

Dartford (0322) 330830

Telex: 8813271 GEOMS-G

(Attention QUARTSLAB)

ALL PRICES ARE EX VAT PLEASE ADD 15%
An SAE with all enquiries please

STOCK CRYSTALS

CRYSTALS FOR 2 METRES
HC25 £2.15 FOR ONE CRYSTAL £1.90 EACH FOR 6 OR MORE

TX CRYSTALS RX CRYSTALS
12MHz 30 & 40pF 44MHz Series Res
18MHz 25 & 20pF 14/15MHz 20 & 30pF
Scanner Crystals
SR5 crystals £3.00

HC5 £2.15 FOR ONE CRYSTAL £2.05 EACH FOR 2 OR MORE

TX CRYSTALS RX CRYSTALS
4 & 8MHz 30pF 44MHz Series Res
R0-R7, S21, S20-23

4 METRE CRYSTALS FOR 70.31 IN HCA/U AT £2.40 each

TX 4.78250 RX 29.78000
70CM CRYSTALS £3.00/ea or £2.80 each
For P1 P2 P3 P4 P5 P6 P7 P8 P9 P10 P11 P12 P13 P14 P15 P16 P17 P18 P19 P20 P21 P22 P23 P24 P25 P26 P27 P28 P29 P30 P31 P32 P33 P34 P35 P36 P37 P38 P39 P40 P41 P42 P43 P44 P45 P46 P47 P48 P49 P50 P51 P52 P53 P54 P55 P56 P57 P58 P59 P60 P61 P62 P63 P64 P65 P66 P67 P68 P69 P70 P71 P72 P73 P74 P75 P76 P77 P78 P79 P80 P81 P82 P83 P84 P85 P86 P87 P88 P89 P90 P91 P92 P93 P94 P95 P96 P97 P98 P99 P100 P101 P102 P103 P104 P105 P106 P107 P108 P109 P110 P111 P112 P113 P114 P115 P116 P117 P118 P119 P120 P121 P122 P123 P124 P125 P126 P127 P128 P129 P130 P131 P132 P133 P134 P135 P136 P137 P138 P139 P140 P141 P142 P143 P144 P145 P146 P147 P148 P149 P150 P151 P152 P153 P154 P155 P156 P157 P158 P159 P160 P161 P162 P163 P164 P165 P166 P167 P168 P169 P170 P171 P172 P173 P174 P175 P176 P177 P178 P179 P180 P181 P182 P183 P184 P185 P186 P187 P188 P189 P190 P191 P192 P193 P194 P195 P196 P197 P198 P199 P200 P201 P202 P203 P204 P205 P206 P207 P208 P209 P210 P211 P212 P213 P214 P215 P216 P217 P218 P219 P220 P221 P222 P223 P224 P225 P226 P227 P228 P229 P230 P231 P232 P233 P234 P235 P236 P237 P238 P239 P240 P241 P242 P243 P244 P245 P246 P247 P248 P249 P250 P251 P252 P253 P254 P255 P256 P257 P258 P259 P260 P261 P262 P263 P264 P265 P266 P267 P268 P269 P270 P271 P272 P273 P274 P275 P276 P277 P278 P279 P280 P281 P282 P283 P284 P285 P286 P287 P288 P289 P290 P291 P292 P293 P294 P295 P296 P297 P298 P299 P300 P301 P302 P303 P304 P305 P306 P307 P308 P309 P310 P311 P312 P313 P314 P315 P316 P317 P318 P319 P320 P321 P322 P323 P324 P325 P326 P327 P328 P329 P330 P331 P332 P333 P334 P335 P336 P337 P338 P339 P340 P341 P342 P343 P344 P345 P346 P347 P348 P349 P350 P351 P352 P353 P354 P355 P356 P357 P358 P359 P360 P361 P362 P363 P364 P365 P366 P367 P368 P369 P370 P371 P372 P373 P374 P375 P376 P377 P378 P379 P380 P381 P382 P383 P384 P385 P386 P387 P388 P389 P390 P391 P392 P393 P394 P395 P396 P397 P398 P399 P400 P401 P402 P403 P404 P405 P406 P407 P408 P409 P410 P411 P412 P413 P414 P415 P416 P417 P418 P419 P420 P421 P422 P423 P424 P425 P426 P427 P428 P429 P430 P431 P432 P433 P434 P435 P436 P437 P438 P439 P440 P441 P442 P443 P444 P445 P446 P447 P448 P449 P450 P451 P452 P453 P454 P455 P456 P457 P458 P459 P460 P461 P462 P463 P464 P465 P466 P467 P468 P469 P470 P471 P472 P473 P474 P475 P476 P477 P478 P479 P480 P481 P482 P483 P484 P485 P486 P487 P488 P489 P490 P491 P492 P493 P494 P495 P496 P497 P498 P499 P500 P501 P502 P503 P504 P505 P506 P507 P508 P509 P510 P511 P512 P513 P514 P515 P516 P517 P518 P519 P520 P521 P522 P523 P524 P525 P526 P527 P528 P529 P530 P531 P532 P533 P534 P535 P536 P537 P538 P539 P540 P541 P542 P543 P544 P545 P546 P547 P548 P549 P550 P551 P552 P553 P554 P555 P556 P557 P558 P559 P560 P561 P562 P563 P564 P565 P566 P567 P568 P569 P570 P571 P572 P573 P574 P575 P576 P577 P578 P579 P580 P581 P582 P583 P584 P585 P586 P587 P588 P589 P590 P591 P592 P593 P594 P595 P596 P597 P598 P599 P600 P601 P602 P603 P604 P605 P606 P607 P608 P609 P610 P611 P612 P613 P614 P615 P616 P617 P618 P619 P620 P621 P622 P623 P624 P625 P626 P627 P628 P629 P630 P631 P632 P633 P634 P635 P636 P637 P638 P639 P640 P641 P642 P643 P644 P645 P646 P647 P648 P649 P650 P651 P652 P653 P654 P655 P656 P657 P658 P659 P660 P661 P662 P663 P664 P665 P666 P667 P668 P669 P670 P671 P672 P673 P674 P675 P676 P677 P678 P679 P680 P681 P682 P683 P684 P685 P686 P687 P688 P689 P690 P691 P692 P693 P694 P695 P696 P697 P698 P699 P700 P701 P702 P703 P704 P705 P706 P707 P708 P709 P710 P711 P712 P713 P714 P715 P716 P717 P718 P719 P720 P721 P722 P723 P724 P725 P726 P727 P728 P729 P730 P731 P732 P733 P734 P735 P736 P737 P738 P739 P740 P741 P742 P743 P744 P745 P746 P747 P748 P749 P750 P751 P752 P753 P754 P755 P756 P757 P758 P759 P760 P761 P762 P763 P764 P765 P766 P767 P768 P769 P770 P771 P772 P773 P774 P775 P776 P777 P778 P779 P780 P781 P782 P783 P784 P785 P786 P787 P788 P789 P790 P791 P792 P793 P794 P795 P796 P797 P798 P799 P800 P801 P802 P803 P804 P805 P806 P807 P808 P809 P810 P811 P812 P813 P814 P815 P816 P817 P818 P819 P820 P821 P822 P823 P824 P825 P826 P827 P828 P829 P830 P831 P832 P833 P834 P835 P836 P837 P838 P839 P840 P841 P842 P843 P844 P845 P846 P847 P848 P849 P850 P851 P852 P853 P854 P855 P856 P857 P858 P859 P860 P861 P862 P863 P864 P865 P866 P867 P868 P869 P870 P871 P872 P873 P874 P875 P876 P877 P878 P879 P880 P881 P882 P883 P884 P885 P886 P887 P888 P889 P890 P891 P892 P893 P894 P895 P896 P897 P898 P899 P900 P901 P902 P903 P904 P905 P906 P907 P908 P909 P910 P911 P912 P913 P914 P915 P916 P917 P918 P919 P920 P921 P922 P923 P924 P925 P926 P927 P928 P929 P930 P931 P932 P933 P934 P935 P936 P937 P938 P939 P940 P941 P942 P943 P944 P945 P946 P947 P948 P949 P950 P951 P952 P953 P954 P955 P956 P957 P958 P959 P960 P961 P962 P963 P964 P965 P966 P967 P968 P969 P970 P971 P972 P973 P974 P975 P976 P977 P978 P979 P980 P981 P982 P983 P984 P985 P986 P987 P988 P989 P990 P991 P992 P993 P994 P995 P996 P997 P998 P999 P1000 P1001 P1002 P1003 P1004 P1005 P1006 P1007 P1008 P1009 P1010 P1011 P1012 P1013 P1014 P1015 P1016 P1017 P1018 P1019 P1020 P1021 P1022 P1023 P1024 P1025 P1026 P1027 P1028 P1029 P1030 P1031 P1032 P1033 P1034 P1035 P1036 P1037 P1038 P1039 P1040 P1041 P1042 P1043 P1044 P1045 P1046 P1047 P1048 P1049 P1050 P1051 P1052 P1053 P1054 P1055 P1056 P1057 P1058 P1059 P1060 P1061 P1062 P1063 P1064 P1065 P1066 P1067 P1068 P1069 P1070 P1071 P1072 P1073 P1074 P1075 P1076 P1077 P1078 P1079 P1080 P1081 P1082 P1083 P1084 P1085 P1086 P1087 P1088 P1089 P1090 P1091 P1092 P1093 P1094 P1095 P1096 P1097 P1098 P1099 P1100 P1101 P1102 P1103 P1104 P1105 P1106 P1107 P1108 P1109 P1110 P1111 P1112 P1113 P1114 P1115 P1116 P1117 P1118 P1119 P1120 P1121 P1122 P1123 P1124 P1125 P1126 P1127 P1128 P1129 P1130 P1131 P1132 P1133 P1134 P1135 P1136 P1137 P1138 P1139 P1140 P1141 P1142 P1143 P1144 P1145 P1146 P1147 P1148 P1149 P1150 P1151 P1152 P1153 P1154 P1155 P1156 P1157 P1158 P1159 P1160 P1161 P1162 P1163 P1164 P1165 P1166 P1167 P1168 P1169 P1170 P1171 P1172 P1173 P1174 P1175 P1176 P1177 P1178 P1179 P1180 P1181 P1182 P1183 P1184 P1185 P1186 P1187 P1188 P1189 P1190 P1191 P1192 P1193 P1194 P1195 P1196 P1197 P1198 P1199 P1200 P1201 P1202 P1203 P1204 P1205 P1206 P1207 P1208 P1209 P1210 P1211 P1212 P1213 P1214 P1215 P1216 P1217 P1218 P1219 P1220 P1221 P1222 P1223 P1224 P1225 P1226 P1227 P1228 P1229 P1230 P1231 P1232 P1233 P1234 P1235 P1236 P1237 P1238 P1239 P1240 P1241 P1242 P1243 P1244 P1245 P1246 P1247 P1248 P1249 P1250 P1251 P1252 P1253 P1254 P1255 P1256 P1257 P1258 P1259 P1260 P1261 P1262 P1263 P1264 P1265 P1266 P1267 P1268 P1269 P1270 P1271 P1272 P1273 P1274 P1275 P1276 P1277 P1278 P1279 P1280 P1281 P1282 P1283 P1284 P1285 P1286 P1287 P1288 P1289 P1290 P1291 P1292 P1293 P1294 P1295 P1296 P1297 P1298 P1299 P1300 P1301 P1302 P1303 P1304 P1305 P1306 P1307 P1308 P1309 P1310 P1311 P1312 P1313 P1314 P1315 P1316 P1317 P1318 P1319 P1320 P1321 P1322 P1323 P1324 P1325 P1326 P1327 P1328 P1329 P1330 P1331 P1332 P1333 P1334 P1335 P1336 P1337 P1338 P1339 P1340 P1341 P1342 P1343 P1344 P1345 P1346 P1347 P1348 P1349 P1350 P1351 P1352 P1353 P1354 P1355 P1356 P1357 P1358 P1359 P1360 P1361 P1362 P1363 P1364 P1365 P1366 P1367 P1368 P1369 P1370 P1371 P1372 P1373 P1374 P1375 P1376 P1377 P1378 P1379 P1380 P1381 P1382 P1383 P1384 P1385 P1386 P1387 P1388 P1389 P1390 P1391 P1392 P1393 P1394 P1395 P1396 P1397 P1398 P1399 P1400 P1401 P1402 P1403 P1404 P1405 P1406 P1407 P1408 P1409 P1410 P1411 P1412 P1413 P1414 P1415 P1416 P1417 P1418 P1419 P1420 P1421 P1422 P1423 P1424 P1425 P1426 P1427 P1428 P1429 P1430 P1431 P1432 P1433 P1434 P1435 P1436 P1437 P1438 P1439 P1440 P1441 P1442 P1443 P1444 P1445 P1446 P1447 P1448 P1449 P1450 P1451 P1452 P1453 P1454 P1455 P1456 P1457 P1458 P1459 P1460 P1461 P1462 P1463 P1464 P1465 P1466 P1467 P1468 P1469 P1470 P1471 P1472 P1473 P1474 P1475 P1476 P1477 P1478 P1479 P1480 P1481 P1482 P1483 P1484 P1485 P1486 P1487 P1488 P1489 P1490 P1491 P1492 P1493 P1494 P1495 P1496 P1497 P1498 P1499 P1500 P1501 P1502 P1503 P1504 P1505 P1506 P1507 P1508 P1509 P1510 P1511 P1512 P1513 P1514 P1515 P1516 P1517 P1518 P1519 P1520 P1521 P1522 P1523 P1524 P1525 P1526 P1527 P1528 P1529 P1530 P1531 P1532 P1533 P1534 P1535 P1536 P1537 P1538 P1539 P1540 P1541 P1542 P1543 P1544 P1545 P1546 P1547 P1548 P1549 P1550 P1551 P1552 P1553 P1554 P1555 P1556 P1557 P1558 P1559 P1560 P1561 P1562 P1563 P1564 P1565 P1566 P1567 P1568 P1569 P1570 P1571 P1572 P1573 P1574 P1575 P1576 P1577 P1578 P1579 P1580 P1581 P1582 P1583 P1584 P1585 P1586 P1587 P1588 P1589 P1590 P1591 P1592 P1593 P1594 P1595 P1596 P1597 P1598 P1599 P1600 P1601 P1602 P1603 P1604 P1605 P1606 P1607 P1608 P1609 P1610 P1611 P1612 P1613 P1614 P1615 P1616 P1617 P1618 P1619 P1620 P1621 P1622 P1623 P1624 P1625 P1626 P1627 P1628 P1629 P1630 P1631 P1632 P1633 P1634 P1635 P1636 P1637 P1638 P1639 P1640 P1641 P1642 P1643 P1644 P1645 P1646 P1647 P1648 P1649 P1650 P1651 P1652 P1653 P1654 P1655 P1656 P1657 P1658 P1659 P1660 P1661 P1662 P1663 P1664 P1665 P1666 P1667 P1668 P1669 P1670 P1671 P1672 P1673 P1674 P1675 P1676 P1677 P1678 P1679 P1680 P1681 P1682 P1683 P1684 P1685 P1686 P1687 P1688 P1689 P1690 P1691 P1692 P1693 P1694 P1695 P1696 P1697 P1698 P1699 P1700 P1701 P1702 P1703 P1704 P1705 P1706 P1707 P1708 P1709 P1710 P1711 P1712 P1713 P1714 P1715 P1716 P1717 P1718 P1719 P1720 P1721 P1722 P1723 P1724 P1725 P1726 P1727 P1728 P1729 P1730 P1731 P1732 P1733 P1734 P1735 P1736 P1737 P1738 P1739 P1740 P1741 P1742 P1743 P1744 P1745 P1746 P1747 P1748 P1749 P1750 P1751 P1752 P1753 P1754 P1755 P1756 P1757 P1758 P1759 P1760 P1761 P1762 P1763 P1764 P1765 P1766 P1767 P1768 P1769 P1770 P1771 P1772 P1773 P1774 P1775 P1776 P1777 P1778 P1779 P1780 P1781 P1782 P1783 P1784 P1785 P1786 P1787 P1788 P1789 P1790 P1791 P1792 P1793 P1794 P1795 P1796 P1797 P1798 P1799 P1800 P1801 P1802 P1803 P1804 P1805 P1806 P1807 P1808 P1809 P1810 P1811 P1812 P1813 P1814 P1815 P1816 P1817 P1818 P1819 P1820 P1821 P1822 P1823 P1824 P1825 P1826 P1827 P1828 P1829 P1830 P1831 P1832 P1833 P1834 P1835 P1836 P1837 P1838 P1839 P1840 P1841 P1842 P1843 P1844 P1845 P1846 P1847 P1848 P1849 P1850 P1851 P1852 P1853 P1854 P1855 P1856 P1857 P1858 P1859 P1860 P1861 P1862 P1863 P1864 P1865 P1866 P1867 P1868 P1869 P1870 P1871 P1872 P1873 P1874 P1875 P1876 P1877 P1878 P1879 P1880 P1881 P1882 P1883 P1884 P1885 P1886 P1887 P1888 P1889 P1890 P1891 P1892 P1893 P1894 P1895 P1896 P1897 P1898 P1899 P1900 P1901 P1902 P1903 P1904 P1905 P1906 P1907 P1908 P1909 P1910 P1911 P1912 P1913 P1914 P1915 P1916 P1917 P1918 P1919 P1920 P1921 P1922 P1923 P1924 P1925 P1926 P1927 P1928 P1929 P1930 P1931 P1932 P1933 P1934 P1935 P1936 P1937 P1938 P1939 P1940 P1941 P1942 P1943 P1944 P1945 P1946 P1947 P1948 P1949 P1950 P1951 P1952 P1953 P1954 P1955 P1956 P1957 P1958 P1959 P1960 P1961 P1962 P1963 P1964 P1965 P1966 P1967 P1968 P1969 P1970 P1971 P1972 P1973 P1974 P1975 P1976 P1977 P1978 P1979 P1980 P1981 P1982 P1983 P1984 P1985 P1986 P1987 P1988 P1989 P1990 P1991 P1992 P1993 P1994 P1995 P1996 P1997 P1998 P1999 P2000 P2001 P2002 P2003 P2004 P2005 P2006 P2007 P2008 P2009 P2010 P2011 P2012 P2013 P2014 P2015 P2016 P2017 P2018 P2019 P2020 P2021 P2022 P2023 P2024 P2025 P2026 P2027 P2028 P2029 P2030 P2031 P2032 P2033 P2034 P2035 P2036 P2037 P2038 P2039 P2040 P2041 P2042 P2043 P2044 P2045 P2046 P2047 P2048 P2049 P2050 P2051 P2052 P2053 P2054 P2055 P2056 P2057 P2058 P2059 P2060 P2061 P2062 P2063 P2064 P2065 P2066 P2067 P2068 P2069 P2070 P2071 P2072 P2073 P2074 P2075 P2076 P2077 P2078 P2079 P2080 P2081 P2082 P2083 P2084 P2085 P2086 P2087 P2088 P2089 P2090 P2091 P2092 P2093 P2094 P2095 P2096 P2097 P2098 P2099 P2100 P2101 P2102 P2103 P2104 P2105 P2106 P2107 P2108 P2109 P2110 P2111 P2112 P2113 P2114 P2115 P2116 P2117 P2118 P2119 P2120 P2121 P2122 P2123 P2124 P2125 P2126 P2127 P2128 P2129 P2130 P2131 P2132 P2133 P2134 P2135 P2136 P2137 P2138 P2139 P2140 P2141 P2142 P2143 P2144 P2145 P2146 P2147 P2148 P2149 P2150 P2151 P2152 P2153 P2154 P2155 P2156 P2157 P2158 P2159 P2160 P2161 P2162 P2163 P2164 P2165 P2166 P2167 P2168 P2169 P2170 P2171 P2172 P2173 P2174 P2175 P2176 P2177 P2178 P2179 P2180 P2181 P2182 P2183 P2184 P2185 P2186 P2187 P2188 P2189 P2190 P2191 P2192 P2193 P2194 P2195 P2196 P2197 P2198 P2199 P2200 P2201 P2202 P2203 P2204 P2205 P2206 P2207 P2208 P2209 P2210 P2211 P2212 P2213 P2214 P2215 P2216 P2217 P2218 P2219 P2220 P2221 P2222 P2223 P2224 P2225 P2226 P2227 P2228 P2229 P2230 P2231 P2232 P2233 P2234 P2235 P2236 P2237 P2238 P2239 P2240 P2241 P2242 P2243 P2244 P2245 P2246 P2247 P2248 P2249 P2250 P2251 P2252 P2253 P2254 P2255 P2256 P2257 P2258 P2259 P2260 P2261 P2262 P2263 P2264 P2265 P2266 P2267 P2268 P2269 P2270 P2271 P2272 P2273 P2274 P2275 P2276 P2277 P2278 P2279 P2280 P2281 P2282 P2283 P2284 P2285 P2286 P2287 P2288 P2289 P2290 P2291 P2292 P2293 P2294 P2295 P2296 P2297 P2298 P2299 P2300 P2301 P2302 P2303 P2304 P2305 P2306 P2307 P2308 P2309 P2310 P2311 P2312 P2313 P2314 P2315 P2316 P2317 P2318 P2319 P2320 P2321 P2322 P2323 P2324 P2325 P2326 P2327 P2328 P2329 P2330 P2331 P2332 P2333 P2334 P2335 P2336 P2337 P2338 P2339 P2340 P2341 P2342 P2343 P2344 P2345 P2346 P2347 P2348 P2349 P2350 P2351 P2352 P2353 P2354 P2355 P2356 P2357 P2358 P2359 P2360 P2361 P2362 P2363 P2364 P2365 P2366 P2367 P2368 P2369 P2370 P2371 P2372 P2373 P2374 P2375 P2376 P2377 P2378 P2379 P2380 P2381 P2382 P2383 P2384 P2385 P2386 P2387 P2388 P2389 P2390 P2391 P2392 P2393 P2394 P2395 P2396 P2397 P2398 P2399 P2400 P2401 P2402 P2403 P2404 P2405 P2406 P2407 P2408 P2409 P2410 P2411 P2412 P2413 P2414 P2415 P2416 P2417 P2418 P2419 P2420 P2421 P2422 P2423 P2424 P2425 P2426 P2427 P2428 P2429 P2430 P2431 P2432 P2433 P2434 P2435 P2436 P2437 P2438 P2439 P2440 P2441 P2442 P2443 P2444 P2445 P2446 P2447 P2448 P2449 P2450 P2451 P2452 P2453 P2454 P2455 P2456 P2457 P2458 P2459 P2460 P2461 P2462 P2463 P2464 P2465 P2466 P2467 P2468 P2469 P2470 P2471 P2472 P2473 P2474 P2475 P2476 P2477 P2478 P2479 P2480 P2481 P2482 P2483 P2484 P2485 P2486 P2487 P2488 P2489 P2490 P2491 P2492 P2493 P2494 P2495 P2496 P2497 P2498 P2499 P2500 P2501 P2502 P2503 P2504 P2505 P2506 P25

Automatic Notch Filter


Model ANF stops QSOs being ruined by tune-up whistles. It automatically removes tones within seconds of their arrival on frequency, leaving the QSO in the clear! Classy technology, but simple to use and fit.

Price: ANF £67.85 Inc. VAT

To order simply dial

0532 552461

or write with cheque or postal order to



Dept RC Datong Electronics Ltd., Clayton Wood Close, West Park, Leeds LS16 6QE

Access/Barclaycard welcome—Fast delivery service

Catalogue and data sheets on any product available free on request. Dial 0532 744822 (2 lines)

R. WITHERS COMMUNICATIONS LTD.
584 HAGLEY ROAD WEST, OLDBURY,
QUINTON, B68 0BS BIRMINGHAM.

M5
JUNCT
3



FINE PRODUCTS MODIFIED BY—THE RADIO COMMUNICATIONS SPECIALISTS

R.W.C. "PRICE BUSTERS"
★ ★ ★ ★ ARE HERE ★ ★ ★ ★
FT 2700RH 2M & 70CM, 25 WATT
DUAL BAND TRANSCEIVER



FULL DUPLEX BASE STATION
PACKAGING COMPRISING OF

FT2700RH	£499
RAYCOM 12amp BASE PSU	£49
HOKIN 70N2V DUAL BAND	
BASE ANTENNA	£39
HOKIN HS770 DUPLEXER	
UNIT	£19.95
10 METERS OF H100	
LOW LOSS CO-AX	£8.50
2 x PL259S, 1 x N plug	
connector	£3.50

NORMAL PRICE £619.45

OUR COMPLETE PACKAGE
CASH PRICE JUST £499 + £10 p&p
 only 25 available
YOU SAVE £120.45


FULL DUPLEX MOBILE
PACKAGE COMPRISING OF

FT 2700RH	£499
HOKIN 70N2M DUAL BAND	
MOBILE ANTENNA	£20.95
HOKIN HS770	
DUPLEXER	£19.95
SUN SO239 GUTTER	
MOUNT	£9.95
MOBILE LOUD SPEAKERS	£12.50
1 x N PLUG CONNECTOR	£2.00

NORMAL PRICE £563.90

OUR COMPLETE PACKAGE
CASH PRICE JUST £469 + £10 p&p
 only 20 available
YOU SAVE £94.90

PRICE BUSTERS... PRICE BUSTERS...
FT 270RH 2M, 45WATT FM, TRANSCEIVER



COMPLETE BASE STATION
PACKAGE COMPRISING OF

FT270RH	£399
RAYCOM 12amp BASE PSU	£49
SUN TRIPLE 1/2 BASE	
ANTENNA	£39
10 METERS OF H100 LOW	
LOSS COAX	£8.50
2 x PL259s	£1.50

NORMAL PRICE £497.00

OUR COMPLETE PACKAGE
CASH PRICE JUST £399 + £15 p&p
 only 25 available
YOU SAVE £83.00

COMPLETE MOBILE STATION
PACKAGE COMPRISING OF

FT270RH	£399
SUN 1/2 MOBILE	
ANTENNA	£14.50
SUN GUTTER MOUNT	£9.50
MOBILE LOUDSPEAKER	£12.50

NORMAL PRICE £435.50

OUR COMPLETE PACKAGE
CASH PRICE JUST £379 + £10 p&p
 only 20 available
YOU SAVE £56.50

THIS TREMENDOUS "PRICE BUSTERS" OFFER IS ONLY AVAILABLE BECAUSE OF OUR BULK BUYING POWER. PLEASE NOTE WE CAN ONLY OFFER THESE PRICES WHILST PRESENT STOCKS LAST. THIS OFFER IS THEREFORE SUBJECT TO AVAILABILITY. WE ADVISE YOU TO PLACE YOUR ORDER NOW. USUAL FINANCE FACILITIES APPLY. APPLY NOW FOR YOUR RWC CHARGE CARD.

Tel: 021 421 8201 (24hr answerphone)

Telex: 334303 G TXAGWM



HAVE YOU HEARD?



LOOKING FOR A HANDHELD? READ ON!



No doubt you will have heard of Kenpro and their reputation for uncompromising quality. But have you heard just how good Kenpro's new UHF/VHF handhelds are? Since our first Kenpros started to arrive at their new homes, we've received many letters and telephone calls from delighted owners. Just one example is G3YGI who writes, "... extremely pleased—performance has amazed me." Listen out for Kenprofessional owners on the airwaves. Hear and be assured—Kenpro won't sing and dance but will communicate extremely well! Join the Kenprofessionals—full range available from selected dealers or direct from us!

200EE VHF transceiver £169 + £5 p&p (less NICads and batteries but with empty battery case) £149 + £5 p&p

400EE UHF transceiver £189 + £5 p&p

Standard accessories/full U.K. spec.

HP/PERSONAL LOANS



HI-TEC WORLDWIDE LIMITED

584, Hagley Rd West, Quinton, Birmingham B68 0BS.
Tel: 021-421 8201 (24hr) Telex: 334303 TXAGWM-G.



SPECTRUM COMMUNICATIONS

MANUFACTURERS OF RADIO EQUIPMENT AND KITS

CB TO 10 METRE CONVERSION BOARD, suits all UK CB rigs to give 29.31 to 29.70MHz. Size only 63x40x13mm. Built and aligned board SC29 £15.00. Or send your rig & we'll fit it. £28 inc return p&p.

RECEIVE PREAMPS, 2, 4, 6, or 10 metre, unswitched, 14dB gain, low noise, types RP2, RP4, RP6, RP10. PCB kit £6. PCB built £8.

RECEIVE PREAMPS, 2, 4, 6, or 10 metre, RF & DC switched, 0-20dB variable gain, low noise, 100W handling. Types RP2S, RP4S, RP6S, RP10S. PCB kit £12. PCB built £16.75. Boxed kit £20.25. Boxed built £27.

RECEIVE PREAMPS, masthead, RF switched, coax DC led. 20dB gain, low noise, 100W handling. Types RP2SM, RP4SM, RP6SM, RP10SM. PCB kit £12. PCB built £16.75. Boxed kit £20.25. Boxed built £27.

RECEIVE CONVERTERS, 2, 4, or 6 metre input with 10 metre IF, also 4, 6, 10, or 20 metre input with 2 metre IF, 26dB gain, low noise with osc. output. Types RC2-10, RC4-10, RC6-10, RC4-2, RC6-2, RC10-2, RC20-2. PCB kit £17.25. PCB built £24.50. Boxed kit £25. Boxed built £35.25.

TRANSMIT CONVERTERS, 2, 4, or 6 metre output, 10 metre IF, 10mW to 1W drive. 500mW output, matches receive converters. Types TC2-10, TC4-10, TC6-10. PCB kit £16.50. PCB built £25.75. Boxed kit £25.50. Boxed built £38.

TRANSMIT CONVERTERS, 2, 4, or 6 metre output, 2 or 10 metre IF, 2.5W output and extra spurious and harmonic filtering, types TC2-10H, TC4-10H, TC6-2H, TC4-2H. PCB kit £27.50. PCB built £37.75. Boxed kit £35.50. Boxed built £50.

TRANSMIT & RECEIVE CONVERTER combination boxed unit, 500mW output, types TRX2-10, TRX4-10, TRX6-10. Boxed kit £45.75. Boxed built £66.25.

TRANSMIT & RECEIVE CONVERTER combination boxed unit, 2.5W output, types TRX2-10H, TRX4-10H, TRX6-10H, TRX4-2H, TRX6-2H. Boxed kit £56.75. Boxed built £77.25.

TRANSCIVE CONVERTER, single board version of receive converter and transmit converter, 500mW output, with repeater shift facility. Types TRC2-10, TRC4-10, TRC6-10. PCB kit £39. PCB built £54. Boxed kit £53. Boxed built £83.

TRANSMIT AMPLIFIER, unswitched, suitable for Transmit Converters and Transceive Converters and MEON, 500mW in, 20W min output. Types TA2U2, TA4U2, TA6U2. PCB kit £40.50. PCB built £48.75. Boxed kit £45. Boxed built £53.

TRANSMIT AMPLIFIER, RF & DC switched, multimode, 3W in 25W min output, suits 1W to 4W rigs. Types TA2SI, TA4SI, TA6SI. PCB kit £33. PCB built £39. Boxed kit £39. Boxed built £48.

SPECTRA FILTER, reduces adjacent channel "bleedover". Filter & matching circuit directly replaces 330 ohm ceramic filters. Type SF10.7. PCB kit £7. PCB built £8.

FREQUENCY MODULATOR—DEMODULATOR, adds FM transceive to AM rigs with IF of 455kHz. Type FM455. PCB kit £6.50. PCB built £9.50.

VAT & P&P INCLUSIVE PRICES

Delivery within 14 days subject to availability. 24 hr answering.



UNIT B6, MARABOUT INDUSTRIAL ESTATE,
DORCHESTER, DORSET, DT1 1YA, TEL 0305 52250



FARNBOROUGH COMMUNICATIONS

97 OSBORNE ROAD, NORTH CAMP

FARNBOROUGH, HANTS



*YAESU*FDK*ICOM*



Stockist of Drae psu's, Jaybeam and Cue Dee Antennas, Microwave Modules, Oskerblock SWR, CDE, RSGB publications, quality cables, our own TVI filters, Welz, Bencher, Mirage amps.

Open Monday to Saturday 10am-6pm

ACCESS + H.P. Available + BARCLAYCARD

Telephone: Farnborough (0252) 518009



HATELY ANTENNA TECHNOLOGY SKYWARE®

1 Kenfield Place, ABERDEEN AB1 7UW, Scotland, U.K.

COMMERCIAL DESIGN SERVICE We provide a full design and production service for commercial radio communications antennas based on our Patent. We can quote for up to 5 separate frequencies in the HF spectrum provided the frequencies are less than 5% or more than 34% different in frequency. The feed system is a single coaxial feed of 50 ohms and we guarantee SWR less than 1.5:1 on each frequency. Power up to 10kW radio frequency.

LOW SWR FEATURES The excellent input impedance values of CAPACITOR DIPOLES provide means that antenna matching units are unnecessary. This computer controlled unit remote transmitters can be less complex and more reliable. Furthermore the antenna balance is so good that our products pick up less noise than any other receiving antennas that have ever been made, (eg Our Jone advert for evidence). Over 97% of all radio amateur purchasers have been satisfied with their Dipole of Delight antenna. (Users have bought second (or third or fourth) antenna). Send us details of your frequency (in confidence) and power requirements and we will be pleased to quote price and delivery for 1m, 5m, etc.

TECHNICAL REFERENCE: Multiband Dipole and Ground Plane Antennas, by M C Hately IRE Conference on HF Systems and Techniques, I Conf Publ No. 245 Feb 1985 pp 102-106

RADIO AMATEURS: We are planning to get more band combinations into production this summer—given more "Dipole of Delightful" weather this year. Send SAE for info.

Proprietor: Maurice C Hately, MSc, MIEE
Chartered Electrical Engineer (GMSIAT).

G3SRK MORSE KEY

Professional key used in 60 countries £12.00

HEAD PHONES

Communication, low-fi, low imp, mil. spec. £15.00

GOOD RANGE Yaesu, Drae, S/H, keyers, antenna bits, co-ax and plugs

Professional computer and communications specialists.
Active amateur radio hobbyists

OPEN for retail Saturdays 9.00am to 4.00pm
(HP/Access/American Express)

KINGDOM COMMUNICATIONS LTD

(including Lingards Electronics and Amateur Radio Market)

B Market Street, New Mills, Stockport SK12 4AE

Tel. (0663) 47260

A KELLY

ELECTRONIC AND COMMUNICATION EQUIPMENT

3 STOKES RD, ASTON FIELDS, BROMSGROVE, WORCS B60 3EG

Telephone (0527) 71165

BEST PRICES EVER ON ALINCO MOBILES & HANDHELDS

We will sell your equipment on commission basis. Part exchange trade in? 3 month warranty on all second hand equipment sold


Please ask for the best deal to suit you. We also stock Microwave Modules

DRAE, Tar Aerials, RSGB publications, Mutek, Starmaster keys

MANY SPECIAL OFFERS—RING FOR DETAILS
Open 6 Days a Week. Evenings by Appointment
24hr Answerphone



DRAE BENCH POWER SUPPLIES



**SUPERB VALUE FOR MONEY ON
ALL DRAE PRODUCTS**

OTHER DRAE PRODUCTS:

VHF WAVEMETER.....	£27.50
3 WAY VHF SWITCH SO239.....	£15.40
3 WAY UHF SWITCH N Type.....	£19.90
2 METER PRE SET ATU.....	£14.50

SLOW SCAN TELEVISION:

RX ONLY.....	£195.00
TRANSCIVER.....	£320.00

ALL PRICES INCLUDE VAT

DAVTREND LTD. Sanderson Centre, Lees Lane,
Gosport, Hampshire PO12 3UL Phone 0705 520141

DID YOU KNOW THAT AS WELL AS OUR RANGE OF LINEAR PSU'S WE ALSO PRODUCE TWO EXCELLENT VARIABLE VOLTAGE BENCH PSU'S?

BP 301 0 to 30 volts continuously variable at 20mA to 1 amp. **£89.34**

BP 302 0 to 30 volts continuously variable at 40mA to 2 amp. **£114.11**

BUT PLEASE DON'T FORGET OUR RANGE OF LINEAR PSU'S



24 A @ 13.8v	£125.00
12 A @ 13.8v	£86.50
6 A @ 13.8v	£65.00
4 A @ 13.8v	£43.90

**BRITISH
MADE**



DRAE

Have You Seen.....

The review in **PW** of our 50MHz equipment?
Our new 24cms Frequency Locked **FMTV Transmitter**?
A copy of our **new** price list and catalogue?

In case you missed out here are a few details... The 144PA4/S 2M pre-amplifier has been successfully modified for 6M operation. It will yield 18dB typical gain or better. It retains all the original facilities of RF switching, hang time and sells for **£19.50** in kit form.

The **1240TVT** is a 20mW frequency locked 24cms **FMTV transmitter**. It incorporates a sound and vision modulator and is housed ready to run in our standard custom enclosure. It complements the highly successful 1250DC50 down converter and the recently introduced 1250PA2 24cms pre-amplifier to give the FMTV enthusiast the last word in performance.

By the way when writing please note our **new address** although we haven't moved far... we've just added the next door unit to accommodate our fast growing amateur and commercial production facilities.

With all this happening shouldn't you at least have a copy of the new catalogue? Send SAE today.

Unit 12-13
Youngs Industrial Estate
Aldermaston, Reading
Berkshire RG7 4PQ
Telephone: (07356) 71444 Telex: 846630



WOOD & DOUGLAS

VHF/UHF COMMUNICATIONS PRODUCTS



GAREX THE SCANNER SPECIALISTS

Just a small advertisement this month to let you know that we are still very much in business.

See our previous ad for details of our products.

MEET US AT THE FOLLOWING MOBILE RALLIES FOR SPECIAL STORES CLEARANCE BARGAINS AND REGULAR LINES AT POST-FREE PRICES:

Lincoln 7th Sept; Harlow 21st Sept.



MAIN DISTRIBUTOR OF REVCO PRODUCTS

PRICES INCLUDE UK P&P and 15% VAT

Goods normally despatched by return



GAREX ELECTRONICS

7 NORVIC ROAD, MARSWORTH, TRING,
HERTS, HP23 4LS

Phone 0296 668684. Callers by appointment only

CLASSIFIED ADVERTISEMENTS

Classified advertisements 35p per word (VAT included), minimum £5.60

Box Number £2.00 extra to wordage or minimum.

Semi-display 1/8 page 2 1/4" x 3 1/2" (57 x 91mm) £87.00

3/32 page 1 1/4" x 3 1/2" (42 x 91mm) £67.00

1/16 page 1" x 3 1/2" (26 x 91mm) £47.00

+ 15% VAT

Please write clearly. No responsibility accepted for errors.

Latest date for acceptance—7 weeks before 1st of issue month.

All classified and semi-display advertisements MUST be prepaid.

Copy and remittance to: M. J. HAWKINS G3ZNI, RSGB Advertisements,

PO Box 599, Cobham, Surrey KT11 2QE.

Cheques should be made payable to RSGB.

Members' Ads must be sent to "Members' Ads," RSGB Hq.

RSGB AMATEUR RADIO INSURANCE SCHEME

"ALL RISKS" INSURANCE for portable/mobile/base station amateur radio and ancillary equipment. A service for RSGB members only. Also public liability and equipment insurance for affiliated clubs and societies. Details and leaflets from Nick Gibson, Amateur Radio Insurance Services Ltd, 19 Quary Street, Guildford, Surrey. Tel: 0483 33771.

COMPUTER SOFTWARE/HARDWARE

AC LINEAR CIRCUIT ANALYSIS on BBC Model B. Suite of programs; 30 nodes, active, passive components, full editing, log/in frequency sweeps, mode 0 graphs £60.00. Details Markie Enterprises, 17 Percy Road, Shepherds Bush, London. W12 9PX.

6809 FLEX COMPUTER KIT SYSTEM. 16 slot motherboard, CPU, 64K RAM, 80 character colour display, 80/40 track Start/D sided disks. Full stock of Flex Software. Venture FORTH runs on a standard Flex random access file. Also 6809 for Tangerines. SAE for details. R-Allen Eng, Forncell End Norwich.

SPECTRUM 48K PROGRAMS: SPIX—decodes and displays UoSAT-1 CCD camera images. No interlace required, just direct audio connection from 144MHz fm receiver to Spectrum "ear" socket. Full resolution image can be printed with ZX compatible printer. Cassette with instruction booklet, £4.50. Also: SIJDD-UoSAT-1/2 news, text and telemetry decoder (no interlace needed), £4.50. SPOT—comprehensive location aid with graphic map, £4.50. SQUIF—Index file for local square collectors, £4.50. Prices include p&p in UK and Euro. SAE details. N. P. Taylor (G4HLX), 87 Huntley Field, Stanford in the Vale, Faringdon, Oxon. SN7 BND.

CBM64 RTTY TRANSCEIVE with split-screen, type-ahead, baud rate and valid signal detectors, transmit tone generation, unattended mode. Tape £11. Just add XR2211 demodulator (£13.50) for full transceive operation. CW Transceive program Tape £10. CW/RTTY Disk £22. CW/RTTY (SSB) demodulator £15. Contest duplicate checker £5. Maidenhead locator £5. SAE for details. Grosvenor Software (G4BMK) QTHR.

DRAGON SSTV RECEIVE program by G4BMK. Decodes direct audio—no interlace needed. Printer support. Tape £10. Dragon Greyline Predictor and MUF/LUF Plotter on hi-res graphics great circle world map with printer support. Tape £8. RTTY, CW and AMTOR for Dragon and Tandy Color. G4BMK see advert above.

AMPROM is the low cost entry to ASCII communications. For BBC B, 8+ and now also for Master. SAE for details. CTP Software, 107A Shackleton Lane, London E8 2EB.

BBC/ELECTRON: G4UXD Morse program (review Lopper, June Radcom) does everything—variable speed/delay; 850 words; 100 plain-language 3-min tests; tests your sending and much more; £5.95 (tape). D. Brandon, Woodlands Rd, Chester CH4 8LB.

HOLIDAY ACCOMMODATION

FLYING FROM GATWICK? Stay with G4MGU, Mill Lodge Guest House. 4 minutes from airport. Transport available. Telephone (0293) 771170.

SELF CONTAINED FLATS. Parking, babysitting, reduced autumn rates RadCom readers. Linden House, Ruckamore Road, Torquay 607333.

NORTH DEVON, Exmoo touring. Bed, breakfast, evening meal. Janet and Dick GOSBUJ. The Spinney Guest House, Shirwell, Nr Bainsdale, Devon.

LOOE—GUEST HOUSE B & B. Olde Worlde Cottage OTH, Family rooms available. Five and nine welcome guaranteed. G3KEC, QTHR. (050 36) 3651.

MISCELLANEOUS

COURSE FOR CITY & GUILDS, Radio Amateurs Examination. Pass this important examination and obtain your licence, with an RRC Home Study Course. For details of this and other courses (GCE, Career and professional examinations, etc) write or phone—THE RAPID RESULTS COLLEGE, Dept JT12, Tuillon House, London SW19 4DS. Tel: 01-947 7272 (9am-5pm) or use our 24hr Recordcall service 01-946 1102 quoting JT12.

HEATHKIT, UK spares and service centre. Cedar Electronics, Unit 12, Station Drive, Bredon, Tewkesbury, Glos. Telephone (0684) 73127.

REG WARD & CO LTD AXMINSTER, DEVON



South West's largest Amateur Radio dealer

Official agent for YAESU, TRIO, ICOM FDK

- Complete range stocked
- Full demonstration facilities
- Mail/telephone orders
- Access/Instant credit/Barclaycard
- Wood & Douglas Kits

Ancillary Equipment by: AKD, AOR, Adonis, Bencher, BNOS, CapCo, Daiong, Daiwa, Dae, Hansen, Himound, JIL, Kenpro, Microwave Modules, muTek, SEM, Shure, Tokyo Hypower, Tono, Toyo, Welz, Wood & Douglas.

Aerials by: G-Whip, Hygain, Jaybeam, MET, Mini Products, Revco, TET, Tonna.



1 Western Parade, Axminster,
Devon EX13 5NY. Tel: (0297) 34918

Open Tues-Sat 9.00-5.30. Closed Mon.



!!! MAKE A DATE !!!

SUNDAY SEPTEMBER 21st AT 10.00

28th HARLOW RALLY

Harlow Sportscentre, Hammarskjold Road, Harlow, Essex

More Traders (40+) ★ Giant Bring and Buy

FREE Parking and Draw ★ Licensed Bar and Refreshments

Area for special interest group exhibits

MORSE TESTS (must be pre-booked with RSGB)

ACCESS: M11 (Junction 7), A14. TALK-IN: S22 (G6UT)

DETAILS: Harlow (0279) 22365 (day) 27788 (evening + weekends)

VALVES

VALVES

VALVES

The following valves in matched pairs 6JS6/C, 6KD6, 6JB6/A, 6LQ6, 6HFS, 6146A, 6140B. YES the 6JS6/C is Japanese and works in the FT101. Most amateur radio valves including difficult to obtain types EX STOCK. Quotations without obligation. If we don't stock your type we may be able to import for you. PLEASE ENQUIRE, REMEMBER over 200 types EX STOCK. See for list. Phone for assistance re types suitable for your equipment. USA and Jap manufacture of popular types available.

DON'T DELAY PHONE TODAY 045 75 6114, G4AZM

Wilson, Peel Cottage, Lees Road, Mossley, Tameside, Manchester

PLEASE REMEMBER

The Advertisers appreciate knowing where you saw their advertisements.

Tell them you saw it in

RADIO COMMUNICATION

FOR SALE

OSL CARDS printed to your own specification on white or coloured gloss card. Send S.A.E. for sample pack to: The Caswell Press, 11 Barons Way, Woodhalch, Relgate, Surrey.

AMIDON TOROIDAL CORES, ferrite rings for TVI filters, ferrite beads. Send SAE for data and prices. SMC (TMP Electronics), Unit 27, Pinfold Works, Pinfold Lane, Buckley, Clwyd.

GSRV TYPE AERIALS. Half-size £13.50, Full-size £15.50. New Hard Drawn Copper Aerial Wire, 14011 14swg £7.90; 50 metres 16 swg £6.90. Enamelled soft copper wire 10 metres 12swg £3.50; 50 metres PVC covered Aerial wire £4.20. Ceramic Egg Insulators, 40p. Guy rope, 4mm Polypropylene, 50 metres £3.95; 4mm Nylon 50 metres £6.90. 1Kw 1:1 Baluns £13.00. All items post paid. S.M. Telham G3RSY, 1, Orchard Way, Fontwell, Arundel, West Sussex.

PERSONALISED OSL CARDS. 1000 £15.00; 5000 £50.00. 5000 gloss in two colours £70.00. Send SAE for samples. IDIY OSL's/SWL's—state which 11—100 mixed designs/colours, £2.50. C.W.O. Cards, 89 Derwent Street, Blackhill, Consett DH8 8LT.

50m (1651) AERIAL WIRE, Strong PVC covered copper only, £4.40 inc postage. W. H. Westlake, Clawton, Holsworthy, Devon.

OSL CARDS. Gloss or lined cards. SAE for samples to Twrog Press, Penybont, Gellidan, Blaenau Ffestiniog, Gwynedd.

ALL THE FAMOUS MOSLEY ANTENNAE, TA33Jr, Mustang, Atlas, V-3Jr, TD-3Jr Beams, Verticals, etc. Also spares available only direct from us. Send £1 for our Handbook showing all Antennae. Mosley Electronics, 196 Norwich Road, New Coslsey, Norwich NR5 0EX.

WAVEGUIDE, FLANGES & DISHES. All standard sizes and alloys (new material only) from stock. Special sizes to order. Call Earth Stations, 01-226 7876, 22 Howie Street, London SW11 4AR.

OSL CARDS. Try me for quality and price. SAE for samples. A. W. Bailey (G3YNI), Broan Down Press, Wick Lane, Lymington, Hampshire.

G2VF D.I.Y. LOOP ANTENNAS Long, Medium or Short Wave. SAE details. Rylands, 39 Parkside Avenue, Southampton SO1 9AF.

"RAYNET" YELLOW REFLECTIVE TABARDS with "RAYNET" front and rear similar to Police and Ambulance, etc. Also "RAYNET CONTROLLER". 2 sizes, Medium, £8.00; Large, £8.50 inc p&p. Details Mike Watson G8CPI, Ipswich (0473) 831448.

OSL CARDS from £10.00 per 1000. Logbooks £2.30. Samples 20p. Spittingwood Print, Spittingwood Avenue, Hoveley, Huddersfield.

ANTI-TVI TRAP DIPOLES, TRAPS for beams, verticals or wire aerials. Baluns. Data sheets 24p SAE. Aerial guide £1. (039 86) 215. G2DYM, Uplowman, Devon EX16 7PH.

SERVICE MANUALS. Amateur, Television, Audio, Video, Vintage, Test, etc. SAE enquiries: Mauliron (RC), 8 Cherrytree Road, Chinnor, Oxon. OX9 4OY.

OSL CARDS CLEAR HANGING display wallets. Holds 20 large size cards. Pack of 3, £2.40. Viola Plastics, 36 Croft Road, Haslings, Sussex.

CLIP ON FEEDER SPREADERS. 3" pack of 25, £5.00. 6" pack of 20, £8.00. 16swg hard drawn copper wire, 14p per metre. All post paid. Viola Plastics, 36 Croft Road, Haslings, Sussex.

CMOS KEYS, IAMBIC, Dot Dash memories. Switched speed, ACS, transmitter selection. Variable loudspeaker volume, pitch. Headphone socket. Keys both positive and negative transmitters from paddles or hand key. PP3 Battery operation with low drain. £59.95 Fully guaranteed. SAE for details. Chris Thayne, 14, Tynedale Avenue, Whitley Bay NE26 3BA.

ICOM PORTABLES. MRZ Desk Top PSU for Icom Portables 2e4e/O2E/O4E. Incorporating overvoltage protection—overcurrent shutdown—£61.95 + £3.00 (carriage). Models available for PMR/Marine Icoms. MRZ 6amp (continuous) 12v dc. PSU £59.95. MRZ for Icom and Yaesu equipment. MRZ Communications Ltd, 248 Ulloxeter Road, Longdon, Stoke-on-Trent, (0782 61 9658).

ORP COMPONENTS. SAE for list, or component guide £1.65 inc p&p. Resistor pack, 60 values, 600 1/4 Watt resistors, £5.45 inc p&p. Cambridge ORP Components, 30 Rookery Close, St Ives, Cambridgeshire PE17 4FX. Tel. (0480) 68330.

G4TJB OSL CARDS. Personal and standard designs. SAE samples, 100 mail colour DIY £2.50, gloss £3.50. Logbooks £2.20 (mobile £1.20). Buvo envelopes £1.00 (20). Navy Special. HF mobile and base station antennas. SAE for details and price list. G. C. Pallinson G4TJB, 24 Pottershead Road, Worle, Weston-super-Mare, Avon BS22 0UX.

G3LLL'S SEPTEMBER OFFERS. (Phone re September holidays before calling) For FT 101 E/B/MK 2.3 WARC Band Kit £15.50 p.p. Double Balanced Mixer (Quicker RX) £16.50 p.p. Spare Tuning Drive 6/1 Epicyclic £4.25 p.p. Valves 6JS6C original NEC matched pair £27 p.p. 12BY7A NEC £8 p.p. 12BY7A G.E. £5.50 p.p. 6146B G.E. as fitted FT 901/902/101/201/02 Matched pair £26.50 p.p. 3—£40. Black Star 600 MHz counters—super until SAE details £139 p.p. Special offer for FT 290R FT 757 FT 726, etc. Holdings/Amateur Electronics, 45, Johnson Street, Blackburn BB2 1EF. Tel. (0254) 59595. Access/B card.

GWM RADIO LTD, 40/42 Portland Road, Worthing, Sussex. Tel. (0903) 34897. Racal RAI 7L £200.00. Marconi TF791D deviation meter 4-1024MHz, £85.00. Buyers collect. Eddystone EB37 solid state receiver similar to EC10 but no BFO; 150kHz-350kHz + 550kHz-22MHz; 9v; £65.00 inc. Pye Banlams H/B FM with battery box and microphone, £25.00 inc. Pye W15 UHF Westminster; set only, £35.00; with control gear, £50.00 inc. Pye W25FM Mobile units, solid state, high power Westminster, 10 channel, ex car telephone, high band, no control gear (units only); £40.00 inc. Eddystone 9647 single channel HF USB Rx; crystal controlled in the range 3.0-5.7MHz, solid state, mains powered, as new condition; £55.00 inc. Signal generator, advance type B4B, directly calibrated from 30kHz to 30MHz; £35.00 inc. Corvette "SS" by "Svonska" synthesised multi-channel VHF marine, 24v; £110.00 inc. Pye 460/461 UHF base, £40.00 inc.

NEW MODEMS AND COMPONENTS. SAE please for list. Johns (G8BXO), Three Woodpark, South Mollon, Devon EX36 4HJ.

SPOKES FOR HOI AND C4 aerials, £1.10 each plus 50p p&p. T.V. Services, 116 Holland Road, Clacton, Essex, (0255) 431435.

THE SEMICON INDEX. Have you seen our advertisement on page 666 of this issue? **NEWISH SIEMENS 150 TELEPRINTER** with P.T.R. and P.T.P. 45 to 100 baud. Manuals included. Best offers. Tel: Nottingham (0602) 281878.

VALVES/MANUALS/CRYSTALS. Large stocks. Please send SAE with all enquiries. Racal RAI 17E, like new. Star SR200, CR100, etc. S.S.B. Products, 42 Halvarras Road, Playing Place, Truro. (0872) 862575.

EUROPE'S FINEST CMOS squeeze el-keyer. Samson (German) ETM-5C £85.00. ETM-9C (4906 bit memory) £135.00. Used by government departments and shipping lines. (p&p £2.00). SAE details. G5BM, QTHR. Tel. (0531) 820960.



Why search for an ordinary job?
We wish to recruit

TRAINEE TECHNICIANS

(Communications Science and Technology Officers)

To be trained for Telecommunication and Electronics support Technicians or Computer Software Technicians.

Applicants must hold, or expect to obtain in 1986, a BTEC or SCOTEC Certificate, Diploma or Higher in Telecommunications, Electronics or Computer Engineering. English Language 'O' level is required and preference will be given to candidates under 25 years on 31 December 1986 who hold GCE 'O' levels in Maths and Physics. We are looking for candidates who can demonstrate an interest in both analogue and digital communications.

TOTAL PAY PACKAGE (including Special Pay Additions) as a Trainee aged 18 years - £6,088 pa rising to £8,642 pa after 3 years.

For full details and application form please telephone or write to the Recruitment Officer at the address shown below:



THE RECRUITMENT OFFICE, GCHQ, ROOM A/1108
OAKLEY, PRIORS ROAD, CHILTHAM, GLOS GL52 5JX
OR TELEPHONE (0242) 32912/3

INDEX TO ADVERTISERS

A. J. H. Electronics.....	664	A. Kelly.....	672
Amateur Electronics Ltd.....	IFC	Kingdom Communications.....	672
Amcom/ARE.....	614/5	KW Ten-Tec Ltd.....	664
ARE Communications Ltd.....	617		
J. Birkett.....	670	Lowe Electronics.....	606/9
Bredhurst Electronics.....	667		
		Microwave Modules.....	667
Cambridge Kits.....	664	Modular Electronics.....	664
CR Supply.....	666		
		QuarLab Marketing Ltd.....	670
Dalong Electronics.....	671		
Oavtend Limited.....	673	Radio Shack.....	668
Unstable Downs Radio Club.....	668	Racdek Electronics.....	668
		Random Electronics.....	670
Farnborough Communications....	672	R.A.S. (Nottingham).....	670
		RSGB Books.....	IBC
G4TNY Amateur Radio.....	664		
Gairex Electronics.....	674	Semicon Indexes Ltd.....	666
G.C.H.Q.....	675	South Midland Comms.....	618/20
P. Goodium.....	666	Spectrum Communications.....	672
		Stephens-James.....	665
Harlow & Dist Radio Society.....	674		
Harcly Antenna Technology.....	672	Uppington Tele-Radio.....	666
Heatherlie Products.....	666		
Hi-Tec Worldwide.....	672	Ward Electronics.....	663
C. M. Howes Communications....	669	Reg Ward Co Ltd.....	674
		Waters & Stanton.....	616
ICOM/Thanel Electronics.....	610/3	W. Westlake.....	670
ICS Electronics Ltd.....	665 & 669	C. Wilson.....	674
		R. Wilhens Communications Ltd..	671
Jaycee Electronics.....	670	Wood & Douglas.....	673
J.E.P. Electronics.....	668		
		Yaesu Musen.....	0BC

RSGB MAIL-ORDER PRICE LIST

	Non-members' price	Members' price		Non-members' price	Members' price
RSGB books			Other publications		
<i>A Guide to Amateur Radio</i> (19th edn)	£4.14	£3.52	<i>All About Cubical Quad Antennas</i> (RPI)	£7.73	£6.57
<i>Amateur Radio Operating Manual</i> (3rd edn)	£6.52	£5.54	<i>Amateur Single Sideband</i> (Ham Radio)	£6.04	£5.13
<i>Amateur Radio Software</i>	£8.69	£7.39	<i>Amateur Television Handbook</i> (revised) (IBATC)	£3.25	£2.76
<i>HF Antennas for All Locations</i>	£7.79	£6.62	<i>Antenna Compendium Vol 1</i> (ARRL)	£10.29	£8.75
<i>How to Pass the Radio Amateurs' Examination</i>	£3.62	£3.08	<i>ARRL Antenna Book</i> (ARRL)	£11.29	£9.60
<i>Microwave Newsletter Technical Collection</i>	£7.23	£6.15	<i>AX25 Amateur Packet Radio Link-layer Protocol</i> (ARRL)	£5.68	£4.83
<i>Morse Code for Radio Amateurs</i>	£2.29	£1.95	<i>Basic Radio Electronics</i> (Wiley)	£17.71	£15.05
<i>RSGB Amateur Radio Call Book 1986</i>	£5.75	£4.89	<i>Beam Antenna Handbook</i> (RPI)	£8.22	£6.99
<i>Radio Amateurs' Examination Manual</i> (11th edn)	£4.07	£3.46	<i>Better Short Wave Reception</i> (RPI)	£7.57	£6.43
<i>Radio Communication Handbook Vol 2</i> (hbk)	£8.96	£7.62	<i>Care and Feeding of (Various) Power Grid Tubes</i> (ARRL)	£11.07	£9.41
<i>Radio Communication Handbook Vol 1 & 2</i> (pb)	£14.10	£11.99	<i>CMOS Cookbook</i> (Sams)	£14.47	£12.30
<i>Radio Data Reference Book</i> (15th edn)	£9.13	£7.76	<i>Complete DX'er</i> (ARRL)	£8.60	£7.31
<i>Raynet Manual</i> (1984 edn)	£2.95	£2.51	<i>Complete Shortwave Listener's Handbook</i> (Tab)	£13.53	£11.50
<i>Teleprinter Handbook</i> (2nd edn)	£7.67	£6.52	<i>Design of VMOs Circuits with experiments</i> (Sams)	£9.40	£7.99
<i>Television Interference Manual</i> (2nd edn)	£2.45	£2.08	<i>DX Edge</i> (hf propagation aid)	£15.65	£13.30
<i>Test Equipment for the Radio Amateur</i>	£6.79	£5.77	<i>FM and Repeaters for the Radio Amateur</i> (ARRL)	£4.75	£4.04
<i>VHF/UHF Manual</i> (14th edn)	£11.20	£9.52	<i>G-QRP Club Circuit Book</i>	£5.00	£4.25
<i>World at Their Fingertips</i>	£8.21	£6.98	<i>Guide to Oscar Operation</i> (Amsat-UK)	£1.97	£1.67
RSGB logbooks			<i>Joy of QRP</i> (Adrian Weiss, WORSPI)	£9.40	£7.99
<i>Amateur Radio Logbook</i>	£2.93	£2.49	<i>Linear Op-Amp Handbook</i> (Cairl)	£12.93	£10.99
<i>Mobile Logbook</i>	£1.30	£1.11	<i>Microwave Communication Handbook</i> (Wiley)	£12.75	£10.84
<i>Receiving Station Logbook</i>	£3.04	£2.58	<i>Morse Code, the Essential Language</i> (ARRL)	£3.99	£3.39
RSGB maps, charts and lists			<i>Oscar 10 Handbook</i> (Amsat-UK)	£3.87	£3.29
<i>HF Awards List and Countries List</i>	51p	43p	<i>QRP Notebook</i> (ARRL)	£4.41	£3.75
<i>Great Circle DX Map</i> (wall)	£2.57	£2.18	<i>Radio Amateurs' Antenna Handbook</i> (RPI)	£8.72	£7.41
<i>IARU Region 1 Beacon List</i>	42p	36p	<i>Radio Amateur Callbook Foreign Listings 1986</i> (ARCI)	£19.43	£16.52
<i>Locator Map of Europe</i> (wall)	£2.07	£1.76	<i>Radio Amateur Callbook North American Listings 1986</i> (ARCI)	£19.98	£16.98
<i>Locator Map of Europe</i> (card for desk)	76p	64p	<i>Radio Amateurs' Handbook 1986</i> (ARRL)	£8.18	£6.95
<i>Locator Map of Western Europe</i> (wall)	£3.24	£2.75	<i>Radio Communication Receivers</i> (Tab)	£17.43	£14.82
<i>Meteor scatter date sheets</i>	£3.72	£3.16	<i>Radio Frequency Interference</i> (ARRL)	£4.63	£3.94
<i>Smith Charts, pad of 25</i> (Chartwell D75f0)	£2.35	£2.00	<i>RTTY the Easy Way</i> (BARTGI)	£4.69	£3.99
<i>UK Beacon List</i>	42p	36p	<i>Satellite Experimenters' Handbook</i> (ARRL)	£11.19	£9.51
<i>UK Repeater List</i>	53p	45p	<i>Secrets of Ham Radio DXing</i> (Tab)	£8.78	£7.46
<i>World Prefix Map in full colour</i> (wall)	£2.68	£2.28	<i>Semiconductor Data Book</i> (Newnes)	£8.80	£7.48
RSGB members' sundries (members only)			<i>Shortwave Listener's Antenna Handbook</i>	£17.54	£14.91
<i>RSGB badge car sticker</i>	—	53p	<i>Simple Low-cost Wire Antennas</i> (RPI)	£10.65	£8.97
<i>RSGB belt (rool leather)</i>	—	£7.57	<i>Towards the Radio Amateurs' Examination</i> (Sams)	£4.77	£4.05
<i>RSGB tie (coffee, maroon, green or blue—please state)</i>	—	£3.20	<i>Towers International Digital IC Selector</i>	£10.58	£8.99
<i>RSGB callsign cap</i>	—	£4.98	<i>Towers International MOSPower and other FET Selector</i>	£10.58	£8.99
<i>RSGB logo rubber stamp</i>	—	£3.16	<i>Towers International Transistor Selector</i>	£15.46	£13.14
<i>RSGB teeshirts (medium, large or extra large—please state)</i>	—	£4.90	<i>Towers Op-Amp Selector</i> (Foulsham)	£10.99	£9.34
<i>RSGB Green Book</i> (details structure, organization and objectives of the Society)	—	£1.85	<i>Tune in the World with Ham Radio</i> (ARRL)	£5.15	£4.38
<i>Standard callsign lapel badge</i> (Five weeks' delivery)	—	£2.21	<i>TV for Amateurs</i> (IBATC)	£2.45	£2.08
<i>De-luxe callsign lapel badge</i> (Five weeks' delivery)	—	£3.18	<i>Understanding Amateur Radio</i> (ARRL)	£5.20	£4.42
<i>Standard lapel badge</i> (RSGB emblem, pin fitting)	—	60p	<i>VHF Handbook for Radio Amateurs</i> (RPI)	£13.71	£11.65
<i>Mini lapel badge</i> (RSGB emblem, pin fitting)	—	72p	<i>Weekend Projects for the Radio Amateur</i> (ARRL)	£5.45	£4.63
<i>Members' headed notepaper</i> (50 sheets) quarto	—	£1.20	<i>World Atlas</i> (ARCI)	£3.72	£3.16
<i>Members' headed notepaper</i> (50 sheets) octavo	—	76p	<i>'99 Test Equipment Projects You Can Build</i>	£10.75	£9.14
Miscellaneous			RSGB kits and components		
<i>Callsign rubber stamp</i>	£3.47	£2.95	<i>RSGB Morseman</i> (Rad Com December 1984)	£13.52	£11.49
<i>Car sticker "Amateur radio" (two colours)</i>	78p	66p	<i>Kit 2</i> (27C16 apron, pcb, artwork)	—	—
<i>Car sticker "I'm on the air with amateur radio" (four colours)</i>	89p	76p	<i>Kit 3</i> (Led display and holder, battery holder, potentiometers, knobs and knob covers, case, front panel)	£38.24	£32.50
<i>Car sticker "I'm monitoring '5 are you?" (two colours)</i>	78p	66p	<i>D70008C microprocessor for Morseman</i>	£10.63	£9.04
<i>Radio Communication back issues</i>	£1.40	£1.19	<i>Ferrite ring for interference suppression</i> (Pack of two) (Neosid)	£2.99	£2.54
<i>Radio Communication bound volume, 1983</i>	£17.90	£15.22	MORSE INSTRUCTION AID		
<i>Radio Communication bound volume, 1984</i>	£17.90	£15.22	<i>RSGB morse instruction tape</i> (to 5wpm)	£4.80	£4.08
<i>Radio Communication bound volume, 1985</i>	£17.90	£15.22	MAGAZINE SUBSCRIPTIONS		
<i>Radio Communication Easibinder</i>	£7.90	£6.72	<i>QST</i> (including ARRL membership) One year	£33.39	£28.38
<i>RSGB coffee mug</i> (plastic)	£2.16	£1.84	Two years	£63.53	£54.00
<i>RSGB hl contest log sheets</i> (100)	£3.69	£3.14	Three years	£95.02	£80.77
<i>RSGB vhf contest log sheets</i> (100)	£3.69	£3.14	By air via KLM (to W Europe only) one year	£47.45	£40.33
			<i>Ham Radio Magazine</i> , one year, by air	£34.69	£29.49

ORDERING INFORMATION

NON-MEMBERS. Use left-hand price columns. Note that members' sundries are only available to members of RSGB.

MEMBERS. Use right-hand price columns. It is essential that you quote your call sign or BR5 number so that you can be recognised as a member.

PRICES. These include postage, packing and VAT where applicable, and are subject to change without notice. For airmail despatch, please ask for price before ordering. Goods are obtainable, less p & p, at RSGB headquarters between 10am and 4pm, Monday to Friday.

POSTAL TERMS. Cash with order. Stamps and book tokens cannot be accepted. Cheques and postal orders should be crossed and made payable to "Radio Society of Great Britain". Our Giro account number is 5335256. Please write your name and address clearly on the order, and allow up to 28 days for delivery.

*Items marked with an asterisk may not be available immediately; please telephone before ordering to confirm availability.

ORDER FROM: RSGB Publications (Sales), Lambda House, Cranborne Road, Potters Bar, Herts EN6 3JE

RAYNET SUPPLIES (Raynet members only)

<i>Car sticker—"Raynet Emergency Radio" (Round)</i>	—	£0.52
<i>Car sticker—Diamond Raynet logo</i>	—	£0.52
<i>Embroidered Raynet badge</i>	—	£0.85
<i>Lapel badge—Diamond Raynet logo</i>	—	£0.72
<i>Raynet card strap clip</i>	—	£0.40
<i>Raynet identification sticker—yellow/black (2.5" x 5")</i>	—	£0.42
<i>Raynet tie</i> (navy)	—	£2.90

NEWSLETTER SUBSCRIPTIONS

Microwave Newsletter, VHF Newsletter, DX Newsletter. For details contact the membership services department at RSGB headquarters.

RSGB News Bulletin

PAGES

OOPS....!!!

You know the old saying about "...to err is human"?

It's now been conclusively proved that RSGB staff are human - which is another way of saying we boomed.

In last month's RadCom editorial we grandly said "...one item of news that you are reading in the RSGB News Bulletin with this issue - that the Morse qualification now lasts for life....". How many people tore their hair out looking for this tantalising piece of news in the Bulletin? Did you curse those imbecile Bulletin writers for ruining your day? Well, it was all our fault - for various reasons relating to a last-minute change of story, the item about Morse qualifications lasting for life fell off the bottom of the page and we didn't notice its absence until it was too late. So (pause for fanfare of trumpets) here's the story you should have read last month....



NOW VALID FOR LIFE

In a press release dated 18 July 1986, the Department of Trade and Industry announced that a pass in the Amateur Radio Morse Test will now be regarded as valid for life. The previous rule was that, where a break of more than 12 months has occurred in licensed operation, or where a licence had not been obtained within 12 months of having passed a Morse test, a further test would be required.

This change of policy brings the currency of the Morse test into line with that of the Radio Amateur's Examination, where a pass is already valid for life. It's worth mentioning that this new provision is valid retrospectively.

So now you know....!



RSGB v EMC

- Round 2 -



You'll remember that one of the Society's chief concerns throughout this year so far has been the new strategy adopted by the Radio Investigation Service last January.

In the April 1986 edition of the Bulletin we outlined the story so far, and we said that the RSGB was contemplating what action it should take and how vigorous the action should be. Since then, we've been burning the midnight oil on this problem with a vengeance. Staff and volunteers have had meetings and long sessions with various parties who could help - to the tune of more than 1,000 man-hours - and we're now beginning to get somewhere.

It's worth briefly going over the original problem. For some years now, many of the most important issues in amateur radio have been associated with breakthrough of amateur transmissions into various forms of domestic electronic entertainment equipment. Nowadays we refer to "EMC problems" - the letters standing for Electromagnetic Compatibility - and it's interesting to note that EMC in one form or another has become of much more concern to the electronics industry at large in this solid-state age. EMC problems between transmitting amateurs and neighbours were either solved by the amateur himself fitting appropriate filtering or by the neighbour whose equipment was affected invoking the assistance of the Radio Investigation Service. The RIS officer would often be able to take the heat out of a difficult situation by being an impartial intermediary.

Until 1984 the then Radio Interference (now Investigation) Service was operated by British Telecom (formerly the Post Office and, prior to that, the GPO) on behalf of the Home Office on an agency basis. With the passing of the 1984 Telecommunications Act, which privatised British Telecom, control of the RIS was transferred to the Department of Trade and Industry. Following this transfer, a review of the RIS took place; the September 1985 edition of the

Bulletin gave what information was published concerning the outcome of this review. The essence of it was that the RIS would be re-orientated towards the enforcement role and would carry out what the Minister of State for Industry & Information Technology called "...a phased withdrawal from the time-consuming effort put into dealing with domestic TV and radio reception problems".

At more or less the same time as all this was taking place, the Society was (and still is) involved in two cases of breakthrough which, although technically no different from many others in scale or scope, had attracted the attention of Members of Parliament and thereby the Parliamentary Under Secretary of State. In the course of handling these cases, the Society became aware of the DTI's increasing interest in immunity standards for domestic entertainment equipment; the background to this aspect of the problem was set out in the April 1986 Bulletin.

As a result of the factors outlined earlier, which led to restrictions in budgets and staff numbers, the RIS began operating to a new strategy in January 1986. As we said at the time, the Society had (and continues to have) "...reservations about both the quality and the scope of the strategy". If you turn up page 7 of the April 1986 Bulletin, you'll see what else we had to say about it. In a nutshell, we were worried. We felt

that the situation as a whole was "...a grave potential threat to the well-being of amateur radio in the UK". Hence the enormous amount of effort which we've put into this problem during the past few months.

The Society has now produced a list of what seem to us to be important measures which must be taken in order to reduce or remove the "...grave potential threat". These measures are, if you like, what we're going to do about the EMC problem, at least in the short- and medium-term. You'll notice that the first item relates to the establishment of a "code of practice", and almost everything else in the list is somehow related to this. The point here is that, as users of transmitters in what is often an urban environment, we must all make sure that our own house is in order before getting involved with what may be difficult and sensitive problem areas with neighbours.

So here's the "RSGB 11-point plan of action" -

1 The RSGB intends to establish a "code of practice", to which it expects all UK radio amateurs will adhere. Implicit in this code of practice will be a way of assessing what is realistically possible in a given environment - i.e. not expecting to be able to run 400W on 144 MHz to four times 19 elements three feet away from your neighbour's TV antenna without a few minor EMC problems rearing their heads. The code will also advise amateurs on how to react when EMC problems do occur. We hope to agree the terms of this code of practice with the DTI, and we feel sure that they will give it strong support.

2 As well as the code of practice, the RSGB will produce a booklet similar to the one currently dealing with the obtaining of planning permission. This will advise members on all the precautions which should be taken at an amateur radio station to reduce the likelihood of EMC problems occurring. The booklet will deal with matters such as antenna installation and it will also act as a sort of first-aid manual. The Society intends it to be complementary to the forthcoming "EMC Manual"; this will deal with the more technical aspects of the problem. The booklet will set out the elementary theory and it will be sent free of charge to RSGB members on request.

3 The RSGB intends to set up a network of "EMC co-ordinators" all over the UK. The intention is that these co-ordinators will be prepared to assist amateurs with EMC problems on a voluntary basis; the hope is that there will be at least one per county. The co-ordinators will be given training by the Society in basic first-aid EMC problems and it is hoped that they will be able to solve what could be called "first-line" EMC difficulties by means of precautionary measures, filtering, etc. Since the majority of EMC problems do, in fact, fall into this sort of category, the co-ordinators should be able to advise members on how to clear up many EMC problems. The Society's solicitors are currently looking into the legal aspects of this scheme, particularly the requirement for proper insurance.

4 The Society is to make a wide range of filters available to members: some have already been evaluated and are available now and there'll be more to follow. More on that later.

5 We want the DTI to adopt a fair procedure to resolve conflicts between the radio amateur and the neighbour, for use in cases where all else has failed. The RIS/DTI must be involved in such a procedure, and must act fairly as far as both parties are concerned. If it is an RSGB member who is involved, the procedure will include the assistance and involvement of the Society.

6 The RSGB feels that the syllabus for the Radio Amateur's Examination should be revised, to provide greater emphasis of EMC matters and how to approach EMC problems. In the course of our recent work we've discovered that there is an enormous amount of myth, rumour and general misinformation about EMC matters in amateur circles, and that needs to be put right. Some of that can be done right at the beginning of the amateur's career.

7 The Society will continue to liaise with relevant bodies with a view to improving immunity standards. These include the British Standards Institution (BSI), BREMA and various elements of Government.

8 The Society also intends to work with organisations such as the Consumers' Association in order to identify receivers which are

prone to EMC problems. This means that a) radio amateurs will know what they are likely to be faced with in their local "EMC environment" and b) the general public will be more aware of the nature of EMC problems and which receivers are less prone to them.

9 In the same vein the Society intends to liaise closely with the relevant part of British Telecom, with a view to reducing the alarmingly high number of cases in which telephones and telephone equipment either suffer from RF breakthrough or themselves generate interference.

10 The RSGB will shortly be setting-up a database at Headquarters which will list all known radio and television receivers and domestic entertainment equipment. This is obviously quite an undertaking, and the decision to mount this particular operation has not been taken lightly; however, since there appears to be no equivalent anywhere, and no centralised body of information on EMC characteristics of domestic equipment, we feel that the job simply has to be tackled and done. The intention of the database is to record case histories, together with information on modifications and filtering which have produced a successful solution.

11 Finally, the Society intends to seek Government finance - that is to say, from either the Department of Trade & Industry or the Department of Education & Science - to investigate further the problems associated with transmitter operation in an urban environment.

The "bottom line" is, as always, to obtain the best possible conditions under which UK radio amateurs can pursue their hobby. In this connection, there are two main points to bear in mind:

* The Radio Investigation Service has scaled down its activities as far as investigations of interference to domestic electronic entertainment equipment are concerned and is operating to what, in the Society's opinion at least, is a questionable strategy

* Provided that the amateur can be shown to have his own house in order - that is to say that his own installation is beyond reproach from an EMC point of view - the Society's subsequent

position is that the onus is fairly and squarely on manufacturers to provide proper RF immunity in the first place and also, where difficulties persist, for the Government to operate a fair procedure. Whilst we are quite happy to go to the lengths outlined above where they are necessary, the Society's long-term aim remains as it has always been - to make manufacturers very aware of the growing requirement for proper RF immunity and the consequent need for their design department to do their job properly.

So - that's what the RSGB proposes to do in order to mount an attack on EMC problems. In the very short-term, we are now stocking filters - see point (4) above. These are made by a reputable company - Armstrong Kirkwood. Developments - and they've been thoroughly tested by members of the Society's EMC Committee to make sure that they're right for the job. We're stocking five individual types, as follows, all prices by post:-

Model BB1 - a "braid-breaker" filter suitable for rejection of braid-borne interfering signals between 2 MHz and 50 MHz and it still possesses some useful rejection (15 dB) at 70 MHz.

Its quoted rejection is 25 dB at 30 MHz or below. This filter has less insertion loss in Bands IV and V than most other filters (around 2 dB) and should be tried first in areas where those signals are weak. It is also useful in Band II.

British Telecom equivalent FS74a. Order as FIL1 - price £5.49 to members, £6.46 to non-members.

Model HPF2 - a high-pass filter for Band II (i.e. VHF/FM broadcast) with low insertion loss above 88 MHz and rejection better than 50 dB below 30 MHz.

This filter is only effective on the inner of the feeder cable and therefore its main use will be where strong HF signals are directly affecting the tuner circuitry. It could be combined with BB1 to reject braid-borne interference as well.

HPF2 has no known British Telecom equivalent. Order as FIL2 - price £5.49 to members, £6.46 to non-members.

Model HPF1 - this combines the braid-breaking action of the BB1 and the high-pass filter action of the HPF2. However, it is only suitable for use in Band IV and V (i.e. UHF television) since it has a high insertion

loss below 300 MHz - if you need the combined filter action below that, use a combination of BB1 and HPF2.

Specified rejection at 30 MHz is better than 60 dB, although our sample measured 50 dB, and usable passband is from 400 MHz upwards. HPF2 still has some usable rejection (about 10-15 dB) up to 200 MHz, so it might be useful if you run HF and 144 MHz.

Near British Telecom equivalent FS72a. Order as FIL3 - price £6.05 to members, £7.12 to non-members.

Model INF2/2 - this is a 144 MHz tuned notch filter which will reject 144 MHz signals on both the inner and the outer of coaxial feeder cable whilst passing all other signals.

It is suitable for all UHF television channels in Bands IV and V with low insertion loss, although in Band II it still has between 3 and 5 dB - so it might not be suitable in fringe areas. Rejection better than 35 dB on the inner and 30 dB on the outer.

Better than near British Telecom equivalent FS64/1a and 2a. Order as FIL4 - £6.23 to members, £7.33 to non-members.

Model RBF1/70 - this is a 430 MHz tuned notch filter which will reject signals on the inner of the coaxial feeder cable. It has insignificant insertion loss to broadcast signals except in group A of Band IV, where slight signal degradation may be noticed. It has about 20 dB rejection, and in severe cases two could be cascaded.

Not quite as good as British Telecom type FS73a but a fraction of the cost! Order as FIL5 - price £5.49 to members, £6.46 to non-members.

For clubs and groups we're also offering a special kit of 11 filters at £46.50 if you're affiliated, £54.70 if you're not! Order code FK1T.

And finally - don't forget the ever-popular RSGB ferrite rings, which from what we hear seem to work really well. Price £2.54 to members, £2.99 to non-members per pair.

We'll keep you posted on further developments in the electromagnetic compatibility saga. We still think it's the biggest and nastiest problem facing radio amateurs in the UK, and as the national society it's up to us to sort something out.



NEC '87

Got your 1987 diary yet? Yes? Well, get it out and make a note of some of the most important dates of next year - the RSGB National Amateur Radio Convention at the National Exhibition Centre....

28/29 March 1987

Got that? Good. We'll see you there.....it'll be the best ever.



RAYNET ELECTION NEWS

Following the calls for nomination in the June issue, only three nominations were received;

- Zone 5 (Greater London) -
Mr T Jackson, G8RWK
- Zone 6 ("South East") -
Mr R Ray, G3NCL
- Zone 8 (Wales) -
Mr R Cardwell, GW4PUX

Consequently Messrs Jackson, Ray and Cardwell were elected unopposed for Zones 5, 6 and 8 respectively.

In the July issue, a call for nominations for Zone 11 (Northern Ireland) was made. Two valid nominations were received;

- Mr J A Walsh, G14JXM (nominated by G14BWM, G13RNY, RS7781, G14P1D and G14SJA)
- Mr J Chapman, G14LVC (nominated by G14MDD, G14MCW, G14MAF, G18WBZ and G10BEF)

Any currently registered Raynet member resident in Northern Ireland may record his or her vote for one of the above candidates in the following manner. No special ballot paper is required. The text of your vote should indicate clearly which candidate you prefer. Please do not include any correspondence in the same envelope. On the back of the envelope, which must be sealed, you must write in block capitals your name and callsign. The envelope must be addressed to "The Secretary (Raynet Zone 11 Election)" at RSGB Headquarters. Your vote MUST reach HQ by 1715 on Tuesday 30 September.

The result of the election will be announced on GB2RS and it will also appear in RadGom.

Mobile mics -

DoT speaks

The Department of Transport is planning to introduce a new Highway Code rule which relates to mobile telephones but which also has an amateur radio spin-off. This new rule, Rule 49a, is currently before Parliament: it says "Do not use a hand-held microphone or telephone handset while your vehicle is moving, except in an emergency. You should only speak into a fixed, neckslung or clipped-on microphone when it would not distract your attention from the road. Do not stop on the hard shoulder of a motorway to answer or make a call, however urgent".

The Department of Transport, in a letter to the Society, adds that "The Highway Code is an advisory code of practice in that a failure to observe any of its provisions is not, in itself, an offence. Such failure, however, may be used as evidence in any court proceedings which may arise. Current legislation already places the responsibility on drivers to have proper control of their vehicles at all times. A motorist who fails to do so as a result of distraction or lack of concentration is liable to prosecution".



DIRECT TO YOUR DOOR

Are you a frustrated home-brewer?

How many times have you read through a constructional article which featured something you fancied building and then gnashed your teeth because the designer has specified RS Components part numbers? Join the gang - it drives RSGB staff mad too.

RS Components, who used to be known as Radiospares, are one of Britain's leading distributors of electronic and electrical components, but only to professionals - ordinary members of the public could only get RS parts via a local friendly dealer willing to order for them. Happily that situation's changed. RS Components have announced the launch of "Electromail", which is essentially a distribution service to make their components available to everyone. "Electromail" offers the full catalogue range of RS items and you can order by cheque or credit card. The catalogue can be obtained from Electromail, P O Box 33, Corby, Northants NN17 9EL, telephone 0536 204555, and it costs £2.50.

JAS-1 latest

The first Japanese amateur radio satellite, JAS-1 - which incidentally has now been renamed "Fuji" - was launched successfully at 20:45:00.5 hours UTC on Tuesday 12 August. JAS-1 separated from the H-1 rocket at 21:47 UTC and the beacon on 435.795 MHz has been successfully received. The University of Surrey has also copied telemetry. We have a Keplerian element set for JAS-1 at the end of this item, and it can also be found on the RSGB DataBox. AMSAT-UK also gives regular updates on its nets - these take place on Mondays and Wednesdays at 7pm local and on Sunday mornings at 10:15am local. Frequency is 3782 kHz and callsign GOAUK.



RSGB/DTI

REPEATER LICENSING TALKS

The Society held a meeting with DTI staff as part of a review of beacon and repeater licensing procedures on 22 July. This joint meeting took place as a result of substantial delays which had crept into the licensing process. Following the meeting, a statement was issued by the DTI in a letter dated 30 July 1986: it stated that "The DTI is very much aware of the considerable delays currently being experienced by many repeater (and beacon) groups in receiving approval for new or changed amateur repeater and beacon stations. Unfortunately, due to existing procedures within the Department and other pressures of work, such delays are affecting new applications and changes of frequency, site and antenna almost equally. The Department is well aware of the concern amongst amateurs about this unsatisfactory situation and is currently in discussion with the RSGB on how procedures may be simplified so such delays do not occur in future. A review of all amateur beacon and repeater licensing procedures is currently being prepared within the Department and it is anticipated that a new, hopefully streamlined, system will be introduced before the beginning of 1987. The intention is that procedures can be devised by which processing time can be reduced to weeks rather than months, although this is of course subject to the outcome of the review. In the meantime, existing applications will be dealt with as soon as possible under the current system".

P.S.

The annual "QSO Reunions" between members of RAOA and the Dutch OTC on Monday and Tuesday 6 & 7 October from 0830 GMT to lunchtime each day. Initial calls on 3600 kHz SSB and 3550 kHz CW. If 40m is suitable, calls may also be made on 7070 kHz and 7025 kHz respectively.

The Derby & DARS's 75th Anniversary Lecture "A Glimpse Into the Early Years of Wireless" will be given by Fred Ward, G2CVV at 7.30pm on Wednesday 10 September in The Media Centre, St. Helens House, Duffield Road, Derby. Admission by ticket only from Ken Griffin, G4HDP.

Radio amateurs in Botswana will be able to use the special prefixes 802 and 800 during September & October as part of the 20th Anniversary of Independence. Special QSL cards will be available.

The familiar face of David Gough, G6EFQ will not be present behind the RSGB stand at this year's Lincoln Hamfest on 7 September. David is getting married the day before and says he has better things to do!!!

Members' Ads

PAGES

FOR SALE

SEM 2-Match, £40. Microwave Modules 10m pre-amp, TV, Craed 444 teleprinter, £40. Pye BSM portable TV, £45. Sebrionics ORM incl ac adaptor and leads, £60. Yaesu FT200 plus FP200, ex candx, £250. Spare set of valves, £10. CPU type 300 relays, 6011, £2 ea. Old RSGB c/books, 1977-1982 incl, £1 ea. SWM binder, £3. WRTV Handbook 1978, £1. G4K22, OTHR, tel: Coventry 444160.

HEATHKIT HW100 TCVR, 3.5-30MHz c/w HB psu mic key 100W dummy load, £75 ono. 18AVT/WB verticle antenna 3.5-30MHz, £30. Storno Viscount 2m TCVR, 4 pairs xtals full data c/w 5/8 2m mag-mount, £25. Class D wavemeter, working, £5. B2 TX/RX HB PSU, some non-standard 1X parts, working, full data, £15. 20' alloy pole, £5. IE15 grid dipper 400kHz-280MHz, £10. Boxed 832 valves (3), £3 ea. Boxed 829 valve, £5. Buyer collects or pays carriage. G3DMF, tel: Bath 859782.

SUPERB freehold split-level semi-detached dormer house built on elevated land, ex accommodation on 3 levels, delightful panoramic view, 3 beds, gdn, brick garage, extra parking space, storage room, workshop, £30,000. Wright, 749 Sandy Lane, Mindley Wigan, tel: 55948.

TS94D, 15440, Collins KWM2A, all in as new condx, ring for best price. Hart, tel: Derby 833684.

FI290R, muTek, nicads, chgr, rubber duck, 144-148 coverage, 25W linear, orig pkg, mint condx, bargain, £250. AR40 rotator, £50. Orccsler 2m GAsFET masthead pre-amp, handle 50W+, little use (3 months), incl psu, £75. GSGCE, tel: 01-747 1506

IC-210 FM 2m TCVR, PLL synthesised vfo, built-in mains psu removable for mobile wkg, instruction manual, cet diag, ex condx, £150, buyer collects. G4KWA, tel: D1-777 9061.

FL21002 HF LINEAR AMP, 3-years old, vgc, £350. G4CLT, OTHR, tel: 0530-35835.

COMPLETE HF STATION: TS930S c/w auto atu, HB filters, SP930 spkr, £900. CWR-670E teTereader, £165. KR600RC rotator, HB335S, tri-bander, 45' Altron triangular 3-section tilt-over tower, will split, £495. MK1024 message-kayer (programmable memory), £110. All os new, used one year c/w. Hick, G4WHM, tel: 01-398 7064 or 01-942 0012.

SX200 SCANNER RX, mint with mpu, 6 months aid, cost £325, bargain at £190 incl p.p. R J Hewey, 1 Berlow Close, Oldbury, Warley, West Midlands, tel: 021-544 4185, after 6pm.

YAESU FT726 2m/70cm/satellite, little used, immac condx, genuine reason for sale, £925 ovno, with p/exch FT7200RH with cash adjustment. G6WIL, tel: 01-520 6020, anytime.

IC735, £650. Trio R600 RX, £200. CWR610 CW/RTTY decoder plus Morse tutar, £120. All plus postage. Chris, G3TUX, tel: 0428-56255, office hours.

KW TRAP DIPOLE e/w 75' coax, will swap for KW EZE-match or Supermatch with cash adjustment. G3YNH, OTHR, tel: Romford 49175.

70cm TRIO 8400, matching psu and spkr, base stn collinear, £200. SX200A, discane end SSB unit, £200 VFO120, unused, £50. HF5R ground-plane kit, unused £30. NDI 2m mobile, £70. Coder ATS plus psu, £25. CTALC, tel: 01-803 7459.

ICOM IC02E, 144-148MHz, chgr BC26E spkr/mic, manuel, £120. Triangular 3x10' section tower for large beams, £120. G3FVB, tel: 082 581-3356.

EIKAC 3-500Z triode pair, brand new, boxed, c/w

glass chimney and ceramic bases, £80 ea or £150 pr G3220, OTHR, tel: 0920 3740.

SILENT KEY SALE: Complete 2m stn, pwr/swr meter, FOK Multl 700EX, Daetron PH-500, Ringo Ranger, wavemeter, boxed near new candx, £250 ano. G0ESA, tel: 0535-46015.

RACKS 19", one 17" high with front and rear panels vgc, one 6" with rear door, ge, £20 ea. Vince, G8YFK, tel: 0702-218443.

DA10NC D70 Morse tutor, as new, £35. Chetah 32k RAM extension for Sinclair Spectrum, £10. Harry, G0DOL, NOT OTHR, tel: D388-834270.

FL480R 2m multimode, Orae T3.5V 24A psu, 2m 5/8 and 1/4 wave gutter mount, best offer secures, J Russell, 13 Stonebridge Lea, Orton Matbarne, Peterborough, tel: 0733-59263, daytime.

TRIO TS820S with 12V dc inverter, £450. A1200 atu, £75. Trio 7600 with RM76 processor, £160. All little used in last 3 years c/w books etc. Norman, tel: 051-608 1504.

IR2200GX 2m FM TCVR, 10ch lully stalled with nicads, ehgr, £75. MML28/100S, 100W 28MHz linear with pre-amp, £75. Wood & Douglas 70FM05T3 70cm TX kit with tanaburst and xtal, £38. G4UIC, OTHR, tel: D383-416688.

TOTALLY UNUSED ATV SYSTEM: HTV-435 ATV-TX, Wood & Douglas AIV-RX cvtr, 21-ele Tonna with RG214 feeder, £150. Hy-gain T8AVT/WB 80-10m vertical, ge £50. Large qty 6cm/3cm microwave components, SAE for details, G4ASR, OTHR, PO Box 73 Hereford HR2 9EW, tel: 0873-87679.

HETERODYNE FREQ METER, Schomandl FD1, overhauled, tracked and standardised to MSF, 30-920MHz, in 1st class condx, can be seen wkg, £85 ono. G8BIM, OTHR, tel: 0420-82739.

DRESSLER D2D05 2m linear plus Dressler masthead pre-amp, £550. Yaesu FT208 hendhald, £110. Yaesu FT776R 11tted 2m/70cm/HF modules and lull duplex satellite unit, £1,100. 2m Cushcraft 19-ele Boomer £65. 70cm 21-ele Tonna, £20. Mutek TVVF50c 2m-6m tvtr, £180. 6' Andrews aluminium dish with 10GHz lead, very slight damage, £50. G4TWJ, tel: D706-57838.

YAESU FT480R, as new, £280. Tono 2m 100W linear, £90. Microwave Modules MML296 23cm tvtr, £150. Jaybeam DIS 23cm Yag1, £20 or offers? All plus carriage. Julian Tether, Highview, Culworth, OX17 2AX, tel: 029576-8152.

YAESU FT102 11tted FM, att 9-bands, ge, £550. Printer/monitor stand, metal, very strong, £11. For BBC B, 20k shadow RAM board, £25. Orig ROMS, Wordwise, Toolkit, Disk Doctor, £10 ea. G6HVZ, OTHR Worthing, tel: 0903-65900.

RT1Y TERMINAL UNIT, Searab MPTU-1 c/w Interlace and program for Spectrum 48k, £60. ITC 9" mono monitor, gwo, £25. D*KTanics keyboard for Spectrum, £25. G400K, OTHR Basildon (Essex), tel: D268-418058.

FRG7 RX, 11tted FM, manual, vgc, £120. 2oll double sided double-density 8" Shugart disc-drives S8550, brand new, boxed, manuals, £180 pr. Dave, G32WK, OTHR, tel: D1-894 5511 extn 282, daytime or Cromthorne 775316, after 6.30pm and weekends.

YAESU FL2100B linear amp, 10m-80m, 1200W pep, ex condx, selling as homebrew amp near completion, £365 ono plus carriage. Peter, G4BVH, OTHR, tel: Brighton SOA634, Monday to Friday 5.30pm to 6pm only!!!

BEARCAT scanning RX, 40ch AM/FM, 7-bands, 66-512MHz incl allcralt, marine, 7m/70cm amateur, public service, £195 ono. HRO RX e/w psu, 7 colts, £45 ono. Buyer inspects and collects. HaseIden, tel: 08293-2884.

WELZ DIAMOND CPS 5-band vertical, £75. G31RM, OTHR tel: 0284-4318.

YAESU FT102 HF TCVR with FM/AM unit, SP102, mic, immac condx, hardly used, £550 the lat. FDK Multi UTI, 70cm mobile or base, mte, handbook, £120 ona. G3HPC, NOT OTHR, tel: Plymouth 335759.

YAESU FT757GX, all mode gen/cov HF TCVR, ge, £595. G3TSD, OTHR, tel: Cirencester (028575) 532.

2m TRIO 7730, vgc, c/w mic and psu, exch only for SC lathe, local prefer re transport. Also Markon ac generator Honda G200 2.5kVA 250/110V axch for HF TCVR FT10120 preclrrd, vgc, possible cash adjust. C4KFW, OTHR, tel: 021-357 2009.

FT290R, nicads, ehgr, case, mobile mount, vgc, hardly used since new, £230. Interests now HF, could deliver, working Lincs, Berks, Yorks. G4UFE, OTHR, tel: 06282-2828.

WESTERN Util-mest telescopic tilt-over, mount post in concrete base, whole lot could be dug out if wanted, also head unit, £100 ovno. G4BUV, OTHR, tel: Causton (Norfolk) 520.

ANADIX DP8000 dot-matrix printer, ge, £100, CMA0XJ, OTHR.

FT290R, muTek front-end when new, case, boxed, £235. FT901DM remote vln, boxed, £95. Eric, G4XEH Cornwall, tel: D726-63081.

PAPER CAPACITORS, BuF 600V and 1000V wkg, £1 ea. 2m FM, G3102 1X/RX, completed baerds c/w orig article and many xtals, £25. RadComs T969-1981 inclusive, FREE! All buyer collect. G3PVX, OTHR, tel: 01-866 6432, evenings.

ICOM IC2E 2m FM TCVR c/w BC25E mains and CPI mobile chgrs, £100. FOK 700E 2m FM TCVR, variable o/p to 25W c/w mobile mount, HM202S remote mobile mic and Shure 444 hand mic, £100. G3YIU, OTHR, tel: 021-430 6926.

TS180S, rare opportunity to purchase Trio's previous solid-state illegship rig with supply, un-11tted WARC kit, extras, pristine condx, practically unused, prefer buyer inspects/collects £500. WAITED: Casa for FT400/401/560, Riehard, G3XPM, tel: D423-87123, up to 4 September only.

EDDYSTONE 730/4 in new condx, £55. A H Baker, 34 Wenny Estate, Chattaris, Cambs, PE16 6BA.

HRO-ST R106 model, all capacitors neatly replaced, immac, superb performance, 8-coil packs, £100. Photocopier Xerox 3103, A4/A3 plain paper, ex wkg condx, swap for professional communications RX or HF TCVR, TS520, FT101 etc or WHY? Jim, G4XMD, tel: Kidderminster 3674.

IC251E, muTek, SP3, SM6, £545. TS430, PS430, FM430 £630. Creed 444, stand, paper etc, £35. Lucas 10m FM, £30. All ono, buyer collects or postage extra. WANTED: HD rotator, cheap please, G4XMG, 13 Broadway North, Malsall, West Midlands.

ICOM IC720A, all band HF TCVR, PST5 psu, narrow CW 11tted, pristine condx, £675. IC211E 2m multimode base TCVR, 240V/12V, Thanet 11tted muTak front-end, ex condx, £375. Icom 240 FM mobile TCVR popular channels, £110. G4MXE, tel: 0304-825079.

50MHz/6m module for FT726R, ex condx, boxed, unused, with Jaybeam 4V-6M antenna, £150. CIH1W, OTHR.

SUGIYAMA F850 all-band, all-mode TCVR incl 4m and 2m, £500. 120W HF 11neer, £95. 160W VHF 11neer, £100. 432/144R MM tvtr, £95. HM2001 RTTY/TU cvtr, £75. ANTOR TU incl XBD5 and printer, £60. SX200 scanner, £130. Creed 2300 teleprinter, £40. All equipment little used, subject to allers. G4JOA, OTHR, tel: 0945-65716.

BRAND NEW ROTATOR with control box, c/w Jaybeam 5-ele crossed Yag1, buyer collects, £50 the lot. G41XK, OTHR, tel: 0270-767594.

MML114/30LS 11HFAR, perfect condx, £40. 'Osker' SWR200 swr/pwr metrc, 4-ranges to 2kW, covers

3-200MHz, os new, £20. Atu with self-contained dummy load, 2A RF meter, swr bridge, £25. G3OXV, 01HR, tel: Daventry 702265.

YAESU FT1209RH: Allstate, CIMML has moved to USA and left me his handheld to sell. He needs C1C55 which is only reason for sale. Please call my machine on 01-221 4399 and offer £200. Robert, G4XDO, view Kensington or Somerset. Thank you!

FT102 with FM, FC102, SP102, vgc, £600. 15700G with V0K3, £200. Versatower P60, electric winch, h/duty rotator, beam, DG7011 round controller, £500. New Silver Eagle mic, £45. Shure mic, £20. Mobile whip, £10. C400M, 0THR, tel: Rotherham 850517.

YAESU FT4ROR multimode, gc c/w mobile mount, £250 oro. Eddystone 840A, ex condx, £45 ono, for sale again due to time-masters! Buyer inspects and collects or pays all corrlage. G1AFW, 0THR, tel: 0795-876447, evenings.

TR10 R600 RX, vgc, £200. YAESU FRT7700 atu, £25, Ridler, tel: 0783-672130.

RECEIVING STATION CLEARANCE: B40, CR100, RX107, 3-section mast, manuals, accessories, magazines, many extras, £200 the lot, buyer collects, will split. Mr Thomas, RS41781, tel: Waterlooville 264466 extr 3528, daytime.

FL20000 plus 2 brand new 5278/T160L matched valves £300 or will separate, buyer to collect. G4MDL, 0THR, tel: 0782-314716.

PYE MFSFM hi-band 6ch mobile, less xtals, mic, mount, Ideal 2m TX/RX, 12V mobile or weather satellite RX, £25 unmodified or £30 retuned but less xtals, carriage extro. Chicken, tel: 0670-513994.

BRAHO NEW RADIO HARNESS, suit Burndept UHF range, £8.50 incl p.p. Pye A200 11reor, gwo on 2m, £50. Pye PFI 1X/RX on RB6, with extras, £30. Burndept 470-471 modules, tested, SAE for details. WANTED: Pye PFG, RE600. Please write, C10RR, 0THR.

YAESU FT2700RH dual-band mobile TCVR, new Feb 86, mint condx c/w Kenwood MA4000 antenna, £399. Also 15' GRP fishing boat with cabin, trolley, 5 hp outboard, £350. C080M, tel: Gainsborough 617486.

RTTY SYSTEM: Texas TI99/4A computer, Kantronics interface, software on EPROM, split screen, type ahead, message stores etc., CN/RTTY/ASCII TX/RX, also printer interface, cassette leads and many basic programs on cassette, £60. Oava, COCAO, 0THR, tel: Oxford 863565.

HML144/100-S 11reor amp, vgc, £80. G6DEV, 0THR.

COMPLETE STATION FOR £495: FT101ZD, atu, swr meter dummy load, low pass filter, 33' mast, rotator, HOT mini quad, 3-band trop dipole, 267' long wire, coax leads, plugs etc. Moving house, low price for quick sale; G3VQC, 0THR, tel: 0406-362939, evenings.

KW2000B, with ac end mobile psu's, ex condx, one owner from new, spare tubes, £200. Sarda, East Sussex area, tel: 0435-830102.

KEHW000/TR10 AT230, mint condx, £100. 2011 SEM 2-Match etu's, £70 ord £55. G3XNP, 0THR, tel: Weltham Cross 32434.

3 KILOWATT! Almost new Kubota generator, 240V and 12V o/p, has run for 30h only, substantial saving on new cost of £700, now at £495 due to time masters. G6JNS, 0THR, tel: 0905-620041, anytime.

VALVES: YL1080 and YL1000, quick heat type, £20 ea. G4KDM, 0THR, tel: 0484-863489 or 0484-864086.

BRAND NEW Herry Radio 2KD Classic 11reor amp, cost £4,000+ UK, will sell for £1,000 or WHY? G4SFG, tel: 021-552 1770.

2m LINEAR AMP, NAC144XL, single 4CX350, built-in psu, built-in pwr/swr, 250W pep, vgc, £280 buyer collects. G00XC, 0THR, tel: Reading S96485, after 8.30pm or at weekends.

TEH-TEC ARCQ5Y 1, 1.8kHz SSB filter, CW filter, noise blanker, xtal calibrator, £300. FT77 with FM board, 160m mod, £400 ono or p/exch for IC720A. G3TXO, 0THR, tel: 0604-859354.

KATSUHI HK1024 electronic keyer with 1024 bit memory, ideal for CW contesting, £75. G5LP, 0THR, tel: 0933-79539.

FDK700EX 2m FM, variable pwr 0-25W c/w mic, mounting bracket, es new, boxed with manual, £140. Icom IC2E handheld c/w nicads, chgr, spkr/mic, case, new April 86, £130. Ken, G1QPC, tel: Harlow 26647.

HEWBRAIN computer, model AD, built-in display c/w manuals, beginner's guide cassette, very versatile

operating system in 24k ROM, 32k RAM, ex order, £80 only. Also teletype KSR33, con interlace RS232, old but working, £15. G3KRL, 0THR, tel: 022026-2315.

VIDEO CEHIE computer c/w manuals, books, some software, built-in cassette, also incl excellent little assembler/editor, ZEN - very good intro to 280 assembly language, 16k RAM only, hence £70 ex order. G3KRL, 0THR, tel: 022026-2315.

SILENT KEY SALE: YAESU FT101E, FC901 atu, Trlo TS130S plus homebrew psu. Offers to Mr Burns, tel: Hertford (0992) 553903.

MMT432/28-S 70cm 11reor tvtr, £70. Jaybeam LW16/2m Yagi, £25. Mike, G2XV, tel: Cambridge 871663.

SOMMERKAMP FT150 TCVR, 100W, 80/40/20/15/10m bands gc, 12V and mains internally, £175. G8UWS, 0THR, tel: Folkestone 77205.

KP200 memory keyer, £120. EK150 keyer, £75. MMS2 advanced Morse trainer, £85. G0BXA, 0THR, tel: 0454-413326, weekends.

KATSUHI HK10 24-memory keyer, mint condx, £100. Hardman, tel: Blackburn 673184, from 9am to 4pm or 0257-480500, evenings.

TH70XX as new, £525. 3' cabinet, £10. 6' cabinet, £1131, £10. Polr quad spiders, £15. OX Edge, £5. G20Y, 0THR.

MICROWAVE MODULES MML432/30-L 70cm 30W 11reor, 1-3W 1/p, £100. HuTek TWF230c 2m to 9-band HF tvtr, £160. Roy, G4WTV, tel: 0903-67764.

IC02E, spkr/mic, chgr, £200. Trlo AT230, £110. IC5M6, £25. CHWUQ, 0THR, tel: 0698-459301, evenings.

BARGAIN: Apricot portable 256k, super suite programs, voice recognition, BBC program converter with lead, osync. activity tutor, parallel printer lead, 10 disks, little used, full MS005 copability for £470 ono only. Write G42C0, 0THR.

STORNO COM 600 series boot-mount FM box c/w control head, 10W, RO/R1/R2/R5/R6/S19/S20/S21/S22, wkg, £60 ono. Mylie, tel: 0505-22749.

YAESU FT225RD TCVR plus mulek, £400 ono. MMT432/144R tvtr, £100. Trlo OR666 communications RX, £30. MHC432/144S cvtr, £15. G8SGI, 0THR, tel: Falmouth 40797, weekends only.

KW103 pwr/swr meter, mint condx, £35. G3YNC, 0THR, tel: Romford 49175.

JR310 RX, £40. BC221, £15. Jaybeam 4-ola 2m quad, unused, £20. MMS50/28 cvtr, £20. SEM HF up-cvtr, 100kHz-60MHz, £20. UHF coax relay, BNC skts, £4. OOV06: 40As with bases, £5 ea. OOV03-10s, £1 ea. G40SC, 0THR, tel: 0765-2230.

STAHORC C78 FM TCVR, matching amp, mobile mount, orig pkg, ex condx, nicads, chgr etc, £185. Trlo 2300 2m FM plus amplifier, orig pkg, £100. Europa tvtr, £30. SSIV Wrasse SC160, £180. GAFBA, HOT 0THR (West Yorks), tel: 0977-82005.

YAESU FT230R 2m 25W mobile TCVR, boxed, £160. G6SKD, 0THR, tel: 0494-41653.

TR10 7010 2m 558 TCVR, mobile/base, £90. Trlo 2300 2m FM portable, £70. G8YTF, tel: 0706-350650.

A REAL BARGAIN: FROX500 RX e/w CW filter, spkr, £80. FLOX500 TX e/w mic, lead for transceiver operation, £80. Both in gwc lor age, ideal first HF rig. Mike, G3ZFE, tel: 0323-845363, evenings.

YAESU 726R, 2m/70cm/HF/Satellite units, narrow CW filter, boxed, manual, ex condx, £1,000 ono. Consider exch HF rodio with cash adjustment. C11QJ, 0THR, tel: Epsom 42476.

R278 AIRCRAFT RX, £80. Eddystone 770/R, two for £70. Eddystone 850/7 RX, £180, with manuals. Tech scopes, £40. Large Horry '00' layout, 1201 engines, coaches, trucks, controller, 90% brand new, exch for FT221RD. BC221, £15. Nelson, tel: Thetford 810879.

FT77 plus FM, FC700, SP980, Drae 24A psu, £550. Western OX33 beam and Emotator 103SAX rotator, £125. FT270R with FVS1, £325. Buyer collects. G4YH, 0THR, tel: 0272-553851.

YAESU FT101ZD MkIII, 250Hz CW filter fitted c/w 500Hz spare filter, £425. HuTek PVF144a, 10m-2m tvtr incl patch leads and switching unit, £195. Harry Rice, tel: 0384 82-4441, 8am-4.30pm.

FT7B TCVR, analogue dial c/w mic, 80m C-whip and manual, £220. G4LHK, 0THR, tel: 0538-757225.

DATONC AD-270 active dipole antenna, 2-100MHz, £30. YAESU YD844 desk/mic, 50k ohm impedance, £20. Pace Nightingale modem lor BBC computer c/w

Commstar ROM, £75. All items post paid. G3RDC, 01HR, tel: 01-455 8831.

CREED 444, 50 baud, vgc c/w Creed stand end spore machine lor parts/repair, £45. Creed 2500 electronic, umod, wkg order c/w spare machine lor parts/repair, £30 the pair. Spectrum 40k, mainly used lor RTTY from new, incl radio serious software and some games, £75. 20", 2" dia Durai mast with h/duty custom-made stand-off wall brackets for swing-down actlen, £25. Barrie, G60VD, 0THR, tel: Hertford 57225.

DUNSTABLE, Bedfordshire. Attractive 3-beds detached house with attached garage etc, double glazed throughout, cavity wall insulation, well maintained, built lor present owner by reputable local house builder in 1967 on plot 150'x35' 1r prime location some 525' asl, adjoining school playing field. Parking lor caravan or up to 6 cars. Planning permission granted for 30' mast for "Amateur Radio Purposes", £84,000. Mr Ashmore, tel: 0582-606983 lor further details.

TR10 189130 2m multimode TCVR c/w system base, never used mobile, mint condx, boxed with manual, also 10A psu, £440 ono. G4TOE, 0THR, tel: 061-491 0721.

MAINS STABILISER, 200-252V In 240V out +/-0.2%, 13A continuous, heavy, oilers? G3RVM AC5 keyer, £15. Pocketlones, RB0, £30. WANTED: 100VA toroidal transformers, 230V out approx, need 2off. Fraser, G4BJH, 0THR, tel: 0908-567362.

O1Y ol 2" MAST CLAMPS, unmounted, port of auctlor job lot, £220 ea incl p.p. CMBHP, 0THR.

FT101E, £320. HM 2m tvtr, £80. 14-ole Parabeam, £30. 12AVQ trap vertical, £40. All ono. G4OPZ, 0THR, tel: Haldon 57175.

BURNDEPT 70cm, SUB/RB2/RB10, ex condx c/w 6off nicads, chgr, manual, £130. John, G6CZC, tel: 0274-614593, evenings or 0274-720509, office hours.

KATSUHI EK-150, keyer, £23. Aluminium tubing 18sm, various diam's lor 10m and 15m 3-ole beams, offers, C3TMU, HOT 0THR, tel: 0276-32204.

YAESU FT78, 100W TCVR with YC78 digital readout, Oalwa RM940 Infra-red coupled mic, C-whip 10-80m mobile antenna, £350, buyer collects. G4CYC, 0THR, tel: 01-886 6843.

REALISTIC OX400 direct entry gen/cov RX +88-108MHz digital readout, scan, auto-acan, 12 memories, used twice only, mint, need money lor UHF, £140. Richard, G10KH, 0THR, tel: 0763-42638.

VIBROPLEX BUC-KETER, £35. New meter lor KW109 atu, £10. Qty heavy gauge alloy poles, 20' and 16' lengths, 80p/foot. CW3CBA, 0THR, tel: Borry 741520.

YAESU FT77, FM board fitted plus transmatch atu, mobile mount, HF antennas, £400. G4URS, tel: Donham 860015.

SX200 SCANNER, VHF/UHF AM/FM, 26-88MHz, 108-180MHz 380-514MHz, mains or 12V, cost £325 new, £175 ovro 011vettl prtler SV TLT ASCII compatible, 110 baud with keyboard and tape purch/reader, RTTY machine. G4YXS, W11ts, tel: 0373-88678.

ANTENNA ROTA10R CD40 Hy-Gair controller, £60. OX-33 beam, 10/15/20m, £50. G3NJU, tel: 0565-53199 daytime or 061-747 7965, evenings.

YAESU FT707, matching FP707 psu, FC707 atu, £500. Trlo 9130, mint condx, £400. Trlo 2500 handheld, case, spkr/mic, battery case, £180. Realistic OX200 RX, £40. G4WOC, 0THR, tel: Taunton 85091, evenings.

ICOM R70 communications RX with R11Y/SSB/AM/FM/CW wide/narrow, band-pass and IF notch filters, selectable amateur bands or gen/cov, a superb RX lor £350 only. G4FCR, Sutton Coldfield, tel: 021-378 2198.

GENRAD HP MARCONI R&S sig/gers, bridges, pwr meters, slotted lines, admittance meters, Diagraph scope c/w camera and plug-ins, noise/ger RA, HR0155, H2900, valves, semiconductors, 10GHz AX SAE lor full list, viewing by appointment only. G2CPM, 0THR.

JAYBEAM 4m AERIAL 4Y4H, brand new in manufacturers box, £25 buyer collects. G8BHH, 0THR, tel: 0420-82739. Jaybeam 6m aerial 4Y6M, brand new in manufacturers box, £32 buyer collects. G8BHH, 0THR, tel: 0402-82739.

SHACK CLEARANCE: All Heatklt, ex condx c/w manuals HR1680 RX; HA1681 TX with psu; HW101 TCVR with filter, psu, spkr; IC82U square/sine-wave generator; 101BU oscilloscope; H01410 electronic key; £500 the lot or will split. G3LP, 0THR, tel: 0452-34890.

CLASS '90' WAVEHETER, Not Mk2, 100/1000kHz xtal vfo 1900-8000kHz plus harmonics, mals, gc, instructions, £9. Vols: 6L6 metal, 12SK1(H), 12SQ7(H), 6SK1(H), 6Q1(CT), £1 ea. Hairs transformer, tapped 6.3V 10A twice etc. G3HBL, 0THR Bury St Edmunds, tel: 0184-60984.

TR7010 2m TCVR, MHL100S, PS30 10A psu, mulek SBL144E masthead pre-amp, Hansen FS500V swr/pwr meter, all vgc, complete 100W 2m stn, £350 no spilt. Heathkit SB303 HF RX with MM 2m cvtr, £50. Datong RFC/M, unused, £10. G8KJA, 0THR, tel: 0904-708704.

FI1012D Hk3, FM c/w FC802, FF501 filter, YD8440 desk/mic, hard/mic, £650. Kerwood DM81 gdo, £40. 1H3 Jnr c/w balun, £130. All ex condx, little used. G4WROS, 0THR, tel: 0602-623155, evenings.

SHACK CLEAROUT KW2000B vgc c/w psu/spkr, £120. W4D A1V11X 10cm c/w W4D 430/600 RX, unused, £50. FT290R, £120. MHL144/301S, £30. Rotator, £10. 5/8 wave mobile gutter mounted, £5. MBH48-ele 70cm, unused, £20. G6JVC, NOT 0THR, tel: Cheltenham S17411, evenings.

SHARPF XC-33H colour video camera, ex condx c/w psu, leads, zoom lens, 1r-built mic, manual, £140 ono. Shibaden TU-200K 19" monochrome 1V monitor/UHF RX, fast warm-up, vgc, £40 ono. G4OSL, 0THR, tel: 0602-623155, evenings.

FT290R with mulek front-end, £230. Tokyo Ily-power HL-160V 2m amplifier, 3-10W i/p, 160W o/p, £150. Drae 24A psu, £90. MET 144/14T 2m Yagi, £20. FT780R, 10W 70cm multimode TCVR, £280. MHL432/50 70cm amplifier, £100. HFT 432/111 10cm Yagi, £15. Welz 5P-400 meter, 130-500MHz 150W, £35. Altror SR30 telescopic tilt-over mast with ground-post and rotator head, £200. Kerpro KR400RC rotator, 30m cable, £90. G6PXN, 30 miles M Birmingham, tel: Burntwood (05436) 4704.

KW1000B c/w psu and manual, gc, £220. IC290 2m multimode, 3 months old only, vgc, £330. Braur SE600 2m multimode TCVR AM/FM/SSB/CW, £120. Heathkit HW7 ORP HF TCVR, £50. 2m FM 6ch homebrew handheld, £60. G4KZY, 0THR, tel: 0703-611772.

IC02E HANDHELD, ex condx c/w spare p/ced, apkr/mic case, chgr, covers 144-148MHz 1r 5kHz stops, £175 oro. G4JOL, 0THR Lercs, tel: 0254 82-3366.

TR10 TH21E, boxed c/w SMC30 spkr/mic, BMC adaptor, as new, under guarantee, plus homebrew dc cvtr, £180. C1010, 0THR, tel: 044 46-42122.

TR10 3200 with carrying case, mobile mount, chgr, £130 oro. WANTED: Manuals for Pye Vanguard FM25B, AM15T and UHF base F300. G8KJU, 0THR.

JAYBEAM PBM 14/2m, 12 months old, vgc, £35 buyer collects. G4HLW, NOT 0THR, tel: Wellingborough G26262.

TR10 R2000, fitted options, unused accessories, clean manual, Daiwa coupler, absolutely mint cordx £510. G6E0C, 0THR, tel: 0913-26149.

TOWER: 2-section lattice galvanised tower, 30' extended, reads winch and mounting post, £45. G6RLH, 0THR Kert, tel: 03224-48194.

QUAD COLLECTIONS ITEMS: Quad 22 control unit, Quad 11 power amp with spare output valves, offers please. C4FJA, tel: 0785-180321.

HF Rig: FL2000B linear, £150. FLDX400 TX, £125. FRDX400 RX, £125. All ono, offers considered, carriage by arrangement but prefer buyer collects. G30NX, 0THR, tel: 061-480 9994.

TR10 510 55B TCVR with matching ext/vfo and spkr, Shure mic, £300. Tr10 TS700G 2m multimode 1CVR, £225. Both in vgc. G3BX1, 0THR, tel: 037 184-235.

BELCOM LS202E 2m SSB/FM 2.5W handheld, 144-148MHz with rubber duck, r/cads, chgr, case, boxed, £180. G4WTE, 0THR, tel: Medway 221061.

YAESU FT190R, n/cads, chgr, boxed as new, £295. BNOS LP144-3-100, 100W 2m linear, vgc, £100. Jaybeam MBH28/10 70cm beam antenna, vertical or horizontal mounting, £15. Gory, G6TBT, 0THR, tel: 01-995 4701, after 5pm Mondays to Fridays only.

BUILDING A LINEAR? 2of 1 5-500 PA valves, brand new with one base and top-cap, £100 ono ea or exch WHY? G4LBY, 0THR, 22 Crown Street, Mansfield, Notts, tel: 0623-29473, evenings or weekends only.

IC260E, 2m multimode 1CVR, ex condx c/w handbook, orig pkg, mic etc, £260. Would exch or p/exch for HF mobile/base TCVR eg TS120, TS130, FT78, FT77 etc. David, CAERW, 0THR, tel: 01-390 7694.

COMPLETE HF STATION: TS820, SP820, fitted 11V Inverter, MC355 mic, SEM Transmatch (incl 160m), M01 mini-beam, orig pkg, £580 the lot. Penton, tel: 08894-78881.

DAIWA AUTOMATIC ATU, ex condx, cross-needle meter and dummy load built in, £90. Paxman, tel: Rhyl (0745) 4995.

F10X500, recent £60 spent, new valves, bills shown, manual, £230. CNA2002 auto atv, boxed as new, £80. Aerlot form, H01, 7-ole Torre, omni, tilt most, brackets, UR61, rotator, controller, £200. 6A psu, £15. CAUEE, 0THR, tel: 0509-262951, evenings.

FT221R, mulek, YC221 display, variable pwr, manual, £300. FT1012D, fan, manual, £375. Welz SP200 pwr/swr meter, 1.8-160MHz, £40. SEM Transmatch with Eze-ture, unused, £90. Davo, CAUKP, M01 0THR, tel: 0782-813416, office or 0782-518207, home after 6pm.

TB3 TRIBANDER, brand new, never used, also KR600RC rotator, brand new with top-clamps and cables etc, atill boxed, reason for sale - moving 0TH, £350. G4WYLF, 0THR, tel: 0443-130492.

TELEPRINTER, ITT Creed model 2300/5, with tape perforator and reader, 3200 hours use, ex condx c/w 117 pedestal and 2off 11re terminal units, bargain, £100. Can deliver South East. SImor, G4J00X, "Arlborg" 5 Kerdal 19", Tonbridge, Kent, TN9 1LY.

BBC 6502 second processor, complete as new for B, B+ or Haster, £140 or consider exch IC2E/4E. G81CH, tel: Chichester 265907.

PACKER COMMUNICATIONS 2m atv, ex condx, £14. Sun base collinear antenna, triplo 5/8 wave, used only 3 weeks, £25. 70cm base collinear 2x5/8 wave, gc, £15. Hanson 2QM2 transistor tester, boxed, ex condx, £12. Hike, G6HMX, 0THR, tel: 0904-422773.

MICROWAVE MODULES 432MHz to 28MHz cvtr, works OK, but no instructions hence price, £60. Crowd-plora antenne for 2m, unused, £5. Rodlin GR74 morine 1CVR, xtal for 28ch, 1-25W, £60. Hike, G6HMX, 0THR, tel: 0904-422773.

RACAL RA17MK2 with polished wood outer case, vgc, £180 ono. Eddystone 940 RX, ex condx, spere valves manual, £150 oro. Scott, BR88597, tel: Blackpool B65929, daytime or 864555, evenings.

FT77, 100W, rev 1985, mic, FM, narrow CW filter, ideal rig for W/P/A use, no tuning required, built-in swr meter, each HF linear or QRO HF rig, must be gc. G40DV, 0THR, tel: 0209-820193.

CAPACITORS: 200,000uF 10V. £5. Fitted heatsink, 15"x10", £10. WANTED: Case for W552 RX, mals/batt gau W552. Info for BC312, R147S, R4187, Sky Champion. RadCom for '72, '73. SHM '50s, early '60s. Jim, C4XND, tel: Kidderminster 3674, evenings.

YAESU FT157GX TCVR, NMB-20 mobile bracket, MH-18 scan/mic, 5 months old, little used, £550. Capco SPC300 atv, used 3 times, £120. Coling QRT. G3RCE, 9 Ripley Grove, Copnor, Portsmouth, Hants, PO3 6MH, tel: 0105-699971.

TITAN 12V electric drill c/w stand and tools, £18 incl p&p. KR500 elevation rotator, as new, £110 incl p&p. C8ESK, 0THR, tel: 0274-497438.

AX25 PACKET RADIO UNIT, £129. NEC 8023 dot-matrix printer, £140. FT230R 2m 25W FM mobile, £175. Standard CSB 2m multimode with 25W linear, £200. T lugwell, 50 Mayridge, Farcham, Hants, PO14 4QP, tel: 04895-81032.

FT790R 70cm multimode TCVR, 8 months old, fitted M-type socket otherwise unmodified, no n/cads as used mobile and homebase only, offered £225 1r p/exch by dealer, offered privately at £245. John, G4WLD, tel: 01-851 8096.

FT101E, fan, CW filter, modified 10MHz, mols/12V, desk/mic, £350. MM4000 teletype, touchpad keyboard £140. MM28/144 tvtr, £85. Prefer buyer collects. G3NFB, 0THR, tel: 0925-815394.

SENSIBLE OFFERS INVITED for TenTec 229 atv in os now condx, all HF bands to 2kW pep, has given excellent results. Also available, 2m Joyboom quad. G3ADZ, 0THR, tel: Rugby 815222.

SHARP PC1500 handheld computer, CE151 memory expansion for 10K RAM, CE150 plotter and cossette interface, vgc with custom case, manuals, paper, pers and some radio software, £120 plus carriage. John, G6IBC, 0THR, tel: 01-790 8163, after 5pm.

YAESU 726R, fitted 2m/HF, SP102, £175 ono. Sote 2m amp, built-in psu, 100W o/p, £50 ono. All vgc, ary test. G4PMX, 0THR, tel: 05436-6191, after 6pm.

YAESU FT902DM, £400. Hint SEM Transmatch, £35. Hint Welz Ofamond OP-CP4 antenna, new, boxed, never used, £45. Kenwood DH81 dip meter, boxed, mint, £40. CAYFR, 1 Topfield Lane, Doulton Parva, Rotherham S65 3QU.

FT101Z, £420. Heathkit HW12 with mols psu, £90.

Most new valves, some spares, 1R580 computer with lots software and books, £85. Coling 10m mobile, as now flat dweller. CAERW, 0THR, tel: 0228-49655.

FT790R 70cm multimode c/w n/cads, chgr and case, never used mobile or portable, £300. 1VVF144A mulek tvtr, little used, 10-2m, £110 ono. Both plus postage or buyer collects. G4UHM, NOT 0THR, tel: 0245-68149, after 7pm.

FI290R mulek c/w case, £240. 10' CRP mast tube, £9. 3off 18" guy stokes, chains and various brackets, £5 lot. All j6 months use. Tarran 3A psu £4. Nentone 5A psu, £4. Iambic key 1KP60, new, £5. Chris, G1LJF, tel: Ringwood 414492, weekends only.

TELESCOPIC WINCH OPERATED 40' hardened aluminum mast, SS ropes and fittings, would support HF beam, £150. R11Y terminal units, S15MCO, BARG control board fitted, Catorrics C1103, £65. Crood 444, £25. All ex condx. G4BYW, 0THR, tel: 0484-540861.

YAESU FI102, FM/AM board, filters etc, orig pkg, manual, ex condx, £495. Buyer collects or carriage extra. G4RU1, 0THR, tel: 0395-213157.

SACANT EL-40X trap dipole antenne 80/40m (will load or 20m) with bolun, £25 post paid. G3RDC, 0THR, tel: 01-455 8831.

COAX, one length 27m+ RG8-U Foam, £11. Also 5m+ HI00, £3.50. Both include postage. G3RDC, 0THR, 01-455 8831.

HOVIMC SALE: FV1012, £65. FT101B, £285. 2.5" scope £15. 144 BP filter silver plated, £8. TK14 reel-to-reel tape recorder, £11. Mono TV MB portable, £20. 4m cvtr, £7. 6A psu, £8. AVO Hk2, £30. Solartron DB scope C010/4, £80. 10-ole X-Yagi 2m, £11. Murphy A92 radio PB mlg 1935/37, both ex ordor. HHV wlrp-ud gramophone, vgc, ollera? G1LUC, tel: 0203-450416.

MORSEM ZX81 InterFace/terminal unit, decodes RTTY and CW, £75 (vost £150 rew). ZX81 and 64k RAM plus keyboard, ro-housed in hash-proof metal box, needs attn, £5. Moritor, £10. HM1144/28 tvtr, £60. Hirschmarr rotator, £25. Hirschmarr support bearing, £5. 2off AEC antenna switches, £5 ea. Robin, G4WJL, M01 0THR, tel: Egham 36693.

FOX750XX 2m multimode, little used as base/stn orly, mint cordx, orig pkg, plus CH22 collinear antenne, not used outdoors, plus HK102 HI-mound key, as new, whole package, £350 ono. Alox, C4ZDX, 0THR, tel: Nottingham 625146.

QRT SALE: FT290, r/cads, case, atvap, chgr, boxed, ro mods, £240. 2m 5x5 alot Yagi, new Hirschmarr rotator, 15mCRG6, 25m 3-core, £50. 2m linear, 4CX250, part assembled with psu, blts, £50. Mains transformer, hi-v capacitors, SAE list. G4V01, 0THR, tel: 0803-528190.

FT207R 2m handheld TCVR, keyboard, microprocessor synthesised, ease, holical, recently serviced, £110. Sanyo chgr, £5. YH-24 apkr/mic, £15. NC-2 chgr/dc adaptor, £30. The lot, £195 no offers. Taylor, G3UC1, 1 Harewood Close, Wilton, Salisbury, Wilts, SP2 0LY, tel: 0122-744133.

SOMMERKAMP FT902DM HF TCVR, all new bands, dc-dc converter and cord, fan, £550 ono. G0BEGY, 0THR, tel: 01-942 7094.

WIDE-SPACED high power transmitting variable capacitors, £19. Shiplon telator answerphone, needs attn, £20. Philips VR2020 video, complete but not wkg, 1or spares, £25. Sealline MC5500 marine VHF RX, OK, £15. Auto-dial alarm system, £10. Paul, tel: 0843-61448.

50A HEAVY DUTY PSU, 13.75V, 19" rack size, will sell or exch for 20A type, PS30 or similar switched-mode type or WHY? to exch. Buyer collects it's heavy!! Ardy, G0AYZ, 0THR Gosport (Hants), tel: 0705-589560.

SILENT KEY SALE: G20AF 1X and psu, gc, 160-10m, CW/SSB, £40 ono. HF linear, 2x813s c/w psu, priatire condx but untested, £40 ono. Shure 444 mic, gc, £20. G3VOF, tel: Hantsfield 551413.

T&R BULLETINS, 1925-1969, virtually complete, offers? Andy, G4HUE, tel: 01-989 0867.

2-ELE QUAD c/w spider, eight fibre-glass spreaders eight aluminum tubing, also element wire for 10/15/20m, £100 ono. G4SSX, 0THR, tel: Ruislip 630621.

DRAKE TR1 TCVR, PS7 psu, MB7, AUX7, HS1, all for £150 ono. Bob McHenry, G3NSH, 0THR Oxford, tel: 0865-56321.

MICROWAVE MODULES tvtr, 2m 1/p 10m o/p, £50. G4VPR, tel: Tunbridge Wells 28947.

STANDARD C8800 2m FH 1CVR, scans band or 5 mems, 1W/10W o/p c/w mobile bracket, mic, manual, gmo, £130 ono. Potter, tel: 01-661 0798.



THE RSGB BOOKS PAGE

**** STOP PRESS ** ARRL HANDBOOK 1986
REDUCED TO £6.95 TO MEMBERS BY POST**

RSGB CALLSIGN RUBBER STAMP SERVICE

We are pleased to announce a new service available to RSGB members. We can now supply individually made rubber stamps showing your callsign or RS number. Just the thing for adding to your stationery or for making personalised QSL cards.

The rubber stamps measure approximately 35 x 10 mm and come complete with a screw-on handle.

The cost of each stamp is £2.95 to members by post.

To obtain your callsign rubber stamp send a cheque or postal order for £2.95 to RSGB Headquarters. Don't forget to quote your callsign or RS number! As the stamps have to be individually made there may be a delay in delivery of up to five weeks as we expect demand to be high to begin with. We'll obviously do our best to get your rubber stamps despatched more quickly but please don't ring Headquarters with queries on your rubber stamp orders until the five weeks are up.

THE JOY OF QRP—STRATEGY FOR SUCCESS by Adrian Weiss W0RSP

The Joy of QRP—Strategy for Success, recently written and published by Adrian Weiss W0RSP is now available from RSGB.

The book contains eight chapters. The first, The Exciting World of QRP, begins with a history of QRP operation going back to the 1920s. It outlines some of the frustrations of QRP operating and tells how to put these feelings of frustration into perspective in order to enjoy QRP work to the hilt. It shows how QRP operating often brings out the best in high power operators who often become more determined than usual to listen for the weak signals of the QRP operator. It shows how QRP operation can take place on any mode and gives details of the fascinating experiments that have taken place with powers down to microwatt levels.

The second chapter, Sharing the Joys of QRP, gives details of QRP clubs and societies world-wide, QRP awards, QRP contests and activity periods throughout the year, and QRP calling frequencies and nets.

Chapter three, Planning for QRP Operation, is essential reading not only for low power enthusiasts, but for all who operate on the hf bands, particularly those who are relatively new to hf bands working. The chapter deals with the thought and planning that should precede operation of the hf bands—'What am I trying to achieve?', 'Is my antenna capable of achieving these aims?', 'What bands should I operate at what time of day to achieve the results I require?'—these, and many other seemingly basic questions are raised and many common-sense solutions are suggested.

The next chapter, Putting a QRP Signal on the Air: Commercial Gear, looks at ways of modifying second hand QRP transmitters and transceivers in order to transmit at low power levels. A useful list of features and specifications that should be kept in mind when purchasing second hand transmitters and receivers is given. The chapter concludes with a summary of commercial QRP equipment.

Chapter five deals with 'Homebrewing the First Rig'. This chapter takes the newcomer through the planning stages of home construction. It shows how to select the most appropriate circuits and components for a prospective project. Details of test equipment are given, the equipment being listed in the order in which it is probably desirable to acquire each item. Full constructional details, including printed circuit layouts, are given for a five watt transmitter covering any two bands between 3.5 and 14MHz. This is followed by two v.l.o. designs. These are intended to drive the previously described transmitter, but they would be equally useful as general purpose designs. Finally a regulated power supply is described which can provide between 1.5 and 15 volts at 3 amps. All these constructional projects are described in meticulous detail with particular attention given to explaining why specific components and designs are chosen.

The following chapter, General Operating Techniques, is good reading for the QRP and QRO operator alike. The chapter shows how to judge the mind of the operator at the 'other end'; whether he is really listening for weak signals when he calls CQDX or whether he is just looking for S9 signals at 30wpm. Various calling and transmitter netting techniques are described. Useful ways of maintaining contacts when signals are marginal are also detailed.

Chapter seven gives details for planning and operating QRP during field days, contests and in the various QRP activity periods and QSO parties. This chapter also has interesting sections on QRP mobile operation and QRP working on 160m.

The final chapter introduces the theory of r.f. power measurement and has a helpful section clarifying the various forms of r.f. power. Designs for an r.f. wattmeter and an r.m.s. r.f. voltage probe are given. At the end of this chapter is a thought-provoking treatise on standing wave ratio.

The Joy of QRP is essential reading for anyone who is interested in improving their operating skills on the hf bands. The author has used a thorough and in-depth approach to all the topics covered in this book, but in doing so he has maintained

an easy-going and entertaining style. It would be difficult for anyone to read this book and not gain something useful from it.

The Joy of QRP—Strategy for Success by Adrian Weiss W0RSP is available from the RSGB for £7.99 to members by post.

QRP No—Book by Doug DeMaw W1FB

Another new book on low power operating is Doug DeMaw's QRP Notebook. Published by ARRL this book contains many technical tips for the construction of simple but effective low power stations. While complete details of several projects are given the emphasis of this book is on experimentation. The operation of each circuit is fully explained in 'building block' style so that the constructor can experiment with particular circuits in other configurations.

There are six chapters, The Essentials of Receiving, The World of QRP Transmitters, QRP Accessory Gear, QRP Transceiving, The QRP Workshop, and QRP Operating. The book, which can be recommended to anyone interested in the construction of simple receiving and transmitting equipment, contains 84 A4 format pages and costs £3.75 to members by post.

TUNE IN THE WORLD WITH HAM RADIO by ARRL Staff

The latest 1986 edition of this excellent book for beginners to amateur radio is now stocked by the RSGB. The first three chapters, Exploring Ham Radio, The Radio Spectrum, and Learning Your New Language, give a resume of amateur radio activity throughout the world, introduce the frequency spectrum, and give some tips on learning morse code. These then follow three chapters on Basic Electrical Theory, Circuit Components, and Practical Circuits.

Chapter seven, Selecting Your Equipment, gives lots of advice on what to look for when purchasing new and second hand equipment. Useful tips are given on how to save money on purchases and how to ensure that a particular piece of equipment will actually perform well in the situation in which it will be used. The following chapter, Choosing an Antenna, contains useful practical advice on antenna location, installation, and tuning. A number of simple practical antenna designs are given.

Chapter nine gives hints on putting a complete amateur station together, including tips on safety aspects and station location. This is followed by a chapter on operating procedures and practices, contesting, and awards. The following chapter gives advice on how to solve interference problems and basic problems with spurious emissions, modulation, keying, and antenna problems.

Tune in The World with Ham Radio contains 208 A4 format pages and costs £4.38 to members by post.

MORSE CODE—THE ESSENTIAL LANGUAGE by Peter Carron W3DKV

This new book published by the ARRL is essential reading for anyone interested in the use of morse code whether beginner or expert. The introductory chapter explains why the code is still of great importance in today's modern world of communication systems. Chapter two contains a fascinating history of telegraphy from 1792 to the present day. The next two chapters introduce the code and provide useful hints for learning morse together with morse exercises, Q signals and abbreviations.

The following chapter illustrates techniques for increasing code speed and details a number of different sending devices ranging from straight hand keys to computer systems. The final two chapters deal with handling distress signals and future morse techniques.

Morse Code—The Essential Language contains 126 pages and costs £3.39 to members by post.

MICROWAVE COMMUNICATIONS HANDBOOK by Dave Ingram K4TWJ

This new book by Dave Ingram K4TWJ is a useful addition to the library of anyone interested in communication by microwaves. The author aims to show that microwave operation need not be highly technical or unduly expensive. The introductory chapters describe the microwave spectrum and microwave electronic theory. The following chapters describe equipment for the 1.3, 2.3 and 10GHz bands.

These follow chapters on networking and packet radio, microwave radar, and TV broadcasting satellites. There are also chapters covering power supplies for microwave systems, building up, testing and operating microwave stations, and interfacing microwave systems with television and computers.

The Microwave Communications Handbook costs £10.84 to members by post.



FOR FURTHER DETAILS OF THESE OR OTHER ITEMS CONTACT THE CIRCULATION DEPARTMENT AT RSGB HQ

RSGB PUBLICATIONS (SALES)

LAMBDA HOUSE, CRANBORNE ROAD, POTTERS BAR,
HERTS EN6 3JE. Tel. (0707) 59015

YAESU

**THE WORLD'S
No1
HANDHELD
RANGE**



FT203R/FT703R

The FT203R/FT703R is packaged in a lightweight, high-impact plastic case providing comfort and convenience with high durability. The small size is made possible by using chip components.

Thumbwheel frequency selectors (with 5kHz up button) plus standard repeater shift. Volume and Squelch controls are on the top panel along with jacks for the antenna (BNC), external microphone and earphone.

With the optional external YH-2 Headset, the internal VOX system provides voice-actuated transmit/receive switching, for "hands free" operation when mobile or walking. (As FT209R).

Also included is an S/P.O meter for monitoring of relative power output and signal strength. (As FT209R).

The FTE-2 1750Hz Tone Burst Generator, which is standard, is activated manually by a button on the side of the FT203R. (As FT209R).

A range of slide-on Nicad packs or AA-cell cases provides the optimum power source for your needs (As FT209R).

144-146MHz
-10kHz (±5kHz)
Supply: 6-13V DC
IF's: 10-695-0-455Hz
Selectivity: ±5kHz
@ -6dB (2:1SF)

430-440MHz
10kHz (±5kHz)
Supply: 6-13V DC
IF's: 21-6-0-455Hz
Selectivity: ±5kHz
@ -6dB (2:1SF)



FT209R/FT709R

The FT209R/FT709R with two 4 bit CPU's and a lithium backed RAM offers features far beyond anything yet conceived, in a package smaller and lighter than any previous CPU-controlled transceiver.

Ten memory channels allow storage of either standard 1/2 split, or independent Tx and Rx frequencies for any split/repeater shift on any channel, with touch-key reverse or simplex on either frequency. Scanning capabilities include step programming (full or partial band memory bank priority scanning etc).

Battery life is greatly extended with a programmable Power saver which activates the receiver momentarily at programmable intervals.

Nineteen soft rubber dual function keys provide greater control than ever, yet operation remains easy; the keypad is carefully arranged, colour-coded and most commands are one-touch operations.

Fat 1" LCD digits are complemented by ten memory and nine special function indicators showing status at a glance.

144-146MHz
25/12-5kHz
Supply: 6-15V DC
IF's: 10-7-0-455Hz
Selectivity: ±7-5kHz
@ -6dB (2:1SF)

430-440MHz
50/25kHz
Supply: 6-15VDC
IF's: 21-6-0-455Hz
Selectivity: ±15kHz
@ -6dB (2:1SF)






GENERAL SPECIFICATIONS

Good 50 ohm match to inputs and antennas. Frequency modulation (FM-F3-G3E) variable reactance linear modulator

Sensitive, quality 2K ohm condenser MIC.
±5kHz max. dev, 16kHz max. bandwidth. Transmitter spurious output -60dB

Sensitivity: 0-25µV for 12dB S/N.
1µV for 30dB S/N.
AF O/P: 450mW into 8ohms @ 10% THD

Large range of accessories available. Supplied with YHA 14A/YHA 44D (nickel) antenna and appropriate soft case



MODEL, SUPPLIED CELL, POWER OUTPUT (HI/Lo), CASES, DIMENSIONS				
FT203R	FT703R	FT209R	FT709R	FT209RH
1-5/0-2W* C/W FBA5 CSC6 65W, 34D, 153H mm	1-5/0-2W* C/W FBA5 CSC6 65W, 34D, 153H mm	1-6/0-2W* C/W FBA5 CSC10 65W, 34D, 168H mm	1-8/0-2W* C/W FBA5 CSC10 65W, 34D, 168H mm	2-3/0-3W* C/W FBA5 CSC10 65W, 34D, 188H mm
2-5/0-3W C/W FNB3 CSC6 65W, 34D, 153H, 482gms	2-5/0-3W C/W FNB3 CSC6 65W, 34D, 153H mm, 480gms	2-7/0-3W C/W FNB3 CSC10 65W, 34D, 168H, 512gms	3-0/0-3W C/W FNB3 CSC10 65W, 34D, 168H mm, 535gms	3-7/0-4W C/W FNB3 CSC10 65W, 34D, 168H mm, 512gms
3-5/0-4W C/W FNB4 CSC7 65W, 34D, 172H, 490gms	3-5/0-4W C/W FNB4 CSC7 65W, 34D, 172H mm, 495gms	3-7/0-4W C/W FNB4 CSC11 65W, 34D, 186H, 520gms	4-0/0-4W C/W FNB4 CSC11 65W, 34D, 186H mm, 520gms	5-0/0-5W C/W FNB4 CSC11 65W, 34D, 186H mm, 520gms

FT203R C/W FBA5.....£195.00
FT203R C/W FNB3.....£225.00
FT203R C/W FNB4.....£229.00
FT703R C/W FBA5.....£229.00
FT703R C/W FNB3.....£255.00

FT703R C/W FNB4.....£260.00
FT209R C/W FBA5.....£239.00
FT209R C/W FNB3.....£265.00
FT209R C/W FNB4.....£270.00
FT209RH C/W FBA5.....£245.00

FT209RH C/W FNB3.....£275.00
FT209RH C/W FNB4.....£279.00
FT709R C/W FBA5.....£255.00
FT709R C/W FNB3.....£285.00
FT709R C/W FNB4.....£290.00



**South Midlands
Communications Ltd.**
Rumbridge Street
Totton, Southampton
Hants SO4 4DP

**YAESU MUSENS
ONLY AUTHORISED
DISTRIBUTORS**

**AMATEUR
ELECTRONICS AE LIMITED**
510-512 Alum Rock Road
Alum Rock
Birmingham B8 3HX

